

#### OCTOBER - DECEMBER 2024

Scan here to visit our website or go to www.autoworks.pub

# BECOME A INITAL STATES OF A COMPANY OF A COM

50

Maximum Efficiency in Autobody Shops with High Teck Masking Machines

## CLEARLY THE BEST!



Ideal for small damage and in-process repairs See page 9 for details



Conforming to Curves and Defying Moisture for Superior Paint Protection

See pages 10 and 11 for details

106

Effective Spray Masking Can Save Time in the Paint Booth



Automotive refinishing products







PIA

# NEW Q1® Ultimate Masking Tape

**Elevating Collision Repair Excellence** 



Water and Slivering Resistance



Compatible with waterborne, solvent-based and polyurethane coatings



Withstands temperature up to 248°F (30min)



q1tapes.com

2

#### **Featured Products**

High Teck Products	4, 5, 6, 10, 11, 13, 16, 124
Klean-Strip	7
3M	8, 122, 123
SprayMax	9, 20
Eagle Abrasives	12
U-POL	14, 24
Meguiar's	15
Reading Technologies, Inc.	17
SAS Safety Corp	17
DeVilbiss	18, 19
Sunmight	21
SATA	22, 23
Transtar	25

# 16

48

#### Spray Guns 26-33 **Mixing Cups** 34

**Spray Equipment & Booth Supplies** 

Paint Cups	34-36
Miscellaneous Paint Cups	36
Miscellaneous Spray Equipment	36, 38
Booth Mats	38
Booth Filters	38-39
Booth Coatings	42

#### **Tools & Equipment**

Air Management	43-44
Color Correct & Shop Lights	45
Heat Lamps	46
Air & Fluid Hose	46
Body Shop Equipment	47-48
Masking Equipment	49
Body Shop Tools	49, 52
Air Tools	53-56
Polishers	57
Welding & Welding Accessories	58-60

# 61

#### **Body Shop Supplies**

Protective Apparel	61
Respiratory Protection	61
Disposable Gloves	62-64
Hand Cleaner	64
Shop Wipes	65-66
Tack Cloths	67
Miscellaneous Body Shop Supplies	67-69



61







Articles	
How to Mask a Car for Paint	40-41
Maximum Efficiency in Autobody Shops with High Teck Masking Machines	50-51
Q1 High Performance Masking Tape	70-71

Effective Spray Masking Can Save 106-107 Time in the Paint Booth



WARNING: This publication may feature products that contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For product specific information, please visit our website at nodonline.nationaloak.com. You can read more about Proposition 65 by visiting www.p65warnings.ca.gov.

DISCLAIMER: Some products may not be compliant in all markets. You should purchase products which are compliant in your area. Some products are available for drop ship only, such as large equipment. Please check with your representative for all product availability and shipping options. Not responsible for pictorial or typographical errors. This issue expires 12/31/2024.

72

72

73

74-79

79-80

81-83

84

85

86

87-89

90-91

92-93

94-96

97-98

98-99

100

100-101

101-102 103-104.

122, 123

#### **Coatings & Paint Systems**

**Masking Products** 

Other Masking Products

**Sanding Products** 

Masking Paper

Liquid Masking

Plastic & Film

Tape Products

DA Paper

Abrasive Sheets

Scuff Pads & Rolls

**Detail Products** Waxes & Polish

**Buffing & Polishing Pads** 

Compounds & Glazes

Other Detail Products

Surface Prep

Putty & Glazes

**Mixing Boards** 

Panel Bond

Seam Sealer

Bumper & Plastic Repair

Fillers

**Body Repair Materials** 

86

ooutingo of Funite of Stories	
Rust Preventative Coating	105, 108
Specialty Coatings	109
Bed Liners	109-111
Trim Paint	112
Primers	113-116
Clears	117-118
Factory Pack	119

3

#### **HIGH TECK PRODUCTS**



# **MASKING TOOLS**

#### No. T415 | 18" MASKING MACHINE



Sharp, anodized blade for smooth cutting

Includes bars for two (2) paper rolls and four (4) tape rolls

Wing nuts and large, adjustable washers for easy paper loading and alignment

#### No. T417 | TREE MASKING STATION




Double-welded, heavy-duty steel frame

Tree-style masker includes bars for two (2) paper rolls and four (4) tape rolls

Setup and alignment are simple with wing nuts and adjustable collars

height equal to 40 in



height equal to 46 in

# WHITE GUARD MASKING PAPER

**Premium** White

**Masking Paper** 



White Guard

- Flexible Construction
- Tear Resistant
- Recommended for Waterborne

Part No.	Description	Size
MP600W-6	White Guard Premium Masking Paper	6"x 750'
MP600W-12	White Guard Premium Masking Paper	12"x 750'
MP600W-18	White Guard Premium Masking Paper	18" x 750'
MP600W-36	White Guard Premium Masking Paper	36" x 750'

Available in these widths:

Urethane Barrier

Flexible Construction Tear Resistant

6 inch 12 inch 18 inch 36 inch

# ELEVATE YOUR REPAIRS WITH HIGH TECK BODY FILLERS

Engineered for superior performance, these body fillers ensure seamless blending, quick curing, and unmatched durability

#### **Premium Polyester Finishing Putty**

- 2K, pourable formula designed to fill dents and imperfections on most substrates
- Excellent filling properties with smooth, pinhole free application and effortless sanding
- Use over OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded e-coats and most plastics

• Can be applied to flexible

#### No. 4160

and/or metal parts

#### **Lightweight Body Filler**

- Lightweight formula is tack free and stain free
- Superior adhesion on all types of metal including galvanized, bare steel and aluminum
- Reduces sandpaper clogging
- Cream hardener included
- Designed to reduce sandpaper clogging. Offers
- Superior adhesion on all types of metal including galvanized, bare steel and aluminum.





#### **Ultra Glaze Finishing Putty**

- Superior Adhesion to Galvanized Steel and Aluminum
- Corrosion Resistant
- Tack Free
- No Shrinkage
- Two-part, flowable, polyester finishing putty ideally suited for filling and skim coating body work, pinholes, grind marks, low spots and other surface imperfections



#### No. 4820

#### **Premium Body Filler**

- Non-sagging, even on vertical surfaces
- Easy to sand quick drying
- Non-porous formula will not shrink or pull back
- Substrates: Direct to metal, OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded E-coat, most plastics
- Pinhole resistant





#### **KLEAN-STRIP**



# **NEW BULLDOG®** voc compliant adhesion promoter





QTP0126 - Quart\*



- Makes Paint Stick
- Dries Clear in 5 Minutes
- Tintable
- Makes Paint Flexible
- One Component
- Acts as a Tie Coat
- No Waste
- Wet Bed/ Basecoat Blender

#### Save time and money in the shop with the new, faster Bulldog<sup>®</sup> VOC Compliant Adhesion Promoter. Bulldog<sup>®</sup> now dries in 5 MINUTES - up to 25 minutes faster than the previous version.

▲ WARNING: This product can expose you to chemicals including Ethylbenzene and Styrene, which are known to the state of California to cause birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.

\*Not for sale in Bay Area AQMD, Imperial Co APCD and San Diego APCD.





#### Introducing

#### 3M<sup>™</sup> Perfomance Gravity Fine Finish Atomizing Heads

The newest addition to the 3M<sup>™</sup> Performance Spray Gun lineup.





**Premium Finish** 



**Consistent Atomization** 

Faster Application\*

In an industry that demands speed, just like you demand a quality finish, there's no time for compromises. You need the right spray equipment to match your expertise and pace as a painter where a finer finish is needed.

Introducing 3M<sup>™</sup> Performance Fine Finish Nozzles, for the 3M<sup>™</sup> Performance Spray Gun. Innovative quick-change nozzle technology, now equipped to spray some of the most challenging coatings. Help perfect your color match and lay down clear coats like glass. Experience a premium finish with the speed, quality, and fine atomization you look for.

#### 3m.com/spraygun

#### \*Compared to HVLP nozzles.

For additional information, including important safety and warranty information regarding 3M Automotive Aftermarket products, visit www.3Mcollision.com/info. Copyright 2022 by 3M. All rights reserved. 3M is a trademark of 3M Company.

00

**3**M

**SPRAYMAX** 

# CLEARRY THE BEST

#### PROFESSIONAL CLEAR COATS FOR YOUR PAINTING PROJECT

- Saves time, greater convenience
- Ready to spray, superior coverage
- ⊘ Ideal for small damage and in-process repairs





#### **HIGH TECK PRODUCTS**

# INTRODUCING HIGH TECK'S NEW ABRASIVE LINE!

#### **GREEN ABRASIVE SANDING SHEET**

Green abrasive sheets are a cost-effective product, made of high quality aluminum oxide grain, flexible latex paper and strong phenol resin. It is excellent for blending and finishing on metal, aluminum and carbon steel. It also work well on primer, paint, sealers, topcoats, fiberglass, and plastics.

#### FAST SANDING - ANTI CLOGGING - ALL SUBSTRATES - ALL COATINGS

#### AIR FILE SHEETS & ROLLS AIR FILE PSA

CLIP ON - 50/BOX

#### SHEETS - 50/BOX

2.75" X 17.	5"		2.75" X 16.	5"	
PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.AFC40	40G	4	HIT.AFP40	40G	4
HIT.AFC80	80G	4	HIT.AFP80	80G	4
HIT.AFC120	120G	4	HIT.AFP120	120G	4

#### **GREEN SANDING DISCS**

#### 6" & 8" SANDING DISC

DA SANDING	DISC 6	S" PSA	- 50/BOX		
PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.DAP6040	40G	8	HIT.DAP6220	220G	8
HIT.DAP6080	80G	8	HIT.DAP6320	320G	8
HIT.DAP6120	120G	8	HIT.DAP6400	400G	8
HIT.DAP6150	150G	8	HIT.DAP6600	600G	8
HIT.DAP6180	180G	8	HIT.DAP6800	800G	8

#### AIR FILE PSA 25 YARDS PER ROLL

PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.AFR80	80G	8	HIT.AFR220	220G	8
HIT.AFR120	120G	8	HIT.AFR320	320G	8
HIT.AFR150	150G	8	HIT.AFR400	400G	8
HIT.AFR180	180G	8			

#### **DA SANDING DISC 6**"

HOOK & LOO	OP - 50	/BOX			
PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.DAG6040	40G	8	HIT.DAG6220	220G	8
HIT.DAG6080	80G	8	HIT.DAG6320	320G	8
HIT.DAG6120	120G	8	HIT.DAG6400	400G	8
HIT.DAG6150	150G	8	HIT.DAG6600	600G	8
HIT.DAG6180	180G	8	HIT.DAG6800	800G	8

#### DA SANDING DISC

HIT.AFR80

HIT.AFP40

	8" PSA - 50/BOX					
;	PART #	GRIT	QTY/CS			
1	HIT.DAP8040	40G	8			
	HIT.DAP8080	80G	8			
		100	2010			
		$\sim$				
_						

HIT.AFC40

#### **GRAY FILM SANDING DISC**

Gray film sanding disc are a film-based product, with mixed Zirconia and high quality alumina oxide. Provide very fast sanding speed, due to the plastic base makes the product stronger, and more durable. Special coating technology on the surface ensures very good anti-clogged performance during the sanding process. The products are suitable for body filler or putty, paint and metal projects.

#### FAST SANDING - LONG LIFE - FINE SCRATCHES - QUICK CHANGE - ANTI CLOGGING

#### DA SANDING DISC 3" HOOK & LOOP - 50/BOX

PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.DAG3040	40G	8	HIT.DAG3220F	220G	8	HIT.DAG31000F	1000G	8
HIT.DAG3080F	80G	8	HIT.DAG3320F	320G	8	HIT.DAG31200F	1200G	8
HIT.DAG3120F	120G	8	HIT.DAG3400F	400G	8	HIT.DAG31500F	1500G	8
HIT.DAG3150F	150G	8	HIT.DAG3600F	600G	8	HIT.DAG32000F	2000G	8
HIT.DAG3180F	180G	8	HIT.DAG3800F	800G	8			

#### DA SANDING DISC 6" HOOK & LOOP - 50/BOX



PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.DAG6040F	40G	8	HIT.DAG6400F	400G	8
HIT.DAG6080F	80G	8	HIT.DAG6600F	600G	8
HIT.DAG6120F	120G	8	HIT.DAG6800F	800G	8
HIT.DAG6150F	150G	8	HIT.DAG61000F	1000G	8
HIT.DAG6180F	180G	8	HIT.DAG61200F	1200G	8
HIT.DAG6220F	220G	8	HIT.DAG61500F	1500G	8
HIT.DAG6320F	320G	8	HIT.DAG62000F	2000G	8

#### **DA SANDING DISC 6**"

HOOK & LOOP - FOAM 15/BOX

Super Fine Foam Sanding Disc are multi-functional sanding material developed for tackling both smooth and profiled surfaces. The patented, flexible construction allows it to create a smooth sanding pattern on angled surfaces and edges while minimizing the risk of pressure marks. The flexible weave allows water and air to pass freely. Recommended to use wet.

PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS	PART #	GRIT	QTY/CS
HIT.DAF61000	1000G	4	HIT.DAF62000	2000G	4	HIT.DAF63000	3000G	4



#### **HIGH TECK PRODUCTS**

#### **INTRODUCING HIGH TECK'S ABRASIVE LINE** EWI

QTY/CS 4 4

QTY/CS

4

4

#### WET & DRY SANDING SHEETS 5.5" X 9" - 50/SLEEVE

PART #	GRIT	QTY/CS	
HIT.HSWD1000P	1000P	8	
HIT.HSWD1200P	1200P	8	
HIT.HSWD1500P	1500P	8	
HIT.HSWD2000P	2000P	8	

GRIT

220P

320P

400P

600P

800P

QTY/CS

4

4

4

4

4

-	SCUFF PAD	S 6" X 9" - 2	20/BOX
	PART #	GRIT	QTY/CS
	HIT.SPRED	VERY FINE	4
	HIT.SPGRAY	ULTRA FINE	4

THIN SCUEF PADS

4.5" X 9" - 20/BOX

PART #

HIT.SPTHINR

HIT.SPTHING





SCUFF PADS ROLLS 4.5" X 32.8" - 20/BOX

4.0 X 01.0 -	LUIDON	
PART #	GRIT	QTY/CS
HIT.SPRRED	VERY FINE	4
HIT.SPRGRAY	ULTRA FINE	4

#### **CUT-OFF WHEELS**

9" X 11" - 50/SLEEVE

PART #

HIT.FSWD220P

HIT.FSWD320P

HIT.FSWD400P

HIT.FSWD600P

HIT.FSWD800P

- Cut-off wheel for use on straight grinders
- Very tight balance tolerance
- Bromium aluminum avida grain
- Vibration-free for comfortable cutting Long lasting wheel offers low cost per cut

GRIT

VERY FINE

ULTRA FINE

· Tien	num aluminum ox	aue grain					
PART #	SIZE	UOM	QTY/CS	PART #	SIZE	UOM	QTY/CS
HIT.500-5	3" X 1/32" X 3/8"	CLAM SHELL	5	HIT.500-50	3" X 1/32" X 3/8"	BOX	50
HIT.510-5	3" X 1/16" X 3/8"	CLAM SHELL	5	HIT.510-50	3" X 1/16" X 3/8"	BOX	50
HIT.520-5	3" X 3/16" X 3/8"	CLAM SHELL	5	HIT.520-50	3" X 3/16" X 3/8"	BOX	50



High performance, premium quality surface conditioning discs for greater versatility to meet your specific needs. . Premium zirconia discs Tough, sharp mineral composition Cuts/grinds fast and cool

PART #	SIZE	GRIT	UOM	QTY/CS	PART #	SIZE	GRIT	UOM	QTY/CS
HIT.524	5" X 7/8"	24	BOX	25	HIT.536	5" X 7/8"	36	BOX	25

#### **R-STYLE**

- Aluminum oxide discs
- One-piece design prevents risk of detach
- Grain is fused directly to tough polymer back: no paper or cloth
- Coated with specially processed grit engineered to be tough, sharp and solidly bonded

PART #	SIZE	GRIT	UOM	QTY/CS	PART #	SIZE	GRIT	UOM	QTY/CS	PART #	SIZE	GRIT	иом	QTY/CS	PART #	SIZE	GRIT	UOM	QTY/CS
HIT.224-50	2"	24	BOX	50	HIT.250-50	2"	50	BOX	50	HIT.324-25	3"	24	BOX	25	HIT.350-25	3"	50	BOX	25
HIT.236-50	2"	36	BOX	50	HIT.280-50	2"	80	BOX	50	HIT.336-25	3"	36	BOX	25	HIT.380-25	3"	80	BOX	25

#### TRIM<sup>™</sup>-KUT DISCS

- Trim-Kut<sup>™</sup> aluminum oxide discs
- Blend of advanced abrasive and bonded agents deliver superior cut rates and longer life
- No backing pad required: patented fusion process bonds abrasive grains directly to durable polymer

PART #									
HIT.324TK	3"	24	BOX	25	HIT.336TK	3"	36	BOX	25

#### ABRASIVE ACCESSORIES

- All-metal attachment on the holder pad & disc to ensure a safe, secure, durable fit
- Quick changed discs save time simply twist to unlock the disc from the holder pad

PART #	SIZE	QTY/CS	PART #	SIZE	QTY/CS
HIT.2MAN	2"	1	HIT.3MAN	3"	1



FEATURED PRODUCTS

#### EAGLE ABRASIVES



SCAN TO LEARN MORE

#### MaxFilm TRA-PREMIUM SANDING SYSTEM

#### CLOG-FREE SANDING

Premium Film-Backing, along with an advanced Anti-Clogging technology, results in cooler sanding & longer paper life.

#### SPEED WITHOUT SACRIFICING FINISH

Best-in-class finish quality dramatically cuts down sanding time & labor cost. Perfect for Primer Sanding, Surface Prep, Metal Sanding and much more.

#### MaxFilm 6" Discs & File Sheets - 50 pcs/box

Grit	<b>OH Discs</b>	15H Discs	File Sheets
P80	520-0080	523-0080	705-0080
P100	520-0100	523-0100	-
P120	520-0120	523-0120	-
P150	520-0150	523-0150	705-0150
P180	520-0180	523-0180	705-0180
P220	520-0220	523-0220	705-0220
P320	520-0320	523-0320	705-0320
P400	520-0400	523-0400	-
P500	520-0500	523-0500	-
P600	520-0600	523-0600	-

loedui

Vacuum Sanding Block P/N: 911-1009 SUPER-TACK HOOK & LOOP AVAILABLE IN 6" DISCS (15H, 7H\*, 0H) & FILE SHEETS (70 x 402 mm) \*7H Discs part prefix 521-XXXX

#### Eliminate imperfections. Not your paint job. **OUCH-UP SYSTEM** K-800 to K-3000



STICKON

PSA BACKING

#### A Total DRY Top Coat Touch-Up system that leaves the most uniform finish

The Tolecut Touch-Up system utilizes state-of-the-art Anti-Clogging technology to prevent both loading and deep scratches. This dry application allows constant progress monitoring for delicate jobs. Fast cutting while delivering an extremely shallow & uniform scratch pattern means no over-sanding and less time to buff.



LEARN MORE

Tolecut She	<b>eets -</b> 70 x 114m	nm						
Grade	Color	Qty/Bx	8-Cut	4-Cut	Full Sheet	Qty/Pk	1 <sup>3</sup> /8" Discs	
K-800	Vellow	25	191-1527	191-1547	191-1517	-	-	
K-1200	Orange	25	191-1526	191-1546	191-1516		-	
K-1500	Pink	25	191-1523	-	191-1513	96	192-15138	Tolec
K-2000	Green	25	191-1522	-	191-1512	96	192-15128	Comp
K-2500	Blue	25	191-1528	•	191-1519	96	192-15148	8-Cut
K-3000	Black	25	191-1521	•	191-1511	96	192-15118	Full St











t Starter Kits ete Kit

íit

eet Kit

SP9737 SP9738

SP9739



#### **HIGH TECK PRODUCTS**



Manufactured in Europe using high quality European resins, High Teck 8000 4:1 Clearcoat gives a high build, crystal clear finish with exceptional gloss retention.

Part No.	Description	Size
8000-1	2.1 VOC 2K HB Gray Urethane Primer	Gallon
8010-4	2.1 VOC 2K HB Gray Urethane Primer	Quart
8020-4	2.1 VOC 2K HB Primer (Medium)	Quart

Great flow out and non-sag properties



**U-POL** 



## COMPLETE REPAIRS IN HALF THE TIME WITH OUR NEW DOLPHIN SPEED FILLER.

#### NEW DOLPHIN SPEED FILLER AND DOLPHIN SPEED GLAZE CUT CURE TIMES BY 50% OR MORE!

#### **DOLPHIN SPEED FILLER FEATURES:**

- "Snap-Cure" technology is 2X faster than conventional fillers
- Fully tack-free
- Faster to sand: 10 minutes at 70°F (21°C)
- Faster to prime: Solvent-proof in 20 minutes
- Rich, multi-function resin bonds to all automotive substrates eliminates need to apply epoxy over silicon bronze

Smarter solutions **RIGHT FROM THE START** is how we'll be able to be the best partner for your business. Smart is our bottom line, because it increases yours. **Earn more at U-POL.com**.

# FEATURED PRODUCTS

#### **MEGUIAR'S**



# FACTORY PACK SINGLE STAGE PAINT





- User friendly, high solids, direct to metal, single stage topcoat
- Offers superior protective maintenance for surfaces exposed to humidity, chemicals and corrosive elements
- 2.8 VOC compliant nationwide and in Canada
- Less than 30 min dry to touch

**SEE PAGE 119 FOR COLOR CHART** 

# FACTORY PACK NATIONAL RULE BASECOATS



- Basecoats matching OEM paint codes at a fraction of the cost
- Polyester Composition
- High Quality, Easy to Use
- May be tinted with any high quality basecoat

**SEE PAGE 119 FOR COLOR CHART** 



#### **READING TECHNOLOGIES, INC • SAS SAFETY CORP**



#### **Reading Technologies, Inc.**



**EH7000-3R** 3-stage desiccant dryer, largest 0.1 micron coalescer on the market



**STEALTH 7000B** Tool Saver with 0.01 micron final filtration and rated for 60 SCFM



**STEALTH 6950B** Tool Saver with 1.0 micron final filtration and rated for 60 SCFM



SHC-35 35' spray hose, rated for 400 PSI working pressure





**DEVILBISS** 



# Productivity Performance Profits

34o

Part No.	Description	Size
DPC-600	(32) Disposable Cups and Lids	34oz
DPC-601	(32) Disposable Cups and Lids	24oz
DPC-602	(32) Disposable Cups and Lids	9oz

24oz

**9**oz

**GRAVIT** 

#### **DEVILBISS**



# *DeVilbiss*<sup>®</sup> GPG<sup>™</sup>

#### Multi-Purpose Professional Spray Gun

#### Great atomization for a wide range of refinish paints and coatings

Part Number	Description	Air Cap	Nozzle Size
905016	GPG Gravity HVLP Gun Kit	GPG2	1.3mm, 1.4mm, 1.5mm
905012	GPG Gravity HVLP Gun Kit	GPG2	1.3mm, 1.5mm, 1.8mm
905013	GPG Gravity HVLP Gun Kit	GPG2	1.3mm, 1.5mm, 1.8mm
905014	GPG Gravity HVLP Gun Kit	GPG2	1.8mm, 2.2mm
905015	GPG Gravity High Efficiency Gun Kit	7E7	1.2mm, 1.3mm, 1.4mm
905019	GPG Gravity High Efficiency Gun Kit	7E7	1.3mm, 1.4mm
905020	GPG Gravity High Efficiency Gun Kit	7E7	1.3mm, 1.4mm
905021	GPG Gravity High Efficiency Gun Kit	7E7	1.2mm, 1.3mm
905022	GPG Gravity High Efficiency Gun Kit	7E7	1.2mm, 1.3mm
905026	GPG Gravity HVLP & High Efficiency Gun Kit	PR10 & PR30	1.4mm, 1.6mm
905027	GPG Gravity HVLP & High Efficiency Gun Kit	PR10 & PR30	1.8mm, 2.0mm
905028	GPG Gravity HVLP & High Efficiency Gun Kit	PR10 & PR30	2.5mm
905036	GPG Gravity HVLP & High Efficiency UV Primer Gun Kit	PR10 & PR30	UV1, UV2

#### **FEATURES & BENEFITS**

- Rugged anodized and forged aluminum gun body with lightweight aluminum controls for a long working life
- Renowned *DeVilbiss* atomization quality for even paint distribution
- Robust and smooth air valve design provides greater air and paint control to help ease fade-outs and blend-ins
- Ultra high flow fluid nozzles provide superb versatility across the major range of viscosities
- Suitable for all primers including the latest generation waterborne and UV materials for fast and efficient application

#### APPLICATIONS



Clearcoat

*Contact your sales representative to place your order today.* 



SPRAYMAX



- ⊘ Saves time, greater convenience
- Ready to spray, superior coverage
- ⊘ Ideal for small damage and in-process repairs





Sun)might

Ceromic Film

76409

150G / 50 PCS

in grits 40 allable

Ceramic F

76609

Ceramic Film Discs

Simmight

Submish

I

00

0000

Sim

Ceromic Film Diss

nielt

Ceramic Film Discs

Simmight

**SUNMIGHT** 

# Cuts Faster. Lasts Longer. Cleaner Work. Summient

Ceramic Film Discs

Sunmight

**CERAMIC FILM** 

Celonic Him Discs

76512


Ceramic Film Discs

Sunnight

Strong Premium Ceramic Grain

000

76318



for Easier, Better dust extraction



Best Cutting & Life

- Faster cuts and consistent finish
- Stays sharp and lasts longer
- Delivers outstanding performance with maxximum dust extraction
- Available in 3", 5", 6", and 2-3/4" x 13.12yd sheet rolls



#### Efficient. Silent. X-nozzle system.





SATA

#### SATAjet X 5500

State-of-the-art paint systems and the latest application recommendations open up new possibilities, but also pose new challenges for professional painters. The SATAjet X 5500 featuring the new X-nozzle system defines a completely new application standard for the future.

- Revolutionary: The X-nozzles are taking atomization to a whole new level
- Noticeably quieter: reduced noise level in the relevant sound frequency ranges due to optimized flow geometry of the whispering nozzle
- Individual: Matches any application requirement, such as specific characteristics of the paint system, climatic conditions and application method (application speed/control)
- Precise: Optimized material distribution for enhanced spraying uniformity and atomization with both spray fan shapes
- Low maintenance: No air distribution ring required, which ensures a much easier and faster cleaning process
- Efficient: The optimized atomization concept allows for considerable material savings



SATA USA Inc.



#### The Daylight Solution





#### SATA trueSun

The amount of work caused by a wrong decision and the associated high costs of repainting the area leave no room for compromise when it comes to choosing the light quality.

In order to ensure that the correct color variant is selected during refinishing and the associated color shade can be determined, a light source that reproduces the entire color spectrum of visible light (daylight) as far as possible must be used. The specially developed SATA trueSun facilitates professional color retrieval and identification, even inside the bodyshop.

- Best possible close to daylight reproduction of different color shades
- Homogeneous light distribution across the entire illuminated area
- Approx. 70 minutes at full light intensity
- Uniform light intensity - independent from the battery's level of charge
- Charging cycle time of only 50 minutes
- Infinitely adjustable light intensity

www.sata.com/truesun

INFO

SATA USA Inc.

#### **U-POL**



There's no room for questions when it comes to protection in the most demanding of elements. That's why there's RAPTOR High Heat.

RAPTOR High Heat formulations use cutting-edge ceramic technology, allowing the bonding of color pigments with the resin matrix during the heat curing phase. The bottom line? This proprietary formula provides superior color stability and adhesion to substrates exposed to high-temperature environments.

RAPTOR High Heat aerosols boast world-class RAPTOR durability and protection in a formulation for every job. From the professional-quality Raptor Roll Bar and Chassis to the tough-as-nails Flame Proof Paint, each product is tailored for applications, ensuring your ride not only endures the heat but does so with Raptor toughness and confidence.



LEARN MORE AT RAPTORCOATINGS.COM

#### TRANSTAR



## 2A Aftermkt Armor Bedliner **The Strength of a Defender.**

**Introducing a bedliner that performs above the rest.** This newly developed bedliner offers truck beds incredible resistance from scratches, stains, water and corrosion. Along with ultra performance and longevity, it gives you complete control of appearance with texture options AND the flexibility to create any color you can imagine.

Offer your customers the latest in bedliner technology with the strength of 2A Aftermkt Armor Bedliner.

To find out more, give us a call at 800.824.2843 or email info@tat-co.com.



**HVLP** 





SPRAY EQUIPMENT & BOOTH SUPPLIES

#### T500

PERFORMANCE SERIES HVLP SPRAY GUN 1.0MM

- One Year OTC Warranty
- 1.0mm nozzle for touch up projects
- Avg. air consumption: 7-9 CFM
- Air inlet thread: 1/4"
- Includes gun cleaning brush and tools



#### T501

PERFORMANCE SERIES HVLP SPRAY GUN 1.4MM

- One Year OTC Warranty
- 1.4mm nozzle for topcoat applications
- Avg. air consumption: 7-9 CFM
- Air inlet thread: 1/4"
- Includes gun cleaning brush/tools and air regulator w/gauge



#### T502


PERFORMANCE SERIES HVLP SPRAY GUN 1.8MM

- One Year OTC Warrant
- 1.8mm nozzle for primer applications
- Avg. air consumption: 7-9 CFM
- Air inlet thread: 1/4"
- Includes gun cleaning brush/tools and air regulator w/gauge

#### **Titan HVLP Gravity Feed Spray Guns**

- Stainless Steel tip for primer work and spraying base coats and clear coats
- 5-43 psi air regulator, 1/4" spray nozzle
- Brass fluid & air nozzle
- Air consumption 7.0-9.0 CFM





No. 19000

#### **1.8mm HVLP Gravity Feed Spray Gun**



#### **Titan Vaper 4 pc Gravity Feed HVLP Spray Gun Kit**

- A PER"
- · Die cast aluminum body with chrome plated finish
- 2-Step trigger control

Aluminum paint cups

- Non-bleeder type
- · Gravity feed external mix
- Adjustable spray width
- · Air inlet and fluid outlet
- Stainless steel nozzles

#### **KIT INCLUDES:**

- 1.0 mm Detail Gun
- 1.4 mm Production Gun
- 1.7 mm Production Gun
- Pressure Regulator



26

- No. 19220

#### **HVLP**

#### SATAjet K 1800 Spray Mix Gun

- Ergonomic design with a well-balanced gun body
- · Low spray gun weight
- Single-axis trigger system for low trigger forces and fatigue-free working
- Material connection 1/4" 18 NPSM (male thread)
- Air connection 1/4" (male thread)



German Engineering

#### SATAjet 1500 B SoLV

- Nice-sized, even spray pattern
- Wide air pressure range from 7-29 psi RP, 15-26 psi HVLP
- · Fast working speed

#### 1500 B SoLV HVLP with RPS Cup

Part No.	Nozzle	Nozzle Set
1010925	1.3	1010967
1010933	1.4	1010975





#### 1500 B SoLV RP with RPS Cup

Part No.	Nozzle	Nozzle Set
1010892	1.3	1010941
1010917	1.4	1010959

Part No.	Description		
1091454	Gun with 100 Mesh Filter		
1090076	Gun with Tip and Filter		
1068023	Gun with Tip		

#### LS-400 Entech Series (Gun Only)

- ETS Technology
- Excellent for water or solvent borne basecoats
- Exceptional TE
- Color correct application

Part No.	Model No.	Nozzle
5930	LS400-1205	1.2
5935	LS400-1305	1.3
5940	LS400-1405	1.4
5945	LS400-1505	1.5



ANEST

IWATA

SPRAY EQUIPMENT

#### **AirGunsa AZ3HV2 Spray Guns**

- Affordable center post gravity HVLP spray gun
- Softer trigger pull to reduce fatigue
- · Polished surface allows for easier cleanup

Part No.	Model	Nozzle	
9230	AZ3HV2-13GC	1.3	Ain Ganes
9231	AZ3HV2-15GC	1.5	
9232	AZ3HV2-18GC	1.8	SPRAY EQUI
9233	AZ3HV2-20GC	2.0	

series guns

**Needle Pack** 

Guide

Accessories:



#### LPH400 LV Spray Gun (Gun Only)

- High performance center post gravity feed HVLP spray gun
- Low air consumption and superior atomization
- LV technology and our tulip inspired spray pattern
- · Gravity-feed design provides for easy clean up and reduces material waste

No. 5640



#### SATAminijet 4400B HVLP Spray Guns

- Special SR nozzles are perfectly suitable for spot repairs on vehicles
- · Great for all modern paint systems including Waterborne Paints
- Spray fan can be exactly adjusted with a 3/4 turn
- Easy to clean, corrosion-resistant Pearlodized<sup>™</sup> surface
- · Compatible with all RPS cup sizes



Part No.	Nozzle	
198168	0.8 SR	
198176	1.0 SR	C
198184	1.2 SR	
198192	1.4 SR	Ge
204164	0.3	Acc
204172	0.5	Repa
204180	0.8	mini
204198	1.0	
204206	11	



essories: air Kit, ijet 4400B



SPRAY EQUIPMENT & BOOTH SUPPLIES



No. 93512600

No. 93844532

No. 93765610



L Gasket for LPH200 and LPH 400

**Century Series Fluid Adjusting** 

**Century Series Cartridge Packing** 

#### **HVLP**

#### SATAJet 5000B HVLP Spray Guns

- Optimized nozzle concept for highest possible versatility concerning inlet pressure and spray distance
- Ergonomically shaped gun handle
- Pearlodized<sup>™</sup> surface for easy cleaning, corrosion-resistant
- Easy to adjust control elements
- Safely positioned trigger sleeve for easy, safe and quick insertion of the paint needle
- · Identical compact-size gun handle for non-digital and digital spray guns
- Optimized half-turn spray fan control

#### **5000B HVLP Standard with RPS Cups**

Part No.	Nozzle	Nozzle Set
210732	1.0	210955
210740	1.2	210963
210757	WSB	210971
210765	1.3	210989
210799	1.4	211011
210823	1.5	211045
210831	1.7	211052
210849	1.9	211060
210856	2.2	211078

#### **5000B HVLP Digital with RPS Cups**

Part No.	Nozzle	Nozzle Set
211094	1.0	210955
211110	1.2	210963
211128	WSB	210971
211136	1.3	210989
211151	1.4	211011
211193	1.5	211045
211201	1.7	211052
211219	1.9	211060

#### FX3000 HVLP Spray Guns

- Large pattern size, up to 12.5 inches
- HVLP gun with multiple nozzles ranging from 1.0 to 1.8 spray primer, base, and clear

Nozzle

1.0

1.3

1.4

1.5

1.8

288880

288881

288882

#### Includes FX3000 gun,

600 cc aluminum cup, wrench and cleaning	Part No.
brush	288878
One year warranty	288879

One year warranty







#### SATAJet X 5500 Spray Guns

 Optimized material distribution for enhanced spraying uniformity and atomization with both spray fan shapes



- Constant fan size across the entire nozzle spectrum with linear increases of the material flow rate
- Whispering nozzle<sup>™</sup> due to optimized air flow geometry
- Includes (1 each): 0.6 L and 0.9 L RPS multipurpose cups with swivel joint



#### x 5500 HVLP Standard with RPS Cups

Part No.	Nozzle	Nozzle Set
1061895	1.1	1063619
1061902	1.2	1063627
1061887	1.3	1063635
1061910	1.4	1063651
1061928	1.5	1063669
1061936	1.10	1063677
1061944	1.20	1063685
1061952	1.3 0	1063643
1061960	1.40	1063693
1061978	1.5 0	1063700

#### x 5500 HVLP Digital with RPS Cups

Part No.	Nozzle	Nozzle Set
1062009	1.11	1063619
1061986	1.2	1063627
1062017	1.3	1063635
1062041	1.4	1063651
1062083	1.10	1063677
1062091	1.2 0	1063685
1062132	1.3 0	1063643
1062140	1.4 0	1063693
1062174	1.5 0	1063700



- Two-finger trigger for anti-fatigue painting in small areas
- Mini-gun with multiple nozzle options ranging from 0.6 to 1.4 to spray primer, base and clear
- Includes FX1000 gun, 125cc cup, wrench and cleaning brush
- One year warranty



28

#### LVLP

#### SATAJet 5000B RP Spray Guns

- Optimized nozzle concept for highest possible versatility
- Pearlodized<sup>™</sup> surface for easy cleaning, corrosion-resistant
- Safely positioned trigger sleeve
- Optimized half-turn spray fan control

#### **5000B RP Standard with RPS Cups**

Part No.	Nozzle	Nozzle Set
209858	1.2	210260
209866	1.2W	210278
209874	1.3	210286
209882	1.4	210294
209890	1.6	210302
209908	1.8	210310
209916	2.0	210328

#### **5000B RP Digital with RPS Cups**

Part No.	Nozzle	Nozzle Set
210138	1.0	210245
210146	1.1	210252
210153	1.2	210260
210161	1.2W	210278
210179	1.3	210286
210187	1.4	210294
210195	1.6	210302
210203	1.8	210310
210211	2.0	210328



#### SATAJet X 5500 Spray Guns

- Optimized material distribution
- Whispering nozzle<sup>™</sup> due to optimized air flow geometry
- Includes (1 each): 0.6 L and 0.9 L RPS multipurpose cups with swivel joint





Part No.	Nozzle	Nozzle Set
1061548	1.1	1063536
1061556	1.2	1063544
1061564	1.3	1063552
1061572	1.4	1063560
1061580	1.10	1063578
1061598	1.2 0	1063586
1061605	1.3 0	1063594
1061613	1.4 0	1063601

#### x 5500 RP Digital with RPS Cups

Part No.	Nozzle	Nozzle Set
1061639	1.1	1063536
1061655	1.2	1063544
1061704	1.3	1063552
1061738	1.4	1063560
1061770	1.1 0	1063578
1061796	1.2 0	1063586
1061811	1.3 0	1063594
1061837	1.4 0	1063601





#### SATA air vision 5000

Safe. Comfortable. Practical.

Experience a whole new and comfortable way of breathing.

# 3M<sup>™</sup> Performance Spray Gun

#### The *smarter* spray gun. Designed for the modern painter.

The first ever spray gun designed specifically to deliver top-of-the-line performance with revolutionary replaceable nozzle technology that saves you time. Experience faster cleanup, faster changeovers and faster cycle times. Bringing you the best of 3M Science, all packed into the smartest, lightest spray gun in the world.

Experience the *smarter* way to spray.





Precision performance





Lightest in the world

#### 3m.com/spraygun

© 3M 2023. All rights reserved.

#### **OTHER SPRAY GUNS**

#### WS-400 Series (Gun Only)

HD technology	Part No.	Model No.	Nozzle		
Concentrates the atomization for a better	5905	WS400-1301HD	1.3		-A
finish and better TE	5910	WS400-1401HD	1.4	ANEST	
Large Dense fan pattern	5920	WS400-OBS	1.3	SPRAY EQUIPMENT	

#### 3M<sup>™</sup> Performance Spray Gun System

- Precision spray performance with high transfer efficiency and large, adjustable fan pattern
- Faster clean up
- Lightweight, impact-resistant spray gun body



#### 3M<sup>™</sup> Performance Spray Gun

· Lightweight, impactresistant body made from advanced composite material

· Easy-change,



range from 1.1 to 2.0 Designed for comfort

replaceable nozzles

#### 3M<sup>™</sup> Accuspray<sup>™</sup> ONE Spray Gun System with PPS™

- All-in-ONE packaged display
- · Fast, simple head replacement affords the performance of a brand new spray gun on demand
- Atomizing heads can be used on any Accuspray<sup>™</sup> replaceable atomizing head spray gun

#### **KIT INCLUDES:**

- (5) replaceable atomizing heads in 2.0 mm (red), 1.8 mm (clear), 1.4 mm (orange), 1.3 mm (green) and 1.2 mm (blue)
- (5) standard size (22 oz) PPS<sup>™</sup> Series 2.0 Lids and Liners
- (1) standard size (22 oz) PPS<sup>™</sup> Series 2.0 Hard Cup

#### **WBX Spray Gun Kit**

- Split Nozzle Technology
- · Gives users a fast, smooth, even, flat finish
- · Operating at a low air pressure, while maintaining a wide fan pattern

#### **KIT INCLUDES:**

- W-400-LV-WBX 1.3 **Gravity Compliant** Spray Gun
- 1.5 Nozzle (use with 1.3 needle)
- 1.2 Nozzle Needle Set





- 700 ml Aluminum Gravity Cup
- Air Regulator
- Spray Gun Lubricant
- Brush

• Wrench

#### 3M<sup>™</sup> Accuspray<sup>™</sup> Pressure Feed **Spray Gun Kit HGP**

- Designed for use with 3M<sup>™</sup> PPS<sup>™</sup> Type H/O Pressure Cups, excellent for high-viscosity coatings
- Replaceable atomizing heads reduce cleanup time and maximize consistent application

#### 3M<sup>™</sup> Accuspray<sup>™</sup> ONE **Spray Gun Kit**

- Fast, simple head replacement affords the performance of a brand new spray gun on demand
- Atomizing heads can be used on any Accuspray<sup>™</sup> replaceable atomizing head spray gun

#### **KIT INCLUDES:**

- (5) replaceable atomizing heads in 2.0 mm (red), 1.8 mm (clear), 1.4 mm (orange), 1.3 mm (green) and 1.2 mm (blue)
- Color indicator rings
- Mountable spray gun holder
- Nozzle indicator insert
- Airflow control valve







No. 26832







ACCUSPRA

No. 26580

#### **OTHER SPRAY GUNS**

#### LPH400 LVX Spray Guns

- Engineered to provide increased productivity in application for solvent or waterborne basecoats
- Faster than the competition and has an ultra smooth application with no technique change
- Proficient with waterborne coatings especially in hot dry climates
- Gun only

Part No.	N	lodel No.	Nozzle
5660	LPH4	00LVX-134LV	1.3
5670	LPH4	OOLVX-144LV	1.4

#### W-400 LV-WBX Primer/Sealer Spray Guns

- · Developed specifically with a high-end, flawlessly finished primer/sealer coat
- Exclusive red air cap and precision engineered split nozzle combine to create a fast, smooth, even, flat finish.
- Operates at low air pressure while maintaining a wide fan pattern and excellent transfer efficiency
- Best for Thin Viscosity Sealers





Part No.	Description	Nozzle MM
2112	W-LV-400-12WBX	1.2
2113	W-LV-400-13WBX	1.3
2114	W-LV-400-14WBX	1.4
2115	W-LV-400-15WBX	1.5
2116	W-LV-400-16WBX	1.6
2118	W-LV-400-18WBX	1.8

#### **SPRAY GUN ACCESSORIES & CLEANING PRODUCTS**

#### 12 pc Spray Gun Cleaning Kit

- Designed for use with both HVLP and Conventional systems
- Safe with all thinners & solvents
- · Specially-formulated lubricant for spray guns

#### **KIT INCLUDES:**

- (1) Body Cleaning Brush with wooden handle
- (1) External Brush with metal handle
- (3) Fluid Tube Brushes with metal handles
- (1) Straight Line Wire
- (5) Picks
- (1) Jar of Lubricant

#### 2 pc Gravity Feed Spray Gun Holder

• Two piece holder allows painter to fill spray gun without assistance

 Can be kept mobile, or easily mounted to bench or wall

guaranteed for one (1) year

- Top strainer holder swivels & may be
- removed for additional clearance Rugged metal construction
  - No. T555

No. T550

#### 3M<sup>™</sup> High Power Spray Gun Cleaner

- Helps reduce the use of cleaning solvents
- Compatible for cleaning waterborne and solvent-based coatings
- Aerosol cleaner is low VOC less than 25 g/L (meets SCAQMD Rule 1171)
- · Designed for use on metal spray equipment or composite/plastic components

#### **Standard Spray Gun Cleaning Kit**

- 12 pc. spray gun cleaning kit
- · Safe to use with chemicals, solvents, acids, etc
- Safe for use with spray gun cleaners



No. 212

#### **KIT INCLUDES:**

- (1 pc each) 3/8", 1/2" and 5/8" coated handle solvent resistant natural hair bristle tube brushes
- (5) Wooden picks and 1 precision aircap cleaning needle
- (1) Wooden handle gun body natural bristle brush
- (1) flared soft exterior cleaning brush
- (1) Jar of spray gun needle lubricant



#### **Premium Gun Wash**

No. UGW5

- A premium gun wash and solvent
- Fast acting
- Remove wet and dry paint build-up







#### **SPRAY GUN ACCESSORIES & CLEANING PRODUCTS**

#### XXX Universal Surface Cleaner

- 2-in-1 cleaner reduces products needed in collision center
- Helps eliminate static for improved metallic orientation and reduced dust contamination
- Solvent strong in waterborne formula
- Exceptional grease-cutting power
- Multifunctional for primed or painted surfaces, leather, vinyl, plastic, aluminum, and bare metal

Part No.	Description	Size
77771	XXX Universal Surface Cleaner	Gallon
77774	XXX Universal Surface Cleaner	Quart

#### XXX Universal Gun Cleaner

- 2-in-1 cleaner reduces products needed in collision center
- Superior 100% virgin solvent formula
- Reduces mistakes from choosing incompatible cleaners
- Removes waterborne or solvent-based paint as well as dedicated cleaners





#### **Spray Gun Paint Remover**

- Easy to Use
- Economical
- Keeps paint guns running smoothly, saving time, labor and material
- 425 g Aerosol

#### **Spray Gun Cleaner**

- VOC Compliant in all 50 States
- Recommended alternative to ENGC11131 in CA
- Use on both solvent-based & waterborne coatings
- Powerful stream removes paint effortlessly from the gun
- Works better than laquer thinner doesn't leave a film on the gun

No. SSGC

- No need for special equipment or time consuming dipping
- 15 oz aerosol, case of 12

#### Remove paint from:



#### **1K Gun Cleaner**

- Suitable for solvent- and waterborne basecoats
- Equipped with lancet
- Ideal for cleaning of the variator nozzle and conventional spray gun





Klean-

Strip

#### **Naked Gun Gun Cleaner**

- Cuts epoxy, polyester and urethane paints
- Formulated for automatic gun washers
- Lasts 3 times longer than other thinners
- Prevents loading and redepositing of paints and pigments



#### Naked Gun Spray Gun Paint Remover

- Works on both solvent and waterborne paint
- Removes paint
- Includes convenient spray tube
- 15 oz Aerosol

Klean

Strip

No. ENGC11131



Klean-

Strip





#### **MIXING CUPS**

#### High Teck<sup>™</sup> Mixing Cups and Lids

- Strong, Durable, and Tough Polypropylene
   Cup is Crack Resistant
- Easy to read for proper mixing every time
- Solvent Resistant
- Made in the USA.
- 10% reduction option has been added to the four popular mixing scales

#### **MIXING CUPS**

MC86L

**MC165L** 

Part No.	Description	Qty
MC16	Pint Cups	100
MC32	1 Quart Cups	100
MC86	2.5 Quart Cups	50
MC165	5 Quart Cups	50
MIXING C	UP LIDS	
Part No.	Description	Qty
MC16L	Pint Cup Lids	100
MC32L	1 Quart Cup Lids	100

2.5 Quart Cup Lids

5 Quart Cup Lids







Part No.	Description	Qty
70008	1/2 Pint Cups	100
70008L	1/2 Pint Lids	100
70016	Pint Cups	100
70016L	Pint Lids	100
70032	Quart Cups	100
70032L	Quart Lids	100
70064	2 Quart Cups	50
70064L	2 Quart Lids	50
70086	2.5 Quart Cups	25
70086L	2.5 Quart Lidss	25
70165	5 Quart Cups	25
CMC24	1 Quart Champion Cup	100

#### **PAINT CUPS**


#### 3M<sup>™</sup> PPS<sup>™</sup> 2.0 Paint Preparation System Cups

- Hard cups designed specifically for 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0
- Mix ratios built into every hard cup no need for separate inserts
- Clear access window lets you firmly grasp the liner, making lid removal easier during tinting/refilling

50

50

- 'Max Fill' notation allows users to fit maximum amount of fluid in cup
- Designed for use with quarter-turn PPS<sup>™</sup> Series 2.0 lid locking system for faster, easier assembly







Part No.	Description	Micron	Qty/Bx
26024	Large (28 oz)	200	50
26000	Standard (22 oz)	200	50
26112	Midi (13.5 oz)	200	50
26114	Mini (6.8 oz)	200	50
26028	Micro (3 oz)	200	50
26325	Large (28 oz)	125	50
26301	Standard (22 oz)	125	50
26312	Midi (13.5 oz)	125	50
26314	Mini (6.8 oz)	125	50
26328	Micro (3 oz)	125	50
26730	UV Standard (22 oz)	125	50
26710	UV Standard (22 oz)	200	50
26172	Standard (22 oz)	200	6
26170	Midi (13.5 oz)	200	6
26173	Standard (22 oz)	200	6
26171	Midi (13.5 oz)	200	12

#### PAINT CUPS



Introducing the new

#### 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0 Vented Spray Cup System

#### A consistent fluid flow - every job, every time.

When high standards are the expectation, you need equipment that delivers consistent results. Introducing the 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0 Vented Spray Cup System - bringing the advantages you expect from a premium vented cup with the proven technology of the first disposable spray cup system in the world.

Consistent material flow is a must in a world of demanding cycle times and high-quality finishes. It's a spray cup system that provides easy cleanup with the performance and trust 3M aims to deliver. With pre-installed valves and filters and a thoughtfully-formulated cup design, you can spend more time on the things that matter.

After all, time wasted means less profitability for your shop. With the 3M<sup>™</sup> PPS<sup>™</sup> Series 2.0 Vented Spray Cup System, and our full range of paint application solutions, you can continue spraying the smarter way.





## SATA® RPS®

# The safe, refillable cup system for professionals: easy, perfect, economical



SATA RPS (Rapid Preparation System) is the ideal cup system for shops focusing on perfect finishes and high profitability. It makes a painter's life much easier, considerably increases productivity and drastically reduces the consumption of cleaning solutions and solvents.

Part No.	Description
1011973	(40) RPS Cup Flat Sieve 0.9L, 125 Micron
1011981	(40) RPS Cup Plug Sieve 0.9L, 200 Micron
1012004	(40) RPS Cup Flat Sieve 0.9L, 200 Micron
1010389	(40) RPS Cup Flat Sieve 0.3L, 125Mi, Std Lid
1010397	(40) RPS Cup Plug Sieve,0.3L, 200Mi, Std Lid
1010404	(100) RPS Cup Plug Sieve,0.3L, 200Mi, Std Lid
1010420	(100) RPS Cup Flat Sieve 0.3L, 125Mi, Std Lid
1010438	(60) RPS Cup Flat Sieve 0.6L, 125 Micron
1010488	(60) RPS Cup Plug Sieve 0.6L, 200 Micron
1010496	(60) UV .6L 200 Micron RPS Cup
1010503	(60) UV .6L 200 Micron RPS Cup
1010545	(60) RPS Cup Flat Sieve 0.6L, 200 Micron
1010553	(60) RPS Cup Flat Sieve 0.3L, 125Mi, Mjet Lid
1010561	(60) RPS Cup Plug Sieve 0.3L 200Mi, Mjet Lid





#### **MISCELLANEOUS PAINT CUPS**

E-Z MIX® Mixing Pit	cher		E-Z MIX <sup>®</sup> Paper/Plastic Cups	E-Z MIX 1/4 Pint Paper Cups
			• 200 per case	• 400 per case
Part No.	Description	Qty	No. 70003	No. 70004
42500	2.5 Quart Mixing Pitcher	10	10.70005	- HO: 70004
44000	4 Quart Mixing Pitcher	6		
	MI	SCELL	ANEOUS SPRAY EQUIPMENT	

#### **Squeeze Bottle and Nozzle**

- Solvent resistant HDPE bottle and nozzle
- Reduce large bulk containers of liquid materials to a smaller more manageable squeeze bottle

Part No.	Size	Nozzle type
9808	8 oz	Standard Spout
9808-W	8 oz	Wide Mouth Spout
9812-W	12 oz	Wide Mouth Spout
9816-W	16 oz	Wide Mouth Spout



#### **Spray Gun Holders**

- Great way to keep the spray guns in your shop or booth organized
- Strong steel construction made to hold gravity fed spray guns





#### Part No. Description

160	Uncoated, Wall Mountable
165	Non-scratch Coated, Magnetic



# Goodbye dust. Hello profits.

- Reduces the amount of dust in the air from sanding, leading to less rework, improved cycle time and greater process efficiency.
- Reduces cleanup time.
- Enhances workplace efficiency by reducing time spent searching for tools and materials.
- Enables the use of abrasives to end of life, leading to reduced material spend.
- Increases technician mobility.
- Designed with the technician's safety in mind.

Contact your sales representative to schedule a demo.



powered by



# **MISCELLANEOUS SPRAY EQUIPMENT**

	MISOLELA		KAT EQUIPMENT		
	Plastic Lid No. 94008321 ANEST ANEST SPRAY EQUIPMENT Ican to see Iwata's Product and Parts Catalog		Plastic Lids - 3 pack • Lids will fit 0.75 Liter and 1 Liter SATA aluminum gravity flow cups No. 71555	Errman Engine	Silver Gravity Flow Cup • 1 Liter aluminum cup No. 966855
<ul> <li>Heavy Duty Pressure</li> <li>Built in pressure reli</li> <li>Spray &amp; Stream mo</li> <li>Large Volume (51oz canister with fluid le window</li> <li>Large opening</li> <li>Wide Base for stabi</li> </ul>	evel	• A • M si si • P P	<b>Spray System</b> erosol-based spray system lix any paint, chemical or olution and turn it in to prayable material atented Venturri Vacuum rocess results in an nadulterated finish with o color change	Part No. 267 3005 268 271	REVAL Description Preval Sprayer vGrip Power Unit Touch Up Jars
<ul> <li>Century Series Gun F</li> <li>Longer life</li> <li>Self tensioning</li> <li>Suitability for any typ of solventborne and waterborne paint</li> <li>Include Needle Sprir Needle Packing, O-R</li> </ul>	be ANEST SPRAY EQUIPMENT No. 5650	Press India USA, Terr Berlin Mada USA, Terr Berlin Market Ministra	<ul> <li>Detailer's Spray Bott</li> <li>Solvent resistant HE</li> <li>Twist nozzle allows a fine mist to jet streat</li> <li>Siphon tube reaches bottle with a built-in</li> </ul>	DPE bottle a adjustment im spray pa s to the bot	and nozzle from ttern ttom of filter
		BOOTH	ΛΑΤS		

# **BOOTH MATS**

# Pig® Grippy® Paint Booth Mat Rolls

- Reduce airborne contamination up to 85%
- Provides a clean surface that traps paint overspray
- Peels up easily for quick changeouts and reduces cleanup time
- Eight layers of fine-fiber polypropylene

Part No.	Color	Size
25800	Blue	32" x 50'
MAT32100	Blue	32" x 100'
MAT32100G	Gray	32" x 100'



# **BOOTH FILTERS**

# **EXHAUST**

# 24" x 48" x 8" Blow Therm Booth Filter

- Series 420
- V Bag|Header
- 1" Poly Scrim
- Used as Prefilter and Extraction Filter
- Sturdy
- 4 per case No. 420-038



**VISKON-AIRE\*** 

**Air Filter Products** 

# 20" x 20" Paint Arrestor Snap-In Grid

- Metal grid to support paint arrestor pads, rolls
- Has rubber tips to force fit into frame and prongs to hang the media



# No. 078-002



38

# **BOOTH FILTERS**


# EXHAUST

# **Series 55 Intake Panel**

- PBT-32TM Tackifier
- Tackifier NEVER DRIES OUT
- Self Seal to Prevent By Pass



**Air Filter Products** 



# 107X Blue/ White Heavy Duty 18-Gram Fiberglass Arrestor

Dr VISKON-AIRE\*

Air Filter Products

SKON-AIRE\* Air Filter Products

- 18 Gram Fiberglass
- 6H Compliant
- 99.54% Efficient

Part No.	Description	Size
017-202	Paint Arrestor Pad	20" x 20" x 2.5"
017-203	Paint Arrestor Pad	20" x 25" x 2.5"
017-239	Paint Arrestor Roll	40.5" x 100 (ft) x 2.5"
017-240	Paint Arrestor Roll	30" x 100 (ft) x 2.5"
017-241	Paint Arrestor Roll	36" x 100 (ft) x 2.5"
017-242	Paint Arrestor Roll	24" x 100 (ft) x 2.5"
017-244	Paint Arrestor Roll	48" x 100 (ft) x 2.5"

# Yellow/White Extra Heavy Duty 22-Gram Fiberglass

- 22 Gram Fiberglass
- 6H Compliant
- 99.03% Efficient

Part No.	Description	Size
025-202	XHD Arrestor Pad	20" x 20" x 2.5"

# SG-15 Green/White Standard Duty

- 22 Gram Fiberglass
- 6H Compliant
- 99.03% Efficient

Part No.	Description	Size
028-202	Paint Arrestor Pad	20" x 20" x 2.5"
028-203	Paint Arrestor Pad	20" x 25" x 2.5"

• Provi	series efficiency 98.81 des excellent paint spray holding capacity	Addition	<b>viledo</b>
overs		available	engineeri
Part No.	Size	Part No.	Size
300-020	20" x 20" x 2.5"	300-025	20" x 25" x 2.
	ies Yellow 22-Gram		
	perglass Arrestor Pa	ad	
	series efficiency 99.0 des excellent paint		
	spray holding capacity	Addition sizes available	<b>viieuo</b>
Part No.	Size	Part No.	Size
400-020	20" x 20" x 2.5"	400-130	30" x 100 (ft) x
400-025	20" x 25" x 2.5"	400-136	36" x 100 (ft) x
400-120	20" x 100 (ft) x 2.5"	400-140	40" x 100 (ft) x
400-124	24" x 100 (ft) x 2.5"	400-146	46" x 100 (ft) x
400-127	27" x 100 (ft) x 2.5"	400-148	48" x 100 (ft) x
	ies Green 30-Gram perglass Arrestor Pa		
Paint Fil			vilada
Paint Fil • 500 s • Provi	berglass Arrestor Paseries efficiency 99.70	ad	<b>viiedo</b>
Paint Fil • 500 s • Provi	berglass Arrestor Paseries efficiency 99.70 des excellent paint	Addition sizes	<b>viiedo</b>
Paint Fil • 500 s • Provi overs	berglass Arrestor Pa series efficiency 99.70 des excellent paint spray holding capacity	Addition sizes available	engineeri
Paint Fil 500 s Provi overs Part No. 500-025	berglass Arrestor Pa series efficiency 99.70 des excellent paint spray holding capacity Size	Addition sizes available Part No.	VIICUO engineeri Size
Paint Fil • 500 s • Provi overs Part No. 500-025 PA560 (	berglass Arrestor Pa series efficiency 99.70 des excellent paint spray holding capacity Size 20" x 25" x 2.5"	Addition sizes available Part No.	VIICUO engineeri Size
Paint Fil           • 500 s           • Provious           • Overs           Part No.           500-025           PA560 C           • Can k           your	berglass Arrestor Pa series efficiency 99.70 des excellent paint spray holding capacity <b>Size</b> 20" x 25" x 2.5" Ceiling Filter be custom fit to booth	Addition sizes available Part No.	engineeri Size
Paint Fil • 500 s • Provi overs Part No. 500-025 PA560 C • Can k your • MER	berglass Arrestor Pa series efficiency 99.70 des excellent paint spray holding capacity <b>Size</b> 20" x 25" x 2.5" <b>Ceiling Filter</b> be custom fit to booth V Class 9	Addition sizes available Part No.	VIICOO engineeri Size 36" x 100 (ft) x
Paint Fil 500 s Provi overs Part No. 500-025 PA560 C Can k your MER <sup>1</sup> ASHF	Series efficiency 99.70 des excellent paint spray holding capacity <b>Size</b> 20" x 25" x 2.5" <b>Ceiling Filter</b> De custom fit to booth V Class 9 RAE 52.2	Addition sizes available Part No. 500-136	VIICOO engineeri Size 36" x 100 (ft) x Viledo
Paint Fil 500 s Provi overs Part No. 500-025 PA560 C Can k your MER' ASHF Avera	berglass Arrestor Pa series efficiency 99.70 des excellent paint spray holding capacity <b>Size</b> 20" x 25" x 2.5" <b>Ceiling Filter</b> be custom fit to booth V Class 9	Addition sizes available Part No. 500-136	VIICOO engineeri Size 36" x 100 (ft) x Viledo
Paint Fil 500 s Provi overs Part No. 500-025 PA560 C Can k your MER <sup>1</sup> ASHF Avera >5 m Pleas	Series efficiency 99.70 des excellent paint spray holding capacity <b>Size</b> 20" x 25" x 2.5" <b>Ceiling Filter</b> De custom fit to booth V Class 9 RAE 52.2 age efficiency on partic	Addition sizes available Part No. 500-136	VIIEGO engineeri Size 36" x 100 (ft) x Viledo engineeri
Paint Fil 500 s Provi overs Part No. 500-025 PA560 C Can k your MER <sup>1</sup> ASHF Avera >5 m Pleas numb	Series efficiency 99.70 des excellent paint spray holding capacity Size 20" x 25" x 2.5" Ceiling Filter be custom fit to booth V Class 9 RAE 52.2 age efficiency on particl icron % >99 e speak with your local	Addition sizes available Part No. 500-136	VIICOO engineeri Size 36" x 100 (ft) x Viledo engineeri
Paint Fil 500 s Provi overs Part No. 500-025 PA560 C Can k your MER' AsHF Avera >5 m Pleas numb	berglass Arrestor Paseries efficiency 99.70         des excellent paint         spray holding capacity         Size         20" x 25" x 2.5"         Ceiling Filter         be custom fit to         booth         V Class 9         RAE 52.2         age efficiency on particlic         icron % >99         e speak with your location         standard Filter	Addition sizes available Part No. 500-136	VIICOO engineeri Size 36" x 100 (ft) x Viledo engineeri
Paint Fil 500 s Provi overs Part No. 500-025 PA560 C Can k your MER' AsHF Avera >5 m Pleas numb Andrea S High	berglass Arrestor Paseries efficiency 99.70         des excellent paint         spray holding capacity         Size         20" x 25" x 2.5"         Ceiling Filter         be custom fit to         booth         V Class 9         RAE 52.2         age efficiency on particlier         icron % >99         e speak with your location         booth         Standard Filter         holding capacity for         y spray booths	Addition sizes available Part No. 500-136	VIICOO engineeri Size 36" x 100 (ft) x Viledo engineeri

- Size: 3' x 30'
- 90 sq. ft of surface area

# How to Mask a Car for Paint

To protect areas adjacent to the repair from refinished coatings and overspray, proper masking is an important step in the collision repair process. Learn what steps to take and what products to use when masking a car before painting.

# **BY NORTON ABRASIVES**



STEP 1: CLEAN THE CAR'S REPAIR AREA

Clean the repair with a compliant cleaner recommended by the paint manufacturer.

# **PREFERRED PRODUCTS:**

REVvive by RSG Surface Degreaser (66623391009)

Farécla All-Purpose Microfiber Towel (66623391497)

DeVilbiss Paint Prep Wipes (803657)



STEP 2: MASK THE CAR

Once clean, make sure the vehicle is thoroughly dried prior to masking.

If you have difficult contours to mask, use fine line tape first.

Next, use masking tape and paper or overspray sheeting to cover windows, lights, and trim within the spray area to prevent paint overspray on these surfaces.

# **If you have difficult** contours to mask, use fine line tape first.



# **PREFERRED PRODUCTS:**

Norton Paint Check Polycoated Masking Paper 18" x 750' (63642500404)

Norton Blue Sheeting 16' x 350' (63642503345)


American Brand OM Masking Tape 3/4" (08714300306)

American Brand OM Masking Tape 11/2" (08714300308)

American Brand Fine Line Tape 1/8" x 36 yds. (66261182688)

American Brand Fine Line Tape 1/4" x 36 yds.(66261182686)

American Brand Fine Line Tape 1/2" x 36 yds.(66261182685)





OUTLINE AND COVER THE CAR

Outline the refinish area with white polycoated masking paper. This helps when trying to achieve a good color match, as white paper will not distort the light that reflects into the paint match area, as can happen with colored masking paper.

After outlining the repair area with 1 1/2" masking tape, cover the rest of the vehicle with blue sheeting and cover the wheels with protective plastic wheel maskers. Cut out the area to be sprayed and attach the sheeting along the cut edge to the tape outline using 3/4" or 1 1/2" masking tape.

Covering the car's wheels with protective plastic wheel maskers

# **PREFERRED PRODUCTS:**

Norton Paint Check Polycoated Masking Paper 6" x 750' (63642500402)

Norton Paint Check Polycoated Masking Paper 12" x 750' (63642500403)

Norton Paint Check Polycoated Masking Paper 18" x 750' (63642500404)

American Brand OM Masking Tape 3/4" (08714300306)

American Brand OM Masking Tape 11/2" (08714300308)

American Brand OM Masking Tape 2" (08714300309)

Norton Blue Sheeting 16' x 350' (63642503345)

Norton Blue Sheeting 20' x 350' (63642503723) STEP 4: GIVE THE CAR A FINAL CHECK



With all of the masking applied, double check to ensure that there are no exposed areas that shouldn't be refinished.

# PREFERRED PRODUCTS:

Norton Blue Wrap Protective Plastic Wheel Maskers (63642505922)



After painting, remove the masking tape from the car at a 90° angle to ensure that all of the adhesive residue is removed.

# **BOOTH COATINGS**

# Mask & Peel Spray Booth Coating

- Peelable coating for easy clean up
- Shields booth surface from overspray
- Bright white for max visibility
- 5 Gallon pail

Klean-

Strip



# Self-Adhesive Light Box Protect Film

**No. CMP229** 

- Covers lite box glass in spray booths
- Eliminates labored cleaning methof of glass
- Temp resistant up to 200 degrees
- Preserves boothlighing without distortion or deflection

No. 435

• 24 x 100'



# **Spray Booth Wall Film**

- Durable, puncture resistant plastic film
- Self adhering leaves no adhesive transfer
- Eliminates labor intensive removal of spray or roll-on pealable coatings
- Cuts booth maintenance time in half
- Resists heat up to 200 degrees
- Remove every 60-90 days
- 36 x 100'
  - No. 438



# 3M<sup>™</sup> Dirt Trap Surface Protection System

- Durable floor protection
- Easy application with applicator tool
- · Easy, clean removal
- Mitigate dirt/dust before it enters the booth
- 25% less adhesive which means easier removal + reduce adhesive transfer
- Versatile, surface protection anywhere in shop

Part No.	Description	Qty
37852	28" x 300' Dirt Trap Protection Gray	1
37853	56" x 300' Dirt Trap Protection Gray	1
36865	Dirt Trap Material 28" Floor Applicator	1
36864	Dirt Trap Material 56" Floor Applicator	1







# 3M<sup>™</sup> Waterbased Booth Coating

- Sprayable water-based liquid that dries to a clear film and cleans up with water
- Designed to protect paint booth walls, lights, etc. from paint and primer overspray
- Conventional spray gun equipment



# Self-Adhesive Spray Booth Floor

- For sealed concrete spray booth floors
- Reverse wound (adhesive side out) for easier application
- Heavy duty mil guage plastic film resists tears and punctures
- Dry non skid surface
- Resists temps up to 200 degrees
- Eliminates cleaning floor with chemicals
- Can be rinsed off with water
- Remove every 60-90 days
- 48 x 200'

No. 421



• Evelets on both top and

Eyelets repeat every 2"

PRODUCTS, INC.

Detroit /USA

bottom of roll

# **Tacky Netting**

- Made of lint free
   monofilament nylon
- Open tack formulation stays tacky for months
- Contains flame retardant
- Size of roll 72"x160'
- Available in white



Part No.Description760-WWhite Tacky Netting760-WSStarter Kit: Includes 1 roll<br/>(760-W) and 12 magnets761Magnets with hooks (6)762White Netting (30" x 160')

ay (



# **AIR MANAGEMENT**

# **AIR REGULATORS & COUPLERS**

AK1B2 - Compact Air Regulator • Spray Gun Airflow Control, Inline • Includes 0 - 140 psi Pressure Gauge • 1/4" NPS • I/4" NPS • No. 8130B	AK1-R2 Air Regulator • Pressure range of 0 to 90 psi • Color code Blue: Maximum 20 psi for W400LV spray guns • Green: Refer to manual for LPH HVLP spray guns • ASME grade B accuracy 3-2-3%
	<ul> <li>Steel case and ring on gauge</li> <li>Glass window No. 8131B</li> </ul>
Air Adjusting Valve • Dual-Scale Pressure Gauge with Glass Lens • HVLP Approved • Durable Construction • 1-Year Limited Warranty	<ul> <li>12AAV Air Adjusting Valve</li> <li>Precision tapered valve: Start from closed to fully open in approximately 4 turns</li> <li>Air inlet 1/4" npsm</li> <li>Air outlets (swivel nut) 1/4" npsm</li> </ul>
<ul> <li>SATA Air Micrometer</li> <li>Gauge markings at 29 and 43 psi for SATA HVLP guns</li> <li>Pressure range 0 - 145 psi</li> <li>Color coded pressure range of SATA HVLP guns (green) and SATA RP (blue)</li> </ul>	<ul> <li>24 AAV Air Adjusting Valve with Gauge</li> <li>Precision tapered air adjusting valve</li> <li>Heavy-duty pressure gauge reading up to 160 psi</li> <li>Start from closed to fully open in approximately 4 turns</li> <li>Use on HVLP spray guns</li> <li>Air inlet 1/4" npsm</li> <li>Air outlets (swivel nut) 1/4" npsm</li> </ul>
<ul> <li>Brass Air Regulator</li> <li>Increases or decreases air pressure as desired</li> <li>Air Inlet NPT: 1/4"</li> <li>Air Outlet NPT: 1/4"</li> <li>PSI: 90-140PSI</li> <li>No. 5706</li> </ul>	<ul> <li>Mini Paint Gun Regulator</li> <li>0-60 PSIG operating range for precision adjustment with glass lens</li> <li>Push-pull lockable adjustment knob</li> <li>High flow air design, up to 30 SCFM</li> <li>1/4" inlet/outlet</li> <li>Max. inlet pressure = 200 PSIG</li> <li>Temperature range = 40°F to 120°F</li> </ul>
<ul> <li>Air Regulator with Gauge</li> <li>Provides fine air control for spray guns and air tools</li> <li>Swivel top allows for easy installation</li> <li>Fits any spray gun or air tool</li> <li>No. WS11</li> </ul>	<ul> <li>Air Regulator w/Gauge</li> <li>Air pressure gauge reads up to 160psi (11 bar)</li> <li>Air pressure gauge reads up to 160psi (11 bar)</li> <li>In-line regulator allows quick and accurate air flow adjustments from closed to fully open</li> <li>Female air outlet swivels to prevent hose from binding</li> <li>1/4" NPT male inlet &amp; swivel female outlet</li> <li>Max working pressure: 120 PSI</li> <li>Air flow: 7 CFM @ 100 PSI when valve is fully opened</li> </ul>
Save hundreds of dollars a year on lost energy expenses.	A IRCo61201CP, FNPT IND B IRCo61251CP, MNPT IND C IRPO66221P3, FNPT IND D IRPO66201P3, FNPT IND C IRPO67201P3, FNPT IND C IRPO77201P3, FNPT I
<ul> <li>One push to disconnect in complete safety</li> <li>Non scratch, light weight composite body</li> </ul>	

• Anti-static, silicone free manufacturing

• Maximizes the efficiency of air tools

• Nitrided steel, anti-corrosive plug

• Consistent flow rate for high quality finishes

A ARC061201CP, FNPT ARO210

B ARC061251CP, MNPT ARO210 C ARP066251P3, MNPT ARO210 D ARP066201P3, FNPT ARO210

ISO 4414

- A URC061201CP, FNPT AUTO/TRU B URC061251CP MNPT AUTO/ URC061251CP, MNPT AUTO/TRU URP066251P3, MNPT AUTO/TRU
- С D URP066201P3, FNPT AUTO/TRU

TOOLS & EQUIPMENT

43

# **AIR MANAGEMENT**

# **AIR DRYERS**

ANEST IWATA

No. ASETWINDJET1

# WindJet® Nozzle

- Perfect for those small spot repairs with water-based paint
- Uniform distribution of air across the impacted surface with strong shear



# **Air Control**

Part No.	Model	Filtration	Air Inlet	Air Outlet	Max Op. Pressure	<b>Filter Capacity</b>
6710*	606	5 Micron	1/4" NPT	1/4" NPT	160 psi	120 CFM
6720	606A	5 Micron	1/2" NPT	1/4" NPT	200 psi	120 CFM
6730	606B	5 Micron	1/2" NPT	1/4" NPT	200 psi	120 CFM
6950	880A	5 Micron	1/2" NPT	3/8" NPT (F)	200 psi	75 CFM
8130*	F88	5 Micron	1/2" NPT	3/8" NPT	160 psi	75 CFM

# OOLS & EQUIPMENT



# **COLOR CORRECT & SHOP LIGHTS**

# SATA<sup>®</sup> trueSun<sup>™</sup>

- Uniform distribution of the light intensity across the entire light cone
- Fast charging cycle time of approximately 50 min
- Adjustable light intensity
- Built-in charge level display
- Sturdy shock protection
- Daylight LED with interchangeable protection screen
- Ergonomic handle
- Includes battery and charger

# 500x2 Lumen Wirelessly Rechargeable Folding Double-Sided LED Slim Light

- Two 500 lumen main lights front and back
- Includes USB-C charging cable and adapter
- Massive twin lithium-ion battery 4,400mAh capacity for 3.25+hrs of use from the main light on high
- Adjustable dimming feature
- 180° folding design, 150 lumen top light, base magnet, dual handle magnets, base hook and charge level indicator lights.



# @Astro

Part No.	Description
52SL	Wireless Rechargeable Folding LED Light
52SLC	Folding LED Light with Wireless Charger
52SL-WCP	Charging Pad for 52SL LED Light

Astro

# **Handheld Color Match Light**

- Impact Resistant
- IP65 water and dust proof
- Easily removable and cleanable lens
- Industry leading dual COB 96 CRI LED array
- Collapsible 360-degree rotating hook
- 180 degree folding magnetic base

# No. 50SLMAX

# **Rechargeable Color Match Light**

- Spots color differences and paint imperfections
- Easily removable and cleanable lens
- Collapsible 360 degree rotating hook
- 180 degree folding magnetic base
- Impact resistant







# No. 1012129

Accessories: SATA trueSun™ Battery No. 1010082

SATA trueSun<sup>™</sup> Charger No. 1006445

# Sunlight 3+

- · Exclusive, unique controls and functionality
- Exclusive, separate linear controls for both lumens and color temperature changes
- Exclusive, Memory Function 50 to 500 lumens light output range
- 2,500 to 6,500 kelvin temperature range (light color temperature)
- 2-year warranty



# 3M<sup>™</sup> PPS Sun Gun II Light Kit

- Replicate natural sunlight to better match automotive & industrial paint colors
- Evaluate damage for better estimates of cost of repair
- Locate defects prior to painting vehicle or substrate
- Identify imperfections in paint quality

# Accessories:

NI-Cad Battery No. 16398



# No. 16550

# Rechargeable Lightweight Color Match Light

- Compact, lightweight and universal design works on nearly all spray guns
- 500 lumens on high, 95+ CRI rating and 4000K color temperature
- Smart-sense setting turns the light on and off with the wave of a hand



No. 51SL

**Astro** 









No. 50SL

# **HEAT LAMPS**

# **Infrared Heat Lamp**

- 1,500 watts of curing power over a 2' x 3' coverage area
- Heavy-duty stand adjusts to over 6' high
- Parabolic reflector creates uniform heat distribution
- Energy efficient fixture operates for only pennies per hour

# **SPECIFICATIONS:**

120 volts / 12.5 amps / 36" head / 24 lbs Also available in 240 volts

# No. 14-1000

• New wide base stand adjusts

**Tub Heater with Casters** 

Three switch controls

to over 6' high





# **Speedray Heat Lamp**

- Two 1,500 watt heads (3,000 watts total)
- · Heavy-duty stand adjusts to over 6' high
- · Parabolic reflector creates uniform heat distribution
- Energy efficient fixture operates for only pennies per hour

# SPECIFICATIONS:

120 volts / 17 amps / 36" head / 26 lbs Also available in 240 volts

# No. 14-1005

# **Single Hi-Intensity**

- High intensity medium wave fixture offers increased power (2,000 watts) and improved cure times over a 3' x 4' coverage area
- 60-minute timer
- Heavy-duty stand adjusts to over 6' high
- Parabolic reflector creates uniform heat distribution
- Operates vertically or horizontally

# **SPECIFICATIONS:**

120 volts / 25 amps / 36" heads / 35 lbs Also available in 240 volts

INFRATECH

No. 16-1000

# Accessories for 14-100, 14-1005, 14-1100, 14-2505, 16-1000, 17-1012 and 17-1015 Heat Lamps:

**Magna-Flex Premium Spray Booth Hose** 

lightweight and

fittings at each end

limited warranty

non-kinking

Full-flow brass

 35 foot length Exclusive two-year

· Durable,

**AIR & FLUID HOSE** 

32" 1500W 120V Element 1500 Watt 120 Volt No. 10-1065

	31" 1650W 120V Elem	nent for 17-1015
~	240V	
	No. 17-1125	INFR
		AUTO

Hose

**Vaper Hybrid Flex Air** 

Made from a blend

of rubber & PVC

Ultra flexible

Part No.

19464

19465

Kink Resistant

-40° F to 140° F

Size

3/8" x 25'

3/8" x 50'

FRATECH ломоті

# **Air Hose**

- Quality air hose with factory-crimped male ends
- 3/8" ID with 200 PSI rating
- Made in the USA.

Part No.	Size
25FT	3/8" x 25'
50FT	3/8" x 50'

# **Flexzilla Air Hose**

- No memory
- Kink resistant under pressure
- Includes bend restrictor
- Lays flat







MOTOR

No. MF-35

Part No. Size **HFZ3825YW2** 3/8" x 25' HFZ3835YW2 3/8" x 35' **HFZ3850YW2** 3/8" x 50'









INFRATECH

INFRATECH

# SPECIFICATIONS:

No. 14-2505

 Product holds seven 250 watt R40 infrared bulbs (not

# **GUN WASHERS**

**Stainless Steel Gun Washer** 

Made in the USA.

Therkules

No. G202

Featuring a flow-through brush

Ideal for cleaning either solvent or

water-based paint from spray guns,

• Clean 2 guns & 2 cups or 3 or 4 spray

guns, automatically in one minute

**Dual Spray Gun Cleaner** 

as the UM120W.

Cleans both solventborne and

The left solvent tank consists

of automatic wash using the 4"

diaphragm pump, air rinse and

clean rinse. A Flow-through brush

waterborne spray guns. The right

water tank has the same features

cups, and other painting accessories

# **Mini Gun Washer**

- Compact, quick cleaning thoroughly clean 1 spray gun and 1 cup, or 2 spray guns, in one minute
- · Enclosed, automatic, with a safety lid shut-off switch.
- · Use exclusively for either solvent or waterborne paintguns
- Three Year pump warranty

# No. G100

**Therkules** 

# Waterborne Sprav Gun Cleaner

- Cleans waterborne spray guns effectively with 3 tools. A high pressure Wash Gun to wash the paint channel, a Flow-Through brush to remove paint from the outside of the sprav gun and a Blow Gun for drying.
- · Consumables: Uni-ram's top rated waterborne cleaner, AQUA-KLEEN, No. 102-8200, Primary filter, mesh (400 U), No. 102-8125, Secondary (bottom) filter (felt 25U), No. 102-8126.





# provides additional cleaning.



No. U5000W

# **Gun Washer with Timer**

- Cleans 2-4 spray guns with automatic timer
- · Safety shut off
- · Large tank to work in, small foot print
- Made in the USA.



# **I**herkules No. G200

# Accessories:




**AOUA-KLEEN** Waterborne Cleaner

No. 102-8200



**Primary Filter Bag,** Mesh 400U

No. 102-8125



• Air Supply Lines per foot

No. URT6MM-BL



# Secondary Filter Bag, Felt 25U No. 102-8126



# SOLVENT RECYCLERS




# Accessories:

Liner Bags for 20 GAL

 Liner Bags, 10 per pack No. LB2000E-10

**Recycler Liner Bags 5 GAL 10 per pack** No. LB900C-10



# TOOLS & EQUIPMENT

47



**No. UM120W** 

# **Solvent Recycler**

- Recycles used solvent for reuse in cleaning operations.
- With a URS500, solvent purchases and disposal costs drop dramatically.
- Tank capacity: 5 US gal., Recycles in approximately 4 hrs.
- 120 V. 13.3 A
- Also available with auto-solvent-transfer. No. **URS500EP2**









# **BODY SHOP EQUIPMENT**

# VACUUMS



# Panel Stand - 300 lb Capacity

- Lightweight panel stand with 300 lbs capacity
- Bumper extension bar can easily be adjusted for any position
- Great for working on bumpers and other automotive parts

# **SPECIFICATIONS:**

Adjustable Height: 34" to 47" High Weight: 18.7 lbs Astro

No. 557012

# **MASKING EQUIPMENT**

# **18" Masking Machine**

- Includes bars for 2 paper rolls and 4 tape rolls
- 8" wheels and 2 comfort grip handles for maneuverability
- Sharp, anodized blade for smooth cutting
- Wing nuts & large, adjustable washers for easy paper loading & alignment
- Includes bottom storage tray, side sandpaper tray and spray gun bar
- 1 Year Limited Warranty

# **Masking Station - Tree Type**

- Holds 4 paper rolls up to 18" and 4 tape rolls
- Non-skid wheels and comfort grip handles for maneuverability
- Sharp, anodized blade for smooth cutting
- Wing nuts & large, adjustable washers for easy paper loading & alignment
- 1 Year Limited Warranty

# **Mobile Step Masking Machine**

- Lightweight, easy to use and portable
- Dispenses rolls up to 18" in width
- Sharp, anodized blade for smooth cutting

# Wall Mount Maskers

- 36" Wall Mount Masker
- Does not attract dirt from the floor
- Mounts on wall out of the way
- Does not take up floor space

# Part No. Size 78009 36" 78011 18"

Individually boxed

· Load capacity: 220 lbs

• Unit can be used as a step stool

· Weight: 6 kg

# Vertical Masker

- Narrow profile (22") to roll between cars in shop
- Holds a roll of 36" paper and a roll of 36" plastic. Cut plastic with knife
- Dispenses vertically or horizontally


No. 78012

# **BODY SHOP TOOLS**

RIVET GUNS

2PAstro

No. 1442



 Includes 5 nosepieces: 1/8", 5/32", 3/16", 7/32", 1/4"

2PAstro

- Tool length 20-3/4"
- · Spent rivet stems are collected in the plastic container for safety and ease of disposal

No. 1426



- Large storage tray on bottom for tools No. MM18 **Astro**
- Nonskid rubber wheels

Includes bars for 4 paper

rolls and 4 tape rolls

Wide-base design prevents toppling

Includes bars for 2 paper rolls and

Wing nuts for easier paper loading

• Sharp, anodized blade for smooth

· Sandpaper tray on side and bar

- Lightweight steel frame
- Weight: 27 lbs

**Masking Machine** 

4 tape rolls

cutting

· Weight: 29 lbs

**4 Tier Masking Tree** 

**Apastro** 



No. ASMS-2


# **Triple Masker Tree**

- Holds 18", 24" and 36" wide masking paper rolls
- Sharp serrated blades for clean cutting
- tape alignment

No. 176



1/4"S/D Hand Riveter



13" Nut/Thread Setting Hand **Rivet Kit** 

- · Easily change mandrels and nose pieces by hand
- · Disassembly of tool never required
- Ergonomic grip for easy operation
- 6 interchangeable mandrel/nosepiece sets in Metric M5, M6, & M8 and in SAE 10-24, 1/4-20, & 5/16-18
- Includes 10 pieces of each of the following rivet nuts: M5, M6, M8, 10-24, 1/4-20 and 5/16-18







No. T415



No. T417



No. 4577







# Maximizing Efficiency in Auto Body Shops with HIGH TECK MASKING MACHINES

In the fast-paced environment of auto body repair, efficiency and precision are paramount. Masking is a critical step in painting, ensuring that only the desired areas are painted while protecting other vehicle parts. High Teck, a renowned name in the paint, body, and equipment (PBE) industry, offers a range of masking machines designed to streamline this process. This article delves into High Teck's masking machines' features, benefits, and applications, specifically focusing on part numbers T415 and T417.

# THE HIGH TECK T415 AND T417 MASKING MACHINES

are designed to simplify the masking process in auto body shops. They are built to accommodate multiple rolls of masking paper and tape, allowing technicians to prepare vehicles for painting quickly and easily.

# FEATURES AND BENEFITS



Both the T415 and T417 are designed with space efficiency in mind. They occupy minimal floor space, making them ideal for shops with limited room. This compact design also allows easy access, reducing the time spent searching for supplies.



Constructed with high-quality materials, these masking machines are built to withstand the rigors of daily use in a busy body shop environment. Their robust construction ensures long-term reliability, reducing the need for frequent replacements or repairs.

# **3** MULTIPLE ROLL CAPACITY

The T415 and T417 can hold multiple rolls of masking paper and tape, allowing technicians to work on different vehicle parts simultaneously. This feature increases productivity and ensures consistent results across the entire masking process.



These machines are designed with user-friendliness in mind. The simple loading mechanism and smooth dispensing of paper and tape make the masking process quicker and more efficient. Technicians can easily adjust the machine to accommodate different paper widths, making it versatile for various masking needs.

# 5 COST-EFFECTIVE

By reducing the time and effort required for masking, the T415 and T417 help to lower labor costs and increase overall shop efficiency. This cost-effectiveness makes them a valuable investment for any auto body shop.



The T430's mobility is its standout feature. Equipped with sturdy wheels, this station can be easily maneuvered around the shop, reducing the need for technicians to move back and forth between the vehicle and a stationary masking machine. This feature is particularly useful in larger shops where vehicles may be spread out across different work areas.

# APPLICATIONS IN THE Body shop

The efficiency of the masking process directly impacts the overall quality of the paint job in auto body shops. High Teck's masking machines are designed to optimize this process, ensuring that vehicles are correctly masked on time. The T415 and T417 are perfect for shops with limited space. These machines are handy in high-volume shops where time is of the essence. By streamlining the masking process, they help reduce the time spent on each job, allowing technicians to focus more on the actual painting. This not only improves the quality of the paint job but also increases the shop's overall throughput.

High Teck's masking machines, including the T415 and T417, are essential tools for any auto body shop looking to improve efficiency, reduce costs, and deliver highquality results. Their durability, ease of use, and versatility make them a valuable investment for both small and large shops alike.

# No. T415 18" MASKING MACHINE



NO. T417 TREE MASKING STATION



# **BODY SHOP TOOLS**

# **RIVET GUNS**

Description

Part No.

21960

21970

No. 48005

# **Rivet Tools**

- High-grade, hardened steel frame uses a 1/2" 20 grade 8 hex bolt, with a magnetic end and center recess
- To be used with 1/2" impact wrench

# Plastic Rivet Setter

- · Great for flexible bumpers, wheel wells, license plate brackets and bumper reinforcements
- One-stroke setting
- Universal nosepiece sets all plastic rivets
- Packaged in a reusable, heavy-duty vinyl pouch
- Weight: .75 lbs



Self Piercing Rivet Insert Tool

Self Piercing Rivet Extraction Tool



STECK

 Contains the 39200 Thread - Setter tool in a molded plastic case and 75 assorted Klik **Poly Nuts** 

No. 39303



# **HEAT GUNS**

# **Dual Temperature Heat Gun Kit**

- Versatile with dual heat settings of 572° and 932°
- Double insulated housing for safety & reduced

# noise/vibration

 Includes durable, blowmolded case and 4 nozzles



No. T205



# **Heat Gun**

- Upgraded, long-life universal motor delivers 2X PLUS run life
- High 27 CFM at 3,400 FPM, gets tough jobs done faster
- Ergonomic soft grip handle
- Sturdy die-cast aluminum housing w/reinforced adjustable stand



# Variable Temperature Heat Gun Kit

- Variable temperature heat gun: 100F to 930F
- Two fan speeds Low & High (5 & 9 CFM)
- Lightweight 1 lb.
- Built-in hand guard
- 2 wire double insulated cord set
- Thermoplastic housing for high impact durability
- Built-in Stand
- Use to bend and form plastics, dry body fillers, remove decals, spot dry paint, shrink tubing, packaging and more

No. EC-200 EMASTER






- 12.5 amp 120 volt heat gun
- Ideal for plastic welding, shrink tubing, and paint stripping
- Dual temperature setting
- · 3 position rocker switch off, high, and low
- Durable ABS body



# **OTHER BODY SHOP TOOLS**

# 7 pc Hammer and Dolly Set - Wood Handles

- The perfect starter kit for the budget minded "Do-It-Yourselfer"
- Includes a horizontal peen & finish hammer, standard bumping hammer, pick & finish hammer and four dollies





# **Door Panel Clip Removal Tool**

- Non-scratch vinyl shaft coating
- 9-1/4" total length






# SANDERS

# 6" Palm Sander

- 5 mm (3/16") Stroke Finish
- Super lightweight (1.5 lbs) and compact
- Sealed bearings for extended Life
- Built-in speed regulator
- Low noise and vibration design
- Comes with 6" PSA Backing Pad and 24 mm wrench
- 1 Year Limited Warranty



# 600 Series Random-Orbit Action Sander

- 3/16 Offset Random-Orbit Action Sander
- American-Made
- Aggressive Material Removal
- Light Weight, Ergonomic Design
- Designed to use either 5 or 6 pad

Part No.	Pad Type	(Internetions)
600	PSA	
600H	Hook	Made in the USA

Dura-Block

No. AF197T

# **Straight Line Sander**

- Free Speed: 2100 SPM
- Air Pressure: 90 PSI
- Air Consumption: 5.5 CFM
- Weight: 5.5 lbs
- Pad Size: 2-3/4" x 15-3/4"

# **Straight Line Shoe**

• Designed for use with both PSA, clip on, and hook and loop file board sandpaper

Part No.	Pad Type	· ·
160	Tool Only	and a second second
260	Hook Included	FERRO INDUSTRIES, INC.

# **Straight Line Sander**

- Performs on plastic fillers at any stage of hardening
- Feathers with ease and smoothness
- Dual piston provides efficient power and prevents stalling
- Two handle design for comfortable operation
- 1" Stroke



ants A 46

No. 888C



- Blow molded case for easy storage and transport
- Female Thread with Male pad
- Straight thread

No. 3050



anteA 46

53

# SANDERS

# 3M<sup>™</sup> Mini Belt Sander and File Belt Sander

- Remove spot welds cleanly and quickly replacing the need for expensive drills and bits
- Adjustable arm for user comfort and multiple applications
- Available in 13 inch and 18 inch sizes

# Nitro Series<sup>™</sup> Nitrofile Abrasive Belt Tool

- .5 hp, 7° offset, 20,000 rpm, gearless, front exhaust
- Includes 11203 contact arm
- For 18" long abrasive belts, 1/4" to 3/4" wide



No. NF1

Also available: Versatility Kit No. NF1VK

# Part No.Description335733M™ Mini File Belt Sander335753M™ File Belt Sander

# Dynafile<sup>™</sup> II Abrasive Belt Tool

- .5 hp, 7° offset, 20,000 rpm, front exhaust
- Includes 11206 contact armFor 18" long abrasive belts,
- 1/8" to 3/4" wide



No. 40320

Also available: Versatility Kit No. 40321

# Electric Dynafile<sup>™</sup> II Abrasive Belt Tool

31

- 10,000 rpm, 120 v (ac), 7 amp, 60 Hz
- Includes 11203 contact arm
- For 18" long abrasive belts, 1/8" to 3/4" wide



Also available: Versatility Kit

v Kit No. 40611

# **BACKING PADS**

# **Sanding Pads**

• Improve your sander and abrasive performance with a genuine DISKIT brand back-up pad

YNABRAD

• Superior durabilty and precision control

DISKIT pads are available with hook, vinyl and canvas faces in these profiles:

$\mathbf{\nabla}$	Part No.	Description	Face	Profile	Size	
-	5052	5" DA Medium PSA	PSA	Slant	5"	Low Profile
	6052	6"DA/PSA Pad Soft Edge (Vinyl)	PSA	Flex	6"	
Random	60520	(5/16"-24) 6" Low Profile PSA Pad-DA	PSA	Low Profile	6"	
Orbital	60720	6" PSA STD Pad with 5/16-24 Thread	PSA	Slant	6"	Slant
Tools	60790	6" DKT Sanding Pad	Hook	Slant	6"	
	6519	6"DA Medium with Hook	Hook	Flex	6"	Flex
	8052	8" Medium/Soft PSA	PSA	Flex	8"	
Right	8054	8" PSA Medium Sanding Pad	PSA	Slant	8"	
Angle	8056	8"PSA Soft Pad (Vinyl) 3M	PSA	Soft Slant	8"	Soft Slant
Tools	8519	8" Medium/Soft with Hook	Hook	Flex	8"	

# **Backing Pad**

0.6

- Constructed of durable polyurethane foam for longer life
- 29° tapered edge for flexibility on contoured surfaces
- Lightweight & well balanced
- Maximum 10,000 RPM

Part No.	Pad Type
T150	Hook
T151	PSA



# **BACKING PADS**

# **Industrial Back-Up Pads**

- 5/16 24 Thread
- Mid-range Industrial Applications
- Fine To Medium Grit Abrasive
- 120+, 13,000 RPM
- Premium Quality

Part No.	Description	EEZER
4404	4" Backing Plate	ti -
4405	5" Backing Plate	
4407	7" Backing Plate	7 6636
4605	5" Backing Plate H.D.	-
6636	6" PSA Pad with Tapered Edge	
6636K	6" Velcro Pad	

# **CUT OFF & ERASER TOOLS**

# **Cut-Off Wheels**

- Very tight balance tolerance
- Premium Aluminum Oxide Grain

Size

3" x 1/32" x 3/8"

3" x 1/32" x 3/8"

3" x 1/16" x 3/8"

3" x 1/16" x 3/8"

3" x 3/16" x 3/8"

3" x 3/16" x 3/8"

- Unique bonding system
- Internal test lab

Part No.

500-5

500-50

510-5

510-50

520-5

520-50

1	_		1	I OB	10
C	Qty/	/Bo	x		

5

50

5

50

5

50

- For Pinstripes, Adhesive and **Double Faced Tape**
- Molded rubber with 5/16" 24 thread arbor for use with the 533FT or 1208A
- Pad size: 4"
- For use with Astro Part No. 533ET or 1208A
- Use with maximum rated 4000 RPM tool
- Not for use with standard non-geared die grinders



INC.

Part No.	Description
400E	Pad
400E6	6 Pack
400E-AR	Adapter

- **Pinstripe Removal Kit** 
  - **Astro**  Specialty tool for removal of pinstripes, adhesives, double faced tapes and moldings with ASTRO'S Smart Eraser Pads
  - Tool includes built-in regulator
  - 4,000 Max. RPM
  - Lightweight reduces operator fatigue
  - · Spanner wrenches included for easy removal of pad

# **Red-Tred Eraser Wheel**


- No hub included
- · Outstanding for removal of graphics, decals and twosided adhesive tapes
- Has serrations for improved cooling effect air flow resists heat buildup and reduces jumping

15
-

Part No.	Description
92295	Assembly with Hub
92255	Eraser Wheel Only
92297	Disc Pad Only



DYNABRADE



No. 232

- Made with a ceramic alumina abrasive grain for a faster cut
- Reduced cutting vibration for improved operator comfort
- Exceptional speed delivers a faster cut resulting in greater productivity
- Designed for longest possible life lasting 7X longer than aluminum oxide wheels and 3X longer than zirconia aluminum wheels
- · Perfect for stainless steel and carbon steel applications





Part No.	Size
71058	3 x 1/16
71059	3 x 1/32

-

Accessories:

**Onyx Pinstripe Removal Tool - Black** No. 203

400E - Eraser Pads

# **CUT OFF & ERASER TOOLS**

# 3M<sup>™</sup> Cut-Off Wheel Tools

- Compact design with built-in safety features for easy handling
- Cleaner cut that runs cooler
- Light-weight composite body for greater user comfort
- Available in 3 inch and 4 inch sizes



# Part No.

33579	3M <sup>™</sup> Cut-Off Wheel Tool (3 in.)
33581	3M™ Cut-Off Wheel Tool (4 in.)

# NitroZip Kit

- Dynabrade Nitro Series<sup>™</sup> NitroZip tool outperforms conventional spiral-wound wheels without clogging
- Excellent power for effectively removing seam sealer, paint, two-sided adhesive molding tape and decal material

Description

- Tool using wire wheel duplicates sand-blasting effect without surface fatigue
- Eraser wheel has serrations for improved cooling effect air flow
- Also resists heat buildup and reduces jumping and vibration

# No. NZ1K

# longer than conventional ceramic abrasives

strength steel

• Precision shaped grain (PSG) technology employs micro replication for extremely uniform abrasive

3M<sup>™</sup> Cubitron<sup>™</sup> II Cut-Off Wheels

• Outstanding cutting performance on both mild steel and ultra high

• Cuts 30% faster and lasts 2x

- Grains are electrostatically oriented on abrasive surface for efficient cut, even wear
- Fewer wheel changes means speedier turnaround





No. 33460

**No. NZ1** 

Kit Includes

- NZ1 Standard Tool
- 92252 1/2" Wheel Hub Assembly (1)
- 92248 1/2" Coarse Wire Wheel (1)
- 92239 3/4" Wheel Hub Assembly (1)
- 92245 3/4" Coarse Wire Wheel (1)
- 92255 RED-TRED® Zip Eraser Wheel (1)

# **Accessories:**



Remove seam sealer and paint with wire wheels

Part No.	Wire Wheel
92245	4" x 3/4" Coarse
92246	4" x 3/4" Medium
92247	4" x 3/4" Fine

# Mini Angle Die Grinder

- Compact size & lightweight
- 1 Year Limited Warranty
- 1/3rd HP motor with 20,000 RPM
- Positive-grip with selflocking throttle



# **OTHER AIR TOOLS**

DYNABRADE

# **Cordless Polisher**

- Fully adjustable 2500-5000 OPM motor
- 6" backing pad
- Powerful 12V motor
- Two 2.0Ah 1hr quick charge batteries

anteA 46



No. 3026

# **Air WindShield Knife with Blades**

- 20,000 oscillations per minute
- Cuts around bonded and encapsulated glass
- Flexible blade mount
- Rear exhaust directs air away from work

# **Mini Cordless Polisher**

Compact lightweight

- Includes 2 Lithium-Ion batteries
- 2-position side handle and ergonomic comfort grip

PAstro







# POLISHERS

# **8MM Dual Action Polisher**

- · Forced rotation from the exclusive gear-driven backing plate
- · Effortless, balanced handling with precision speed control
- · Effectively removes swirls, scratches, and oxidation
- · Gets the job done faster, smoother and quieter

# 7" Polisher

- Powerful 11 Amp motor with Soft Start technology
- · Ball bearing construction for long life
- Variable dial speed control
- (1,000-3,000 RPM) provides the ability to adjust for specialty applications
- Includes both D-handl & Side Handle for comfort and control
- 1 Year Limited Warranty

# No. T200

# Variable Speed Polisher

- Powerful, 12.0 Amp, all ball-bearing construction for long life
- Conveniently located variable speed dial
- Variable speed trigger
- Heat-treated, precision-cut steel gears
- External brush caps for easy servicing
- Large spindle lock button

# Part No. Description **DWP849** 7" / 9" Polisher DWP849X 7" / 9" Polisher with Soft Start

# 7" Variable Speed Polisher

- · Variable speed dial and trigger
- Rubberized loop handle and gear housing
- · Wire mesh intake covers
- 3-prong plug
- Lock-on button

# Thakita

Part No.	Description
9227C	7" Polisher/Sander (Tool Only)
9237C	7" Polisher/Sander (Tool Only)
9237CX2	7" Polisher/Sander Kit

# 21mm Polisher with Inspection Light

- Built-in inspection light
- Our most powerful 900W motor
- 1700-4800 RPMs
- Non-Crimping cord design
- 1 year limited warranty

# **Inspection Light:**

- 1800 lumens
- 180 degree light spread
- 2 kelvin settings (5000k, 6000k)
- 1 dimming setting



# No. 23001

Detroit /USA

# **Professional Dual Action Polisher**

- Wide 3000 7500 RPM speed range for maximum control
- Digital torque management speed controller
- Lightweight ergonomic form

No. MT300

# 7" Polisher/Sander with Locking Switch

- Lock-on switch for comfort during extended use
- Adjustable dial speed control from 1,000 to 3,000 rpm
- Includes both D handle and side handle which can be mounted on either side
- · Includes rubber backing pad, velcro backing pad, and polishing bonnet









DEWALT

# WELDING & WELDING ACCESSORIES

# **PLASTIC WELDERS**

# **Hot Staple Gun**

- Hot Staple Gun designed for quick repair and reinforcing broken/ripped/damaged/split plastic on autos, motorcycles, ATVs, boats, etc.
- Produces a strong durable repair while still leaving plastic flexible enough for correct fit
- Unique Staple Gun heats special designed staples and sets staples into plastic
- Repairs plastic components such as bumpers, headlight fittings and assemblies, panel clips, tabs, plastic pins, spoilers, etc.
- Wattage: 27W +/- 2W
- Kit includes: Hot Staple Gun, Wire Cutter, Flip Screwdriver, 50pc each of "M", "S", "V" and "Z" Style Staples
- CSA Approved, CE Approved

# Mini-Weld Model 7

- 200W airless heating element
- Repair virtually any type of plastic, including urethane
- 8 types of plastic welding rod including universal FiberFlex
- Made in USA



# No. 5700HT

# Accessories:

FiberFlex Universal Plastic Welding Rod No. R10-04-03-BK

# **Bumper Mate 3 Bumper Repair Workstation**

- Secures odd-shaped parts for easy repair
- Pivoting arms support bumpers
- Movable cradles support headlights
- Uses standard scissor stand (not included)



# WELDING WIRES

# **Welding Wires**

- Excellent wire designed for single and multiple pass welding
- Can be used for sheet metal applications when smooth welds are needed
- A shielding gas is required when welding with this wire
- Fabrication and repair of lightweight structural steel
- Excellent choice for welding low carbon mild steel, ideal for body panel repair, fences, and yard tools

	Part No.	Description	Weight
	00652	.023 Mild Steel Mig Wire	2 lb
	00654	.023 Mild Steel Mig Wire	10 lb
2	00662	.030 Mild Steel Mig Wire	2 lb
	00664	.030 Mild Steel Mig Wire	10 lb



Accessories			
S	taples		
	Part No.	Style	Qty/Box
. 7	7600M	М	50
~~~	7600S	S	50
	7600V	V	50
	7600Z	Z	50

# FOLLOWING INFORMATION PERTAINS TO ALL ABOVE STAPLES:

- Width: (.500") (12.7 mm)
- Thickness: 1/32" (.03125") (0.793 75 mm)

# **Mini-Fuzer Hot Air Plastic Welding Station**

No. 7600

2PAstro

- Includes both hot air and airless plastic welders for greater versatility
- Temperature feedback control on both hot air and airless welders
- Automatic hot air welder heat-up and cool-down
- Variable hot air flow
- Three memory buttons to store commonly used settings
- Easily portable no compressed air connection required
- Includes ten plastic welding rod types and stainless steel wire mesh

No. 6180-120V

Polyvance



led)

# **WELDING & WELDING ACCESSORIES**

# **STUD WELDERS & PINS**

# **Starter Kit Steel Stud Gun**

- Includes the basics to get started
- Powerful 1500-Amp Starter gun
- 500 pack of 2.2 studs and all steel slide hammer.





# **Dual Aluminum & Steel Dent Pull Gun**

- Compact stud gun welds both aluminum and steel pulling studs to panels
- Patented microprocessor control assures maximum pull strength with minimal heat distortion
- Includes 9700 gun with 15' cable to 115VAC power supply, aluminum & steel studs and pull tabs, tips and weld-tip puller is ABS gun storage case





# **Stinger Plus Steel Stud Gun**

- Full line of accessories in carrying case
- Powerful 2000-Amp Stinger gun
- 500 pack of 2.2 and 2.6 studs, all steel slide hammer, T-handle puller, side-by-side adaptor and three tips in HD case

No. 5500

# **Stud Welder Kit**

- Professional kit with highest power gun available
- · Full line of accessories in case
- Powerful 2500-amp deluxe gun
- 500 pack of 2.2 and 2.6 studs, all steel slide hammer, T-handle puller, side-by-side adaptor and three tips in HD case

- · Can be used with all welding studs up to 2.6 mm in diameter
- Designed with a Morse Taper for a positive fit with an easy removal

No. 1004



- Copper coated
- Strong yet flexible shafts
- Preferred stud for use with slide hammers

Magna-Spot®	1000	and 1500	) Series

# **Entry Kit**

- **KIT INCLUDES:** Entry Magna
- Slide Hammer®
- (1) Package of 100 Draw Pin (2.0 mm)

Part No.

J20007

J20014

# No. J01000

# Accessories:

-	ENTERIE	-	)
		•	

Description

Stud Electrode

2.0 mm Studs (500/Pack)

# **KIT INCLUDES:**

- Deluxe Magna
- 500 Draw Pin (2.0 mm)



# **KIT INCLUDES:** Deluxe Magna Slide Hammer<sup>®</sup>

**Professional Kit** 

- Trim Rivet Tip
- Shrinking Tip
- (1) Package of 500 Draw Pin (2.0 mm)
- (1) Package of 150 Trim Rivets
- No. J01500







No. 9000





Flex (2.2 mm)



No. J01050



1001

1002













Qty/Box

# **WELDING & WELDING ACCESSORIES**

# WELDING ACCESSORIES

# **Spotweld Cutter**

- Hollow design which cuts around the spotweld so weld hardness does not effect tool sharpness
- Two ends with cutting teeth. When one side becomes dull, simply flip over and use the other side
- An adjustable depth pilot sets the tool so only the outer panel is cut
- Includes: 3/8" cutter (13214), arbor (13216), & pilot (13217)
- Cutter RPM should not exceed 500 RPM
- Made in the USA



Blair

- **Rotabroach Cutter** 
  - Cuts holes 3 times faster and lasts 10 times longer than twist drills or hole saws
  - Made in the USA.
- No. 11108-3 Blair

398

# **Blair Cutter**



y/Pack

3 3 3

* *			
	Part No.	Size	Qt
• For materials up to	13200	1/4"	
3/16" thick	13202	5/16"	
Made in the USA	13214	3/8"	

# (3) Pilot Retractable

• Replacement Part for Blair Spotweld Cutter (#13224)



HAN

# 3M<sup>™</sup> Welding Spark Deflection Paper

- Deflection paper helps protect vertical surfaces from sparks and spatter
- Recommended wherever welding or grinding tasks are performed
- · Adhesive backing allows for simple installation
- · Repositionable to allow for adjustments and repeat uses
- Easily cuts to fit repair size






# **Hot Spot Plastic Stapler**

- Simple, one-button operation
- 5V Micro-USB charging port
- LED light for illuminating dark spaces
- Includes 500 staples



# Accessories:



Part No.	Style	Size	Qty/Box
6211	Flat	.6 mm	100
6212	Wave	.6 mm	100
6213	Inside Corner	.8 mm	100
6214	Flat	.8 mm	100
6215	Wave	.8 mm	100

Polyvance

# 8 mm Drill Bit

- 8 mm drill bit specially designed for spot weld drilling
- Made of High Speed Steel Cobalt
- · Bit has center nib to prevent walking

# 1/8" Stubby Double Ended Drill Bits

- Packaged in convenient see-through pouch of 12
- 135 degree split point
- Sturdy double end allows twice the usage
- · Ideal for auto body work

No. 9012



# 3M<sup>™</sup> High Performance Welding Drape

- · Extreme resistance to heat, sparks, welding spatter and flames
- Ideal for protection from automotive welding spatter and grinding sparks
- Very lightweight, conformable and easy to handle
- Excellent wear and tear resistance



2PAstro No. 1721

No. 13224

# **PROTECTIVE APPAREL**

# **Paint Suit**

- Extremely lightweight and breathable
- · Vented yoke back and under arms
- Carbon fiber thread
- · Elastic back and separate hood
- Back pocket and chest pocket
- Lint-free, densely woven, polyester multi-filament yarn
- 2-way zipper
- Machine washable

# **Premium Paint Suits**

Part No.	Size	Color	Part No.	Size	Color
PS105B	М	Black	<b>PS205W</b>	М	White
PS110B	L	Black	<b>PS210W</b>	L	White
PS115B	XL	Black	<b>PS215W</b>	XL	White
PS120B	2XL	Black	<b>PS220W</b>	2XL	White
PS125B	3XL	Black	<b>PS225W</b>	3XL	White

# **Economy Paint Suits**

Part No.	Size	Color
PS9054	М	White
PS9056	L	White
PS9058	XL	White
PS9060	2XL	White
PS9062	3XL	White

# 100% Cotton Spray Sock - 12pc Display

- 100% Soft, lint free combed cotton
- Comfortable and breathable 100% combed cotton fabric
- · Protects your head & neck from over spray
- One size fits all design
- Individually bagged / 12 pieces per display



SULIT No. 141

# **The Original Shoot Suit**

- Full body coverage
- Head to toe with lint-free nylon
- Glazed breathable poly/cotton on back and hood

# Accessories:

**Shoot Boots (Shoe Covers)** No. 6191000L - 2 pairs No. 6191000XL - 2 pairs

Sizo Color

Logoov No

Part No.	Size	Color	Legacy No.
6121000S	S	Black	2000B
6121000M	М	Black	2001B
6121000L	L	Black	2002B
6121000XL	XL	Black	2003B
6121000XXL	2XL	Black	2004B
Part No.	Size	Color	Legacy No.
Part No. 61210445	Size	<b>Color</b> White	<b>Legacy No.</b> 2000W
61210445	S	White	2000W
6121044S 6121044M	S M	White White	2000W 2001W

# Also Available:

HHL Plus All Purpose Coverall No. 6122099 (S, M, L, XL, XXL, XXXL, 4XL)

# **Spray Sock**

· All cut edges stitchfinished to be lint-free



# **GERSON**<sup>®</sup>

Р	art No.	Description
0	70195B	Dry-Wick Polyester Economy
0	70295	Non-Linting Spray Sock

**RESPIRATORY PROTECTION** 

RESPIRATORS

# **Disposable Dual Cartridge Respirator**

- Silicone face piece offers exceptional comfort
- · Lightweight material reduces user fatigue
- Unique head strap design allows for a secure non-slip fit

Part No.	Size
8661-92	Medium
8661-93	Large



BANDIT

# **Signature One Step Respirator**

- For paint spray applications, including oil-based paints
- Soft, comfortable silicone facepiece
- Bonus "Hygiene Guard" for clean storage and product protection

**GERSON**<sup>®</sup>



Part No.	Size
8211P	М
8311P	1

oot



# **DISPOSABLE GLOVES**

MICROFLEX® Advanced disposable hand protection **93-732** Ergonomically designed thin Black Nitrile exam glove



# Nitrile exam gloves with excellent dexterity along with enhanced comfort, fit and feel

- Thin durable design: Offers strength, dexterity and tactility
- Black nitrile: Hides oils, bodily fluids and other stains
- ERGOFORM<sup>™</sup> Technology: Ergonomic design supports musculoskeletal health



# Industries

- Food Service
- Cosmetics
- Tattoo
- Automotive Aftermarket
- Chemical
- Emergency Medical Services
- Healthcare
- Law Enforcement
- Life Sciences
- Dental
- Machinery and Equipment
- Metal fabrication

# **Recommended For**

- General dentistry
- Standard patient examinations
- Emergency services
- Catering/Meal preparation
- General Purpose Auto
- AftermarketEquipment repair and
- maintenance
- Laboratory analysis
- Cosmetic Procedures
- Tattoo



Part No.	Description	Color	Size
93732060	Nitrile MidKnight Touch Glove (100)	Black	XS
93732070	Nitrile MidKnight Touch Glove (100)	Black	S
93732080	Nitrile MidKnight Touch Glove (100)	Black	Μ
93732090	Nitrile MidKnight Touch Glove (100)	Black	L
93732100	Nitrile MidKnight Touch Glove (100)	Black	XL
93732110	Nitrile MidKnight Touch Glove (100)	Black	XXL



# **DISPOSABLE GLOVES**

# Diamond Grip Powder Free Latex Glove

- Natural
- Latex
- Non-Sterile
- Ambidextrous
- Textured fingers
- Beaded cuff
- For single use only
- MICR

Part No.	Size	Qty/Box
MF300-S	S	100
MF300-M	Μ	100
MF300-L	L	100
MF300-XL	XL	100

# Safegrip

# **Powder Free Latex Glove**

- Blue
- Latex
- Non-SterileAmbidextrous
- Textured fingers
- Beaded cuff
- For single use only

Part No.

Qty/Box
---------

MICROFLEX

MICROFLEX

SG375-S	S	50
SG375-M	М	50
SG375-L	L	50
SG375-XL	XL	50

Size

# Supreno SE

# **Powder Free Nitrile Glove**

- Blue
- Nitrile
- Non-Sterile
- Ambidextrous
- Textured fingers
- Beaded cuff
- For single use only
- Non-Latex

Part No.	Size	Qty/Box
SU690SE-S	S	100
SU690SE-M	М	100
SU690SE-L	L	100
SU690SE-XL	XL	100

# Midknight

# **Black Powder Free Nitrile Glove**

- Provides the best combition of durability and consistency
- Fully textured for a firm, reliable grip
- Nitrile construction is safe for workers with latex allergies
- Rolled cuff offers added strength when donning
- Ambidextrous for wear on either hand
- Distinct color masks stains
- Ideal for industrial, automotive, machinery and equipment industries

Part No.	Size	Qty/Box	3
MK296-S	S	100	
MK296-M	М	100	
MK296-L	L	100	-
MK296-XL	XL	100	MICROFLE
MK296-XXL	2XL	100	

# **Thickster Latex Gloves**

- Powdered exam grade latex
- Thickness: 7 mil
- Beaded cuff for easy on/off
- Textured surface for grip
- Delivers fit, comfort, flexibility, sensitivity and performance
- Easy slip-on



Part No.	Size	Qty/Box
6602	М	50
6603	L	50
6604	XL	50
6605	2XL	50

# Dyna Grip

# **Powder Free Latex Gloves**

- Natural
- Powder-free exam grade latex
- Thickness: 7 mil
- Beaded cuff for easy on/off
- Textured surface for grip
- Delivers fit, comfort, flexibility, sensitivity
- and performance
- Easy slip-on





Part No.	Size	Qty/Box
650-1001	S	100
650-1002	М	100
650-1003	L	100
650-1004	XL	100
650-1005	2XL	100

# **DISPOSABLE GLOVES**

# Dermalite

**BODY SHOP SUPPLIES** 

# **Powder Free Nitrile Gloves**



- Blue
- Powder-free exam grade nitrile
- Thickness: 5 mil
- Extraordinary strength and puncture resistance
- · Great in wet/dry conditions
- Textured grip provides enhanced gripping power
- Latex-free

Part No.	Size	Qty/Box
6606-20	S	100
6607-20	М	100
6608-20	L	100
6609-20	XL	100

# **Raven P/F**

**Powder Free Nitrile Gloves** 



- Black ٠
- Powder-free exam grade nitrile •
- Thickness: 6mil
- Free from latex and powders
- Outstanding strength, wear and • dexterity
- Textured for excellent chemical . resistance and great grip

Part No.	Size	Qty/Box
66516	S	100
66517	М	100
66518	L	100
66519	XL	100
66520	2XL	100

HAND CLEANER

# **Astro Grip Powder Free Nitrile Gloves**



- Bright orange for high visibility
- Powder-free nitrile
- Thickness: 6 mil
- Textured dual sided scale grip
- Superior comfort and strength
- Latex-free

Part No.	Size	Qty/Box
66572	М	100
66573	L	100
66574	XL	100
66575	2XL	100

# **Hand Cleaner**

- The waterless alternative to cleans hands.
- Will not dry out hands
- · Contains pumice scrubbers for difficult stains
- Includes glycerin, aloe vera and lanolin to help keep hands from drying out

Size

2.5 L

500 mL



# **Paint Off Hand Cleaner**

Kresto 2000 mL - Softbottle

· Waterless, anti-bacterial hand cleaner



- · Removes the most difficult products from your skin
- · Formulated with natural cleaning agents and pumice scrubbers

Part No.	Size	Accessories:
CUSO	500 mL	Pump for CUSOB
CUSOB	2.5 L	No. TCUSOP



SC Johnson

PROFESSIO A family company

# KrestoATP 2000mL - Softbottle

9995

Part No. 9994

- Contains biodegradable walnut shell scrubbers and powerful cleaners
- · Removes oil based paints, lacquers, multicomponent paints, adhesives, etc

Accessory: No. 81874

**59808 Dispenser** 

# **Wypall Waterless Handwipes**

- · Great for on-the-go cleaning of hands, tools, parts and non-porous work surfaces
- · Natural solvents cut through grease, grime and oil

🕸 Kimberly-Clark PROFESSIONAL


No. 91371





**SCJ**ohnson AL A family company





No. 87045

# **SHOP WIPES**

# **PAPER & SYNTHETIC**



Part No.	<b>Bag/Carton Weight</b>
T1	1 lb
T5	5 lbs
<b>T10</b>	10 lbs
T25	25 lbs

cloths
Precision cut seamless edges
Color-coding reduces the
threat of cross contamination
· Compliant and makes a superat

 Samller and more compact than regular microfiber coths

No. 1250

· Ideal for utility carts andautomotive shops

# SHOP WIPES OTHER SHOP WIPES

# 3M<sup>™</sup> Pre-Moistened Respirator Cleaning Wipes

- Moist towelettes clean dirt and perspiration off face piece respirators
- Individually packaged and sealed to ensure uncompromised sanitary quality
- Disposable, one-time-use for convenience

3M 504/07065

504/07065

• Convenient for respirator hygiene and sanitary protection between uses

# **Anti-Static Prep Tech Wipe**

- Melt blown biaxially oriented polypropylene wiper
- Reduces static electricity on surfaces
- 85/15 isopropyl alcohol
- 3 mm for offset sanding





No. USB4PNT





3M

No. 7065

# PRO-SERIES Wipers are getting a new look!

You will see some new brand names and packaging graphics, but the same professional grade towels and wipes you've come to trust are still inside every box!

www.proserieswipers.com

# **PRISTINE® PREP TOWELS -** *Premium refinisher's towels* • *Virtually lint free* • *Solvent resistant*

Part No.	Product	Format	Material	Description	Qty/Cs
95014	Prep-All <sup>®</sup> Towels	Flat - Dispenser Box	Blue	12" x 14" (250/box)	1
93014	Prep-All <sup>®</sup> Towels	Flat - Dispenser Box	White 🔘	12" x 14" (250/box)	1
95102	Pristine <sup>®</sup> Clean Wipes	1/4 Fold - Dispenser Box	Blue	12" x 17" (250/box)	1
93102	Pristine <sup>®</sup> Clean Wipes	1/4 Fold - Dispenser Box	White 🔘	12" x 17" (250/box)	1
95075	Super Rag <sup>®</sup>	Pop-up Box	Blue	12" x 17" (80/box)	4
93114	Universal Performance	Pop-up Box	White 🔘	9" x 17" (150/box)	6
93139	Universal Performance	1/4 Fold - Dispenser Box	White 🔘	12" x 17" (300/box)	1

ADVANTAGE® SHOP WIPES - #1 All-purpose wipe • Ultra absorbent • Great on grease • Soft hand feel

Part No.	Product	Format	Material	Description	Qty/Cs
86884	"The Champ <sup>®</sup> " Performance	Roll in Tote Box	White	9" x 12" (225/box)	4
86201	"The Champ <sup>®</sup> " Performance	1/4 Fold - Perf-Pak™	White	11" x 13" (50/pack)	20

\*All PRISTINE white prep towels are waterborne compatible

# **TACK CLOTHS**

# **Economy Tack Cloths**

- · Soft cotton mesh material contours to surface shapes
- Removes surface particulates without leaving harmful residue
- Wax and Silicone-Free
- Size: 18" x 36" / 12 per box
- Thread count 20 x 12

# Supreme Gold Tack Rag

- · Soft cotton mesh material contours to surface shapes
- Removes surface particulates without leaving harmful residue
- Wax and Silicone-Free
- Size: 28" x 24" / 12 per box

**Blend Prep Blue Tack Rag** 

harmful residues

Waterborne compatible



**Surgical Blue Tack Rags** 

Part No.

020001B

020001R

- AntiStatic, NonToxic, Safe and Odorless
- Size: 18" x 36" / 12 per box



Orange

Color

Code Blue

# Part No. Thread Count

15801	20 x 12
15802	20 x 16

• Waterborne compatiable

**Tack Cloth** 

No VOC's

Non-Toxic

• Size: 18" x 36"



BOND CORP.

- 12 per box

Dry Tack



GERSON® No. 020008C

No. 020004G

GERSON®

# **Ultra Prep Tack Rag Green**

- Universal Tack. Wax and Silicone-Free
- Apertured to pick up and trap all particulates

· Apertured to pick up and trap all particulates


Removes surface particulates without leaving

- · Removes surface particulates without leaving harmful residues
- Waterborne compatible
- Size: 18" x 18" / 10 per box



# GERSON®

No. 020008G



• Thread count: 28 x 24

No. PREM-A

- 24/20 Mesh
- 18 x 36"
- 12 Cloths per Box
  - No. RGLR-A

TACK CLOTH



# MISCELLANEOUS BODY SHOP SUPPLIES

# **SPREADERS, STICKS & STRAINERS**

# **Spreaders**

- · Flexible with tapered edge for precise control
- Unique dispenser box allows shop to keep spreaders clean and easy to find
- Made in the USA

Yel	low	Spreaders	

Part No.	Width	UOM	Qty
DS34Y	4"	Dispenser Box	50
DS35Y	5"	Dispenser Box	50
DS46Y	6"	Dispneser Box	50
1204Y	4"	Bulk Box	100
1205Y	5"	Bulk Box	100
1206Y	6"	Bulk Box	100



# **MISCELLANEOUS BODY SHOP SUPPLIES**

# **SPREADERS, STICKS & STRAINERS**

# **Metal Spreaders**

- Flexible steel spreaders for applying fillers and other materials on flat and contoured surfaces
- Easy to clean and be reused for many applications

# Part No. Set Includes

- 61500 1-3/4", 2-3/4", 3-1/2" & 4" flat edge
- 61600 1", 2", 3" & 4" curved edge

# **Elite Strainers**

- "No touch" contamination-free storage and dispensing of strainers
- Pre-packed pods
- Color-coded filter for easy identification of micron size, white mesh also available
- Product of USA

Part No.	Filter	Color
010614Y	190 Micron	Yellow Mesh
010714R	260 Micron	Orange Mesh
010814B	150 Micron	Turquoise Mesh
010914B	125 Micron	Blue Mesh



GERSON®

# **Plastic Mixing Stick**

- · Plastic mixing stick
- · Ideal for mixing waterborne paint (wooden sticks are not recommended)
- Suitable for solvent based paint
- Rounded edges allow for mixing in lined cups

E-Z MIX

No. 85100

# **Strainers**

- Economy paper strainers
- Nylon 190 micron mesh
- 1000 units per case



# **No. NOP.STRAINERS**

BRUSHES

# Sword Striper **Pinstriping Brush**

- · Lacquer and enamel resistant
- The sword style is the best for all-around work
- · Excellent for auto body touch-up and pinstriping
- Dark green thread ferrule

-	ANDREW	
	ACI	K
V	SINCE 1891	

Part No.	Head Width	Head Width
20-00	7/32"	5.55 mm
20-0	1/4"	6.35 mm

# E-Z Touch Up Brushes (36)



- Lint-free nylon fiber tip
- Tapered head for precise application
- · Flexibility for maximum accessibility
- Save time and money on touch-up work





# **Camel Hair Brush Assortment Set**

- Fine watercolor brushes
- Metal ferrules
- Guaranteed setting acetone resistant
- 144 piece set (24 of each size: 1,2,3,4,5,6)

No. 1930



# **Mini Flexi -Touch Up Brush**

• Lint-free nylon fiber tip





# **MISCELLANEOUS BODY SHOP SUPPLIES**

# SOUND DEADENING PADS

# **Q-Pads**

- Easy to use
- Self adhering
- Sound deadening
- 12" x 12"
- 6 per pack



EVERCOAT

No. 116

# **Xtreme Dynamat**

- Thin, lighweight and flexible
- · Peel and stick application

**Sound Damping Sheet** 

Unaffected by cold weather

• Easy to cut to size and shape Peel and stick application

• Aluminum laminate reflects heat PRODUCTS, INC.

Part No.	Size	Qty/Pack
136	24" x 48"	1
138	10" x 10"	4
139	18" x 32"	2


Part No. Size

128

140\*

her her the strengthere and the strengthere an
(Dynamar)
The first is assessed to be a set of the set
Businellerly onlines or chaintains and principal for read regils, more beat, programmi genese projects' charmen
The second secon
and the second s
From De Annual Annual
Neurosci - Marce Neurolani - Hanne in securiti     Saltani - Securiti - Saltani -
Ministe Erritabilitel regispon des 146 Erritabilitel Royangut Repringer and des 103 Mignetrated Erritabilité Processor Frankgin
And for 1 and to state and the second second
The second secon
Marte all hand
Chianna

# Qty/Pack 12" x 12" 6 3' x 4.5' 1 Roll



E-Z MIX

# **BODY SIDE MOLDING**

PRODUCTS INI

Datrait (UCA

# **Mould Prep**

· Revolutionary solution for removing double-sided tape from

Flexible

Can be stacked

- Vehicle mouldings
- · Safe to use on chrome inserted mouldings
- · Will not damage painted mouldings
- NO VOLATILE SOLVENTS will not evaporate

# **Door Edge Molding**

- Adds style and protection
- · Easy to apply
- · Trim or cut to desired length
- · Flexible around body lines
- UV protected for long life
- Durable 3M Attachment Tape
- USA Made
- Edge Trim Uses: Hoods, Hood Edge, **Trunk Lids Edges**

		3
PROTEKTO	TRIM	



Tape-On			
Part No.	Size	Color	
39-501	3/8' x 150'	Black	

No. 71128

	39-511-01	3/8' x 50'	Black
9/N/T			

Iruck/SUV		
Part No.	Size	Color
39-210	50' Kit	Chrome
39-211	50' Kit	Black
39-221	25' Kit	Black

# **OTHER BODY SHOP SUPPLIES**

# **Razor Blades**

- · Each blade wrapped in shelling paper for edge protections
- Convenient, resealable storage box
- Aluminum back



# **Autowriter Markers**

Turnel /CUN

- Available in five colors (or assorted)
- · Ready to use, dries fast, removes easily
- Substrate: Steel, Plastic, Glass, Aluminum, Wood, Rubber

Part No.	Color
37000	Assorted (12)
37001	Blue
37002	Pink
37003	Yellow
37004	White
37007	Green
37008	Red



Π

USC





# Q1<sup>®</sup> High Performance Masking Tape

Conforming to curves and defying moisture for superior paint protection

BY Q1 TAPES



In the automotive aftermarket, professionals have an unweaving pursuit of perfection. The outcome of their projects relies heavily on the finest details, such as achieving precise masking and flawless paint edges.

Q1<sup>®</sup> High Performance Masking Tape emerges as an innovative solution tailor-made to meet these critical demands. With its exceptional temperature resistance, UV protection, secure bonding, versatile application, and unmatched visibility, this tape is the ultimate solution for tackling the most critical automotive jobs.

# Unmatched Temperature Resistance and UV Protection

Automotive professionals often encounter high-temperature environments during their activity. With Q1<sup>®</sup> High Performance Masking Tape, they can work confidently, knowing that it can withstand temperatures up to 110°C (230°F) for an impressive 30 minutes. This remarkable heat resistance ensures that the tape remains intact, even under the most demanding conditions. Additionally, the tape offers UV resistance for up to three days, safeguarding those projects where UV resistance is required.

# Secure bonding and overspray prevention

The key to flawless automotive finishes lies in secure masking. Q1<sup>®</sup> High Performance Masking Tape utilizes a high-quality rubber-based adhesive formula that creates a class-leading secure bond on various surfaces. This superior adhesion prevents any lifting or overspray issues that could compromise the quality of the work. By maintaining a secure seal, the tape ensures precise paint edges and eliminates the need for time-consuming touch-ups or rework. The result? A professional finish that exceeds expectations.

# Versatile and reliable on any surface

Automotive projects often involve working with curved and irregular surfaces. Q1<sup>®</sup> High Performance Masking Tape, manufactured using crepe paper, conforms exceptionally well to these challenging contours. Its flexibility enables professionals to achieve accurate masking and paint application, even in the most intricate areas. Moreover, thanks to its specific water-resistance backing treatment, the tape offers outstanding protection against moisture, water, and solvent-based paints. This remarkable resistance extends to the process of wet sanding, allowing professionals to work seamlessly without compromising the integrity of the masking.

# Perfectly smooth paint edges and enhanced visibility

Precise paint edges are a hallmark of exceptional automotive work. The lowprofile backing of Q1<sup>®</sup> High Performance Masking Tape ensures that it leaves impeccably smooth edges, eliminating the need for additional touch-ups. Furthermore, the tape's translucent green colour enhances visibility, enabling professionals to accurately assess the masking area. This heightened visibility

# 

# Don't wait: take the first step towards elevated craftsmanship now.



contributes to meticulous workmanship and the ability to achieve flawless results consistently.

As an automotive professional, your reputation depends on delivering outstanding results. With Q1® High Performance Masking Tape, you have a reliable and high-performing tool that sets a new standard in precision masking. Embrace the confidence that comes from using a masking tape designed for professionals like you. Invest in Q1® High Performance Masking Tape today and witness the remarkable difference it makes in your automotive endeavours. Your clients will be impressed, and your work will speak volumes about your commitment to excellence.



# **MASKING PAPER**

# White Masking Paper

- Urethane barrier
- Flexible construction
- Tear resistant
- Recommended for waterborne

Part No.	Size	Qty/Cs
MP600W-6	6"x 750'	6
MP600W-12	12"x 750'	3
MP600W-18	18" x 750'	2
MP600W-36	36" x 750'	1

# **Blue Masking Paper**

- Polycoated barrier
- Corona treated for better paint adhesion
- Recommended for waterborne
- Strongest polycoated paper
- Flexible construction



Masking Paper

Part No.	Size	Qty/Cs
MP500B-6	6" x 700'	6
MP500B-12	12"x 700'	3
MP500B-18	18" x 700'	2
MP500B-36	36" x 700'	1

# **Green Masking Paper**

- Machine finished
- Excellent hold out
- Lint free
- Good economical choice
- Handrolls

Part No.	Size	Qty/Cs
MP380G-6	6" x 180'	24
MP380G-9	9" x 180'	16
MP380G-12	12" x 180'	12
MP380G-18	18" x 180'	18

# Sure Mask

- Easy to use
- Safe
- Economical
- Reduces time



Part No.	Size
BSM	4 Liter
BSM20	5 Gallon

# **Green Thunder Masking Paper**

- Superior protection from urethane & waterborne bleed-thru
- Corona treated for superior paint adhesion
- Strongest polycoated paper
- Flexible construction
- 30# basis weight



# Handy Mask Dispenser and Refills

- Tape and paper in one easy step
- The perfect size for masking head lights, bumpers and door jambs

Part No.	Description	Qty/Cs
38081	Dispenser	12
38082	Refills	15

# White Polycoated Mask

- Conforms well and holds tight curves without tearing, bleed-resistant
- Corona treated allowing paint to stick and not flake-off
- H20 resistant





Part No.	Size				
00402	6"x 750'				
00403	12"x 750'				
00404	18" x 750'				
00407	36" x 750'				

NORTON

# LIQUID MASKING

# **Magic Mask**

- Single application provides total protection
- Water-based
- VOC free formula
- Safe for a variety of surfaces
- Withstands baking
- One quart covers an entire car

Part No.

36135

36136

Size

Gallon

**5** Gallon Pail



	#
Mag	ic Mask

72

#### **PLASTIC & FILM**

#### **Premium Protective Film**

- Corona treatment to obtain maximum adhesion of paint
- Translucent to assist in the moving of vehicles

Part No.

**PF012** 

**PF016** 

- Sheeting clings to the vehicle and has centered printing to help with alignment
- Temperature rating +230°F / 110°C

Size

12ft x 400ft/366m x 122ft

16ft x 350ft/4.9m x 107ft



Premium

Masking Solutions



- Temperature Resistance up to 230°F / 110°C. (30 min.) 194°F / 90°C. (60 min.)
- Easy/clean removal
- Easy roll release
- Static cling
- Leaves no residue

1 01	01		in .
01	01	01:	01

01 01



RANS PAR

Part No.	Size
<b>MDF0260</b>	23.62" x 25yds
MDF02120	47.24" x 25yds
MDF02180	70.86" x 25yds

#### Shatter Seal Collision Wrap 36"x100'

- US made
- Collision film



RODUCTS, INC.

Detroit /USA

# No. 815

#### **Collision Film**

- 3 mil plastic film with UV inhibitor
- Adheres to clean, dry surface-metal, glass, plastic
- See-through clear plastic
- Cuts easily with poly knife or razor blade
- For use on vehicle exterior surfaces only

Part No.	Size	
428	36" x 100'	
432	18" x 100'	PRODUCTS, INC.
433	48" x 100'	Detroit /USA
434	24" x 50'	

#### Automask

- Lint free! Eliminates risk of masking paper fiber contamination
- Anti-static
- Solvent bleed-thru resistance
- Waterproof
- Recyclable Plastic Film

#### Part No. Description

101	21" x 115' Automask W/Disp
102	21" x 115' Automask Refill
103	43" x 115' Automask W/Disp
104	43" x 115' Automask Refill
108	72" x 115' Automask W/Disp
109	72" x 115' Automask Refill


#### **Transparent Plastic Masking Film**

- Transparent film for accurate trimming
- Paintable
- Treated for top coat adhesion
- Clings to substrate

Part No.	Size
91161	16' x 350
91201	20' x 350

#### **Plastic Sheeting**

- Excellent
   vehicle cling
- Solvent resistant
- Reduces flaking when painting



• Available in four sizes



#### ITE 112 (12 FT X 400 FT ROLL) state was braded for cling to surface to with both investra A -state issued parents had for easy unfielding & handling

#### **Blue Sheeting**

- Can be cut to the critical edge
- Corona treated allowing paint to stick without flaking off
- Superior cling, Solvent and bleed resistant

Part No.	Size
03344	12' x 400'
03345	16' x 350'
03723	20' x 350'







# Automotive refinishing products

High performance solutions to go further.



#### **TAPE PRODUCTS**

# Q1<sup>®</sup> CarPlus **Masking** Tape

Your all-purpose solution for general masking and repair jobs.



#### Q1<sup>®</sup> Ultimate Masking Tape

- Water and silvering resistance
- · Compatible with waterborne, solvent-based and polyurethane coatings
- Withstands temperature up to 248° F (30 min)

Part No.	Size	
UM118	18mm x 55mm	
UM136	36mm x 55mm	
UM148	48mm x 55mm	



- irregular surfaces
- 3 days UV resistance

Part No.

**MT118** 

**MT136** 

**MT148** 

 Performs at high temperatures up to 230° F / 110° C (30 min.)

Size

· Solvent & waterborne paints compatible

#### · Conforms well to curved and

18mm x 55mm Premium 36mm x 55mm Masking Solutions 48mm x 55mm

#### Q1<sup>®</sup> Premium Foam Masking Tape

- Highly absorbent
- Solvent resistant
- 80°C temp rating
- · Leaves no residue





#### Q1<sup>®</sup> Performance Foam Tape

· Flexible and easy to shape around contours

Premium

Masking Solutions

- Solvent and water-based paint resistant
- No bleed through

Premium

asking Solutions



#### Q1<sup>®</sup> High Performance Masking Tape

- 3 days UV resistance
- Flexible backing
- Withstands temperature up to 230°F / 110°C (30 min.)
- Excellent adhesion to multiple surfaces



Part No.	Size
HPG118	18mm x 55mm
HPG136	36mm x 55mm
HPG148	48mm x 55mm



#### Q1<sup>®</sup> CarPlus Masking Tape

· Good adhesion on painted metal, rubber, glass or chrome parts



- · Clean removal after drying cycle at 90°C/194°F (1 hour)/ 100°C/212°F (30 min)
- · Natural rubber adhesive and brown crepe paper

Part No.	Size	
CPM118	18mm x 55mm	Premium Masking So
CPM136	36mm x 55mm	

#### Q1<sup>®</sup> Premium Trim Masking

- High Performance rubber-based adhesive
- Pre-perforated for easy tear off
- Very flexible to follow contours and tight curves

No. TT01

Premium

Masking Solutions



lutions

#### **TAPE PRODUCTS**





#### HIGH TEMPERATURE

- Fine structured crepe backing sets the standard for sharp paint lines Resists paint-bleed through
- Specifically designed adhesive formula to ensure superior adhesion to a variety of surfaces



- UV RESISTANT
- Exceptional conformability
- Excellent adhesion to backing to provide a secure bond and to prevent lifting and overspray
- Removes cleanly and provides a clean crisp paint line
- 3-day UV resistance



#### HIGH CONFORMABILITY

- Exceptional conformability to a variety of surfaces
- Enhanced vibrant aqua backing for high visibility of masked surfaces
- Resists paint flaking and wet sanding

Part No.	Description	Size	Pcs/Cs
PG505-3/4	Utility Paper Masking Tape	18mm x 54.8m	48
PG505-112	Utility Paper Masking Tape	36mm x 54.8m	24
PG27-3/4	Beige Masking Tape	18mm x 54.8m	48
PG27-112	Beige Masking Tape	36mm x 54.8m	24
PG27-2	Beige Masking Tape	48mm x 54.8m	24
OM18	Orange Masking Tape	18mm x 54.8m	48
OM36	Orange Masking Tape	36mm x 54.8m	24
<b>OM48</b>	Orange Masking Tape	48mm x 54.8m	24
AM18	Aquamask Masking Tape	18mm x 100'	48
AM36	Aquamask Masking Tape	36mm x 100'	24
AM48	Aquamask Masking Tape	48mm x 100'	24



# SEM AUTOMOTIVE REFINISHING MASKING TAPE



# SAY GOODBYE TO MESSY EDGES!

- Water resistant treatment for unparalleled protection, reliability, and unmatched performance
- $\bullet$  Withstands temperatures of up to 230°F for a remarkable 30 minutes and 194°F for 1 hour
- Exceptional conformability, effortlessly adapting to curved and irregular surfaces
- 3-day UV resistance

Total Thickness	Temp. Resistance	UV Resistance	Water Resistance	Color
5.1 mils	194°F (1 hour)	3 Days	~	Spring Green

PART NO.	PRODUCT	SIZE
SM0018	Automotive Refinishing Masking Tape	.75" (18mm) x 55m
SM0036	Automotive Refinishing Masking Tape	1.5" (36mm) x 55m
SM0048	Automotive Refinishing Masking Tape	2" (48mm) x 55m



**SCAN FOR INFO** 

#### **TAPE PRODUCTS**

3M Science. Applied to Life.™

# Scotch<sup>©</sup> High Performance Masking Tape 3434

Choose a tape that can take the heat.

Working in hot and humid conditions can be tricky. Choose a high-performance tape with good solvent and water resistance properties that can be used in environments up to 110°C (230°F). Engineered as one of the highest-adhesion 3M masking tapes, this smooth crepe paper tape conforms well to difficult or irregular surfaces without tearing. With all the benefits you need for the most demanding applications, this tape can take the heat – so you don't have to.



High temperature resistance up to 230°F





Sticks easily with excellent holding power



Performs well with solvent and waterborne paint systems

SKU #	Part #	Size	Rolls / Case
7100037748	07895	3/4 in. x 55 yds. (18 mm x 50 m)	48
7100037749	07897	1 in. x 55 yds. (24 mm x 50 m)	36
7100037750	07898	1-1/2 in. x 55 yds. (36 mm x 50 m)	24
7100037744	07899	2 in. x 55 yds. (48 mm x 50 m)	20
	7100037748 7100037749 7100037750	7100037748         07895           7100037749         07897           7100037750         07898	7100037748         07895         3/4 in. x 55 yds. (18 mm x 50 m)           7100037749         07897         1 in. x 55 yds. (24 mm x 50 m)           7100037750         07898         1-1/2 in. x 55 yds. (36 mm x 50 m)

Automotive Aftermarket Division 3M Center Building 223-06S-07 St. Paul, MN 55144-1000 1-877-666-2277 Warranty and Limited Remedy: 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS, INCLUDING ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, incidenta, or consequential, regardless of the legal or equitable theory asserted. For industrial/occupational use only. Not for consumer sale or use. For health and safety information please refer to product labels and Safety Data Sheets. 60-4405-0208-0

#### **TAPE PRODUCTS**

#### **Double-Sided Tape**

- · Excellent adhesion and sealing capabilities
- Conforms to uneven surfaces
- Dampens vibrations and reduces noise
- Applications: Body Side Moldings, Claddings, Wheel Flares, Bumper Trim, Emblems, Other Exterior Trim Parts

#### 3M<sup>™</sup> 21 mm x 49 m Soft Edge Foam Tape Plus

- · Avoids hard paint lines in the jamb areas
- · Helps improve productivity by reducing the time required to mask jambs with tape and masking paper
- Adhesive allows material to be repositioned
- Eliminates rework due to unwanted tape lines
- · Can be used on stationary or moving part





#### 3M<sup>™</sup> Masking Tape 10 m

- Translucent linered tape makes precise placement easier, helping eliminate overspray
- Hard band at the tape edge slightly lifts moldings from the body, concealing sharp paint edges
- Speeds paint time no need to remove or clean auto body moldings





#### **Self Adhering Plastic Floor Mats**

- Durable, heavy-duty 2.0 MIL plastic
- · Self-adhering to stay in place
- Dimensions: 16" x 21"
- · Protects car floor
- 250 pk



#### No. 810

50 pk



Part No.	Size
3682	1/2" x 20 yds
3683	7/8" x 20 yds
3684	1/2" x 5 yds
3686	1/4" x 20 yds

#### 3M<sup>™</sup> Foam Masking Tape

- Specially designed polyurethane foam structure
- Avoids hard paint lines in the jamb areas
- · Adhesive allows material to be repositioned
- Eliminates rework due to unwanted tape lines
- Able to withstand paint booth bake cycles
- · The fastest, most effective method to mask and seal all jambs



Part No.	Description
6297	1/2" D.A.R.T M
6298	3/4" D.A.R.T I

A.R.T Masking Tape 12 mm 3/4" D.A.R.T Masking Tape 19 mm

**Trim Fast Tape** 



- Best suited for:
  - bonded/fixed screen rubbers
  - flush mount/ insert mouldings around windshield glass
- other automotive glass Fixed screen rubbers and flush mount
- Color: Natural
- Adhesive: Rubber/Resin
- Total Thickness (mm) 0.3 (7.6 mils)

antsA 46

Temperature Resistance (1 hour/°) 107 (225°)"

**OTHER MASKING PRODUCTS** 

No. TM27-1



No. 800

 Durable, heavy-duty 0.7 MIL plastic • For use on tires up to 35" in diameter

(all typical passenger vehicles, and

• Dimensions: 45" x 40" with star bottom


**Plastic Wheel Maskers** 

most large trucks)

Four-fold bag design

eliminates "rabbit





- Durable, heavy-duty 0.7 MIL plastic
- · Easy to handle for quick installation
- · Full coverage from headrest to floor
- · Protects car seats from dirt, grease and other stains
- 125 pk



#### Wheel Cover

- Ideal for protecting wheel and tires from overspray
- Set of 4 per package
- Up to 15" capacity









#### **OTHER MASKING PRODUCTS**

169

172

176

177

# **MASKING PRODUCTS**

#### **Wheel Bag Masker**

- Built in cling wraps for complete masking protection
- Paint overspray sticks to bag
- Non-static

No. 36900

Disposable and recyclable





#### 3M<sup>™</sup> (250) IPA Seat Covers

- One size cover
- Fits all vehicles
- Seat covers resist water, oil and grease
- Single pocket or dual pocket option

#### 3M<sup>™</sup> (250) IPA Floor Mats

- Disposable paper floor mat
- Protect automotive floors
- during maintenance and repair
- Unique non-slip technology keeps floor mat in place

**Canvas Tire Masker**  Stitched with a flexible rod on the

outer edge

· Heavy canvas

material



#### No. 36901

Part No. Description

30237

30238

30239

#### **Plastic Tire Maskers**

Part No. Description

- 45 in. x 40 in. x 17 in
- Excellent paint anchorage prevents flaking

Truck Wheel Bag Masker

15" Wheel Bag Masker - Disp Box

16" Wheel Bag Masker - Disp Box

17"-20" Wheel Bag Masker -Disp Box

- Four-fold bag design elmininates 'rabbit ears'
- Sized to fit most SUV's and trucks

#### **Disposable Wheel Masker**

- Protects wheels and tires from paint overspray
- High-density maskers resist
- Wire reinforcement locks maskers in place

tearing





Qty

50

100

60

36

SUV & LIGHT TRUCK

SUV & LIGHT TRUCK TIRE SH

No. 70510

LARGE PLASTIC

USC







Fits wheels up to 24" diameter with up to 9" wheel width

Fits wheels up to 32" diameter with up to 10" wheel width

Fits wheels up to 39" diameter with up to 12" wheel width

#### **DA PAPER**

2000

2000

2000

#### **Film Grip Discs**

- Designed for mattening and paint rectification for top and clear coat
- Smooth film backing
- For dry application only



Part No.	UOM	Qty/Cs	Grit	Size	Backing
F61000	Box	50	1,000	6"	Grip
F61200	Box	50	1,200	6"	Grip
F61500	Box	50	1,500	6"	Grip

#### **Foam Grip Discs**

• Designed for both smooth and proliferated surfaces



Suitable for wet, dry, hand, or machine application

Part No.	UOM	Qty/Cs	Grit	Size	Backing
FA61000	Box	10	1,000	6"	Grip
FA62000	Box	10	2,000	6"	Grip
FA63000	Box	10	3,000	6"	Grip

#### Abralon<sup>®</sup> Grip Disc

- For conditioning a surface either as a pretreatment prior to painting and lacquering
- For removing oxides or for giving a visually attractive surface structure

Part No.	Grit	Qty
8A2401000	1000	10
8A2402000	2000	10
8A2403000	3000	10
8A2404000	4000	10

#### **Gold Link Disc Rolls**

- Durable well suited for sanding at high speeds
- Semi-open grit binding and special stearate coating designed to prevent clogging and pill forming

Part No.	Grit	Qty
23342080	80	100
23342120	120	100
23342180	180	100
23342220	220	100
23342320	320	100
23342400	400	100



Abralon

MIRKA

#### MIRKA

#### 3M<sup>™</sup> Cubitron II Abrasives

- Faster cut
- Longer life
- Consistent finish
- Available in grits 240+ and 320+

Part No.	Grit	Description
31482	240+	6" Disc, 50/Box
31483	320+	6" Disc, 50/Box

341

**Gold PSA Discs** 

Grain: Premium

• Qty/Box: 100

Aluminum Oxide

• Backing: Latex Paper

Bond: Phenolic Resin
Coating: Open Coat
Grit Range: 60 - 1200

Also available in velcro

Attachment Type: PSA





#### 6" No hole PSA Discs

Part No.	Grit	Part No.	Grit
02306	80	02312	240
02308	120	02314	320
02309	150	02316	400
02310	180	02318	600
02311	220	02319	800

#### **6" Sun Net Discs**

- Dust-free sanding allows clean and healthy working environment
- Special abrasive coating method prevents clogging problem
- 50 discs per box

## Sunmight

Part No.	Grit	Part No.	Grit
82206	80	82211	220
82207	100	82212	240
82208	120	82214	320
82209	150	82216	400
82210	180	82218	600

# **REVOLUTIONIZE** HOW SANDING IS DONE

	Maximiz	ANDER	910-020				ALL C		
	Super As	tic BA Sander ssilex and Sup	designed for per Buflex sheets CK SET			FAST, UNIF	DRM COVERA	GE	
e sile>					·				
	Color	Qty/Bx	Sheets	6" Disc - 15H	6" Disc - 7H	6" Disc - 0H	Qty/Box	3" Disc	
	Brown	25	191-2517	193-2537	193-2557	-		-	
	Ocean	25	191-1515	193-1575	193-1545	-	50	730-2514	
		25	191-1508	193-1578	193-1538	193-1518	50	730-2510	(Calcone)
	Sky				193-1539	193-1510	50	730-2508	_ 브랐음트
	Sky Lemon	25	191-1509	193-1579					
			191-1509 191-2507	193-1579 193-2527	193-2547	193-1509	50	730-2517	
		FOA 0021 silex Sheets & Color	FOAM BLO 00212M Hand silex Sheets & Discs Color Qty/Bx	<ul> <li>FOAM BLOCK SET</li> <li>O0212M Hand Block + Interface</li> <li>silex Sheets &amp; Discs</li> <li>Color Qty/Bx Sheets</li> </ul>	<ul> <li>→ FOAM BLOCK SET 00212M Hand Block + Interface Pad Set</li> <li>silex Sheets &amp; Discs Color Qty/Bx Sheets 6" Disc - 15H</li> </ul>	<ul> <li>→ FOAM BLOCK SET 00212M Hand Block + Interface Pad Set</li> <li>silex Sheets &amp; Discs Color Qty/Bx Sheets 6" Disc - 15H 6" Disc - 7H</li> </ul>	→ FOAM BLOCK SET       D0212M       Hand Block + Interface Pad Set       FAST, UNIFOR         silex Sheets & Discs       Image: Color       Qty/Bx       Sheets       6" Disc - 15H       6" Disc - 7H       6" Disc - 0H	FOAM BLOCK SET       O0212M Hand Block + Interface Pad Set       FAST, UNIFORM COVERA         silex Sheets & Discs       Sheets       6" Disc - 15H       6" Disc - 7H       6" Disc - 0H       Qty/Box	<ul> <li>→ FOAM BLOCK SET O0212M Hand Block + Interface Pad Set</li> <li>Silex Sheets &amp; Discs Color Qty/Bx Sheets 6" Disc - 15H 6" Disc - 7H 6" Disc - 0H Qty/Box 3" Disc</li> </ul>





SUPER-TACK HOOK & LOOP



: Pad - 71 2 pads 971-0063










#### **DA PAPER**

#### **Gold PSA Discs**

- Resistant to clogging and loading
- P-grade aluminum oxide offers an exceptional long lasting cut



• High strength resin bonding gives superior grain support producing an even, consistent scratch pattern

Part No.	Description	Qty/Bx
6036	6" Gold PSA 36	50
6080	6" Gold PSA 80	100
6120	6" Gold PSA 120	100
6150	6" Gold PSA 150	100
6180	6" Gold PSA 180	100
6220	6" Gold PSA 220	100
6320	6" Gold PSA 320	100
6400	6" Gold PSA 400	100
8036	8" Gold PSA 36	50
8080	8" Gold PSA 80	50



#### 6" Film PSA and Velcro NH

- Available in PSA and Velcro
- Size: 6"
- Grain: Premium Aluminum Oxide
- Backing: Polyester Film
- Bond: Phenolic Resin
- Coating: Open Coat

PSA			Velcro		
Part No.	Grit	Qty	Part No.	Grit	Qty
01306	80G	100	01406	80G	50
01310	180G	100	01410	180G	50
01314	320G	100	01414	320G	50
01316	400G	100	01416	400G	50
01318	600G	100	01418	600G	50
01319	800G	100	01419	800G	50
01320	1000G	100	01420	1000G	50

#### **Galaxy Abrasives**

- New, sharp grains form as you sand
- Lasting sharpness means a long life and a fast cut
- Clog resistant coating repels dust to keep grains free to cut
- Scratch pattern of finer grits polishes out easily



5" Grip, Multifit 6" Grip, Multifit

2.75" Grip, perfo. roll, Multifit

MIRKA

Scan for list of

**Galaxy part numbers** 

#### Autonet 6" Mesh Grip Disc

- Available in discs and rolls
- Aluminum Oxide grain
- Closed coat
- · Grayish color
- Available in hook & loop attachment



Part No.	Description	Qty
AE24105080	Autonet 6" Grip P80	50
AE24105012	Autonet 6" Grip P120	50
AE24105018	Autonet 6" Grip P180	50
AE24105025	Autonet 6" Grip P240	50
AE24105032	Autonet 6" Grip P320	50
AE24105041	Autonet 6" Grip P400	50
AE24105061	Autonet 6" Grip P600	50


#### **Grip Gold Discs**

Part No.	Description	Qty
G6036	6" Grip Gold 36E	25
G6080	6" Grip Gold 80D	50
G6180	6" Grip Gold 180B	50
G6220	6" Grip Gold 220B	50
G6320	6" Grip Gold 320B	50
G6400	6" Grip Gold 400B	50
G6600	6" Grip Gold 600B	50
G6800	6" Grip Gold 800B	50

#### **Gold PSA Discs**

- Available in 3", 6" and 12" discs
- Silicon Carbide grain •
- Gray color
- Backing: Knitted fabric on foam
- Available in hook & loop
- Combines benefits of abrasive cloth and non-woven products
- Stearate to prevent loading
- Excellent for sanding contoured • surfaces, corners, and sharp edges

Part No.	Description	Qty/Bx
8A2411000	6" Abralon 1000 Grit	10
8A2412000	6" Abralon 2000 Grit	10
8A2413000	6" Abralon 3000 Grit	10
8A2414000	6" Abralon 4000 Grit	10









Sunmight



#### **ABRASIVE SHEETS**

#### Waterproof Sheets

- Flexible resin and strong backing will not crack, even when folded
- Consistent and uniform finish buffs out faster
- Available in both 9" x 11" full and 5-1/2" x 9" half sheets

#### Waterproof Sheets - 9" x 11"

Part No.	Grit	Qty/Bx
FSWD220P	220P	50
FSWD320P	320P	50
FSWD400P	400P	50
FSWD600P	600P	50
FSWD800P	800P	50





Waterproof Sheets - 5.5" x 9"			
Part No.	Grit	Qty/B>	
HSWD1000P	1000P	50	

HSWD1000P	1000P	50	
HSWD1200P	1200P	50	
HSWD1500P	1500P	50	
HSWD2000P	2000P	50	

#### **Air File PSA Rolls**

- High quality aluminum oxide grain
- Flexible latex paper
- Strong phenol resin
- The PSA backing makes sheet changes quick and easy
- Designed to provide excellent blending and finishing on aluminum and carbon steel
- Works well for heavy and medium duty applications for finishing hardwoods, softwoods, and composites
- Works well on primer, paint, sealers, topcoats, fiberglass, and plastics.

Part No.	Size	Grit
AFR80	2.75" x 25 yds	80G
AFR120	2.75" x 25 yds	120G
AFR150	2.75" x 25 yds	150G
AFR180	2.75" x 25 yds	180G
AFR220	2.75" x 25 yds	220G
AFR320	2.75" x 25 yds	320G
AFR400	2.75" x 25 yds	400G

#### File Board Paper

- · Resistant to clogging and loading
- P-grade aluminum oxide offers an exceptional long lasting cut
- High strength resin bonding gives superior grain support producing an even, consistent scratch pattern

#### PSA - 2.75" x 16.5"



Part No.	Grit	Qty/Bx	Part No.	Grit	Qty/Bx
AFP40	40G	50	AFC40	40G	50
AFP80	80G	50	AFC80	80G	50
AFP120	120G	50	AFC120	120G	50

#### 3M<sup>™</sup> Cubitron<sup>™</sup> II Hookit<sup>™</sup> Clean Sanding Sheet Rolls

- Faster cut
- Longer life
- Consistent finish
- Available in grits 240+ and 320+

Part No.	Grit	Description
----------	------	-------------

34448	240+	2-3/4" x 13 yd Sheet Roll
34449	320+	2-3/4" x 13 yd Sheet Roll

3M<sup>™</sup> Stikit<sup>™</sup> Blue Abrasive Sheet Rolls
A best-in-class abrasive sheet roll offering for

- the entire repair and paint preparation processEngineered ceramic mineral blend is balanced
- for maximum abrasive performance in its classUpgraded resins improve durability and finish
- Anti-loading coating prevents dust and debris from clogging the cutting surface



#### **SCUFF PADS & ROLLS**

#### Thin Scuff Pads/Rolls

- Produces a dense scratch pattern
- Strong, flexible and long lasting
- Wet or Dry application





Part No.	Size	Grit	UOM
SPRED	6" x 9"	Very Fine	Box
SPGRAY	6" x 9"	Ultra Fine	Box
SPTHINR	4.5" x 9"	Very Fine	Box
SPTHING	4.5" x 9"	Ultra Fine	Box
SPRRED	4.5" x 32.8"	Very Fine	Roll
SPRGRAY	4.5" x 32.8"	Ultra Fine	Roll

#### **Mirlon Total**

- Available as: sheets, rolls
- Aluminum Oxide grain for VF, Silicon Carbide grain for UF, MF
- Color: Red (VF) and Gray (UF), Gold (MF)
- Red (VF) 360 grit, Gray (UF) 1500 grit, Gold (MF) 2500 grit
- Three dimensional coating for uniform scratch pattern



#### 4.5" x 9" Scuff Pad

	Part No.	Description	Qty/Bx
4	18118447	4.5" x 9" Very Fine Red	25
4	18118448	4.5" x 9" Ultra Fine Gray	25
60	18118449	4.5" x 9" Micro Fine Gold	25

33" Mirlon Total Scuff Roll

MIRKA

	Part No.	Description	Qty/Bx
Car The	18573373	4.5" x 33" Very Fine Red	1
9	18573943	4.5" x 33" Ultra Fine Gray	1



#### Scuff Roll



Part No.	Description	Qty/Bx
18573447	4" x 33" Very Fine Maroon Pad	1
18573448	4" x 33" Ultra Fine Grav Pad	1

#### 3M<sup>™</sup> Scotch-Brite<sup>™</sup> Durable Flex Hand Pad

- Suitable for use on wood, paints, metal, plastics, ceramics, porcelain, glass, rubber or composites
- Reusable pad resists tearing, splintering, loading and will never rust, providing a long, useful life
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular, or contoured surfaces

Part No.	Description	Color	
64659	Very Fine Flex Hand Pads	Red	
64660	Ultra Fine Flex Hand Pads	Gray	

#### 3M<sup>™</sup> Scotch-Brite<sup>™</sup> Hand Pad PRO

- Very fine grade aluminum oxide abrasive cleans, finishes, grains, denibs, and defuzzes
- Pad resists tearing, splintering, shredding, loading and will never rust, providing a long, useful life
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular, or contoured surfaces

Part No.	Description Color	
64926	Very Fine Hand Pads	Maroon
64935	Ultra Fine Hand Pads	Gray



#### Scuff Pads

- Grain Aluminum Oxide
- Bond: Phenolic Resin. Coating
- Special Coating on Non Woven

Part No.	Description	Color
80100	6" x 9" Very Fine Scuff	Maroon
80200	6" x 9" Ultra Fine Scuff	Gray

**Sun**might

#### **WAXES & POLISH**

DETAILING PRODUCTS

#### **Last Touch**

- · Spray on and wipe off for incredible depth, shine and gloss
- Unique blend safely and gently removes dust, smudges, fingerprints and other contaminants
- · Can be used on paint, plastic, chrome, vinyl and more

Part No.	Size
D15501	Gallon
D15505	5 Gallor



#### **DA Microfiber Finish Wax**

- · Rich blend of polymers, silicones, and carnauba for high gloss protection
- No sling and low dusting performance with one-pass wipe off make it easy with less clean up
- Lightly cleans the paint and leaves behind a durable, high gloss protection

#### No. D30101

#### **Ultra Finishing Polish**

- Permanently removes swirls and light defects from all paints
- Produces deep reflections and high gloss
- Smooth buffing feel and fast wipe-off



Part No.	Size
M20532	Quart
M20501	Gallon

**Power Clean™** 

Wheel/tire

brake dust

· All in one cleaner

· Safe for interiors,

Part No.

11088

11087

Non-caustic, no acids

carpet spot remover

Size

22 oz

Gallon

#### **Mist-N-Shine®**

- · Safe on fresh paint
- Show winning gloss
- Contains no wax or silicones

#### Part No. Size 22 oz 01214 01217 Gallon



#### **Finishing Polish**

- · Creates a high gloss and a swirlfree finish that will not wash away
- · Contains no waxes, fillers or silicones
- Water-based, significantly reduces buffing and cleanup time



Part No.	Size
131301	Gallon
131332	32 fl. oz.

#### **Accessories:**

No. 890172

#### **Spray 'N Shine**

- Produces a showroom shine on cured and new paint
- Makes pre-delivery cleanup fast and easy
- Creates a breathable film
- Ideal as a clay bar wetting agent



Part No.	Size
130922	22 oz
130901	Gallon

#### **VOC Compliant Fast Wax**

- · Provides paste wax protection with liquid wax ease-of-use
- VOC Compliant Fast Wax can be applied over 24-hour old clear coats and single-stage finishes without risk of die back
- Works great for automotive and marine applications

Part No.	Size
134132	Quart
134101	Gallon

#### Mystic Nano Wax™

- Incorporates synthetic Nano Wax polymers
- Extreme gloss, slickness and protection benefits
- Safe for fresh paint
- Body shop safe
- Size: 32 oz



No. 11030

















#### **BUFFING & POLISHING PADS**

#### **Wool Hook & Loop Pads**

- All wool single-sided pads
- 9" diameter
- Feature 1-1/2" thick wool pile

#### Part No. Description

890140	Black Wool Cutting Pad	
890141	Natural White Compoud	
890142	Yellow Medium Cut Pad	
890143	Green Light Cut Pad	
890144	Blue Soft Polish Pad	
890146	Black & White Wool Pad	

#### Foam Hook & Loop Pads

- Waffle foam pads
- 8-1/2" diameter
- Feature 1-1/2" thick pure premium foam

Part No.	Description	
890136	Yellow CCS Foam Pad	
890137	Green CCS Foam Pad	
890138	Blue CCS Foam Soft Polish	
890171	White Foam Compounding Pad	
890172	Grey Foam Polish Pad	

#### Wool Quik Pads<sup>™</sup>

Part No.

- All wool Quik pads
- 9" diameter



• Feature 1-1/2" thick wool pile

Description
-------------

890082WD	White Wool Compund Pad 100%
890082WD	Black Wool Cutting Pad 100% Twisted
890084WD	Yellow Med. Cutting Pad Blended 50/50
890085WD	Green Med. Cutting Pad Blended 40/40/20

#### **Flex Foam Backing Plate**

- Flexible foam backing plate
- Designed for use with Presta single-sided wool or foam buffing pads
- 5/8" 11 Thread

#### No. 810116



#### Accessories: Quik Pad Spindle Adapter No. 890099

Micro Bufffing/Polishing Pad Starter 6 Pack





#### **KIT INCLUDES:**

- Tuffer Buffer<sup>™</sup> 100% 4-Ply Wool Curved Edge Micro Compounding & Buffing Pad (#57-135)
- Spin Brite Single-Ply Micro Polishing
- Pad (#59-335)
- Yellow Speedy Foam Micro Buffing Pad With Loop Backing (#44-603)
- Black Speedy Foam® Micro Polishing Pad With Loop Backing (#44-643)
- Da Pneumatic Adapter (#69-101)
- Micro Hook Backing Plate With 5/8""-11 Thread (#69-083)"

No. 85-938

#### **Buffing Pads**

Form: Curved Edge

SMArnold

Loop Backing



Part No.	Size	Color	Material	Application	
44-603	3.5"	Yellow	Foam	Buffing	
44-643	3.5"	Black	Foam	Polishing	
57-135	3.5"	White	Wool	Buffing	
59-335	3.5"	Yellow	Wool Blend	Micro Polishing	

#### **DA Foam Pads**

 Use with the Wizard 21 Big Throw Polisher



• Velcro<sup>®</sup> attachment/6" backing plate compatible

	Part No.	Size	Color	Material	Application
	11601	6"	Blue/ White	Microfiber	Cutting
	11604	6"	Yellow	Foam	Polishing
0	11605	6"	Gray	Foam	Finishing

87

#### **BUFFING & POLISHING PADS**

#### **Buffing Pads**

Part #	Dia.	Pile Ht	. Description	Application
301G	3"	1/2"	Wool Grip Pad	Compound
320G	3"	1"	Black Foam-Grip (2 pk)	Padding
330G	3"	1"	Yellow Foam-Grip (2 pk)	Padding
658Y			5/8" Grip Backing Plate	Backing Plate
803N	8"	11/2"	Wool 4 Ply Double Sided	Compound
820WG	8.25"	1.5"	Waffle Faced Foam Pad (Black)	Finishing
830WG	8.25"	1.5"	Waffle Faced Foam Pad (Yellow)	Medium Cut
899WG	8.25"	1.5"	Waffle Faced Foam Pad (White)	Heavy Cut
920G	9"	11/2"	Black Contour Foam Pad	Finishing
920GT*	9"	11/2"	Black Contour Foam Pad	Finishing
930G	9"	11/2"	Yellow Contour Foam Pad	Light Cutting
930GT*	9"	11/2"	Yellow Contour Foam Pad	Light Cutting
2000G	8"	2"	Black Foam Grip Pad	Finishing
3000G	8"	2"	Yellow Foam Pad	Lt. Compound
7502G	7 1/2"	1.25"	100% Wool Pad 4 Ply	Compound
7502GT*	7 1/2"	1.25"	1/4" 100% Wool Pad (White) 4 Ply	Compound
7503G	7 1/2"	11/2"	100% Wool Pad (White) 4 Ply	Compound
7503GT	7 1/2"	1 1/2"	Twist NTR 4 Ply 100% Wool Pad	Compound
7503GY	7 1/2"	1 1/2"	Velcro Special Pad	Polishing
7503GYS	7 1/2"	1 1/2"	Wool Grip Pad 1 Ply	Polishing
7503N	7 1/2"	1 1/2"	100% Wool Pad 4 Ply	Compound

#820WG



#2000G





#### **KIT INCLUDES:**

- Three pads (#301G, #320G, #330G
- A backing plate (#358)
- Two adapters (#DA5816, #SP5814)



#### 3" Foam Tri- Pack



#### **KIT INCLUDES:**

- Three pads (#301G, #320G, #330G)
- A backing plate (#300Y)

#### No. TP-325W

#### **Compounding Pad**


- Waffle face pattern for cooler buffng
- Open cell foam for superior strength
- Pad Size: 8" Width x 1" Height
- User-friendly pads
- Made in the USA

Part No.	Description	Qty/Pk
723	8" x 1" White	2
725	8" x 1" Black	2
727CP	Combo Pack 1 Black & 1 White	2

#### **Wool Buffing Pad**

- 100% Wool
- .75" Diameter, 1.5" Pile
- Made in the USA
- Highest quality hook & loop backing
- Wool lasts longer and cuts faster
- Most wool per pad in the market





No. 775

 Improved foam technology cuts through moderate surface defects with less swirls

 Improved foam technology cuts through moderate surface

defects with no swirls

Size

6"

6"

#753R

No. 8276

Qty/Pk

Cutting

Part No.	Size	Qty/Pk
WRFC7	6"	Foam
WRWHC7	6"	Wool

#658Y

7" Buff Pad Holder with Hook

• 7" Hook, Buff Pad Holder

FERRO

INDUSTRIES, INC.

**DA Foam Pads** 

**Rotary Cutting Pads** 

Part No.

DFC6

DFP6



#### **BUFFING & POLISHING PADS**



# **WAFFLE FOAM/COMPOUND PADS**

#### **COMPOUNDING PAD**

- Waffle face pattern for cooler buffing (white)
- Open cell foam for superior strength
- User-friendly pads
- Made in the USA

#### **FINISHING PADS**

- Waffle face pattern for cooler buffing (black)
- Open cell foam for superior strength
- User-friendly pads
- Made in the USA

#### WOOL BUFFING PADS

- High quality hook & loop backing
- Wool lasts longer and cuts faster
- Most wool-per-pad on the market
- Made in the USA



No. 723



<mark>~ No. 725</mark>

#### ALSO AVAILABLE IN A COMBO PACK - NO.727CP

- Includes 1-compounding pad and 1-finishing pad
- 8" diameter
- 1" thickness





No. 775

#### **ELECTRIC POLISHER**

With ample power and six speed settings, the High Teck T200 Polisher can handle a multitude of specialty applications. Maximum versatility is achieved with a low weight of just 6.8 lbs and both wrap-around and side handles. Soft Start technology, ball bearing construction and our One Year OTC Warranty offer the durability and reliability needed to get the job done.

#### **COMPOUNDS & GLAZES**

#### **Cutting Compound**

- Cuts quickly and is designed to remove P1200 and finer sand scratches
- Contains no waxes, fillers or silicones.
- Water-based formula
- Easy-to-use

Part No. Size 131401

Gallon

32 fl. oz.

#### **Accessories:**

131432

No. 810176



No. 138532






#### **Gel Coat Compound**

- Ideal for marine and industrial applications
- Water-based compound
- · Easy clean up
- Best used with a white 100% wool pad
- VOC Compliant
- 1 Quart

#### **Ultra 2-Step Compound**

 Designed to simplify the buffing process



- · Works effectively with both wool and foam pads and over a wide range of buffing speeds
- 1 Quart



#### Mystic Cut<sup>™</sup> Compound

- Exclusive Nano Sphere technology
- Levels 1200-2000 grit sand scratches
- Water based for easy clean-up



#### Turbo Cut<sup>™</sup> Compound

- Fast cut on dead paint Part No. gel coat and fiberglass 11044
- No wax, silicone or 11043 crystalline silica



#### Finish Cut<sup>™</sup> Compound

 Easy swirl removal – easy clean-One step b

most color

-up	11040
ouffing on	
S	11041

#### **Ultra Cutting Creme**

- Removes coarse through fine sand scratches on cured and fresh paint
- Produces good gloss on all automotive coatings
- Restores gloss to marine coating and gelcoats
- Contains no waxes or silicones



	Part No.	Size
gs	131903	2 oz
	131932	Quart
	131905	3 kg
	131901	Gallon

#### Ultra 2-Step MaxCut<sup>™</sup> Compound

- Super-hard abrasive engineered for the latest clear coat technologies
- · Cleans up quickly
- · Contains no fillers, waxes or silicones



139032	Quart
139001	Gallon

#### **Super Cut Compound**

- Cuts fast, finishes clean
- Use with a 100% twisted wool cutting pad to leave a high-gloss finish



Part No.

134532

134501



Size

Quart

Gallon

 Contains NO fillers, waxes or silicones







#### **KIT INCLUDES:**

- SELECT PRO<sup>™</sup> EXTRA CUT Rubbing Compound -Size: 32oz - Part Number: 41001
- SELECT PRO<sup>™</sup> CUT & POLISH Machine Polish -Size: 32oz - Part Number: 41002
- SELECT PRO™ ULTRA FINE Machine Finish -Size: 32oz - Part Number: 41003
- THE AGGRESSOR™ CUTTING PAD Foam Cutting Pad -Size: 8"x1/2" - Part Number: 11310
- THE FINISHER BUFFING PAD Foam Buffing Pad -Size: 8"x1/2" - Part Number: 11312
- THE ULTRA FINISHING BUFFING PAD Foam Buffing Pad -Size: 8"x1/2"- Part Number: 11314
- MIST-N-SHINE® Professional Detailer -Size: 22oz - Part Number: 01214
- PLUSH HIGH PILE MICROFIBER CLOTH Detailing Cloth -Size: 16"x16"- Part Number: 11430





Part No. Size

Part No. Size

32 oz

Gallon

Size

32 07

Gallon

32 oz

Gallon

11048

11052



#### **COMPOUNDS & GLAZES**



**Hyper Dressing** 

· Rich, high shine finish

• Easy to use formula:

spray on, wipe off

exterior surfaces

• Use on interior &

• Pre-diluted at 1:1



#### **Non-Acid Wheel & Tire Cleaner**

- Cleans wheels & tires Quickly removes brake dust, road
- agitate, hose off
- **Citrus Power Cleaner Plus**
- Pleasant smelling citrus scent
- Safe on carpets, upholstery, plastics, engines, & more
- Pre-diluted ay 4:1
- **Iron Removing** Spray "Clay"
- Improves paint smoothness
- · Changes color as it quickly dissolves embedded iron particles

No. DRTU200232




TAILING PRODUCTS

#### **Last Touch Spray Detailer**

- · Removes dust, smudges, fingerprints and contaminants
- Safe for paint, chrome, plastic & vinyl
- Pre-diluted at 1:1 No. DRTU15532

No. DRTU17032




No. DRTU14332

No. DRTU10732

#### 3M<sup>™</sup> Perfect-it<sup>™</sup> EX AC Rubbing Compound

- 3M's fastest cutting rubbing compound quickly removes sand scratches and defects
- Provides smooth handling on the panels with no chatter and drag
- Gives easy clean up on all surfaces including textured plastics
- · Clear finish allows technician to easily see when they have completely removed all the sand scratches
- 1 Quart



#### **Ultra Cut Compound** Exclusive, super-micro abrasive technology Ultra-fast cutting removes 1200 grit or finer sanding marks

- Super-micro abrasives leave best in class finish
- Great for removing scratches, defects, acid rain and severe swirls/holograms

Part No.	Size
M10532	Quart
M10501	Gallon

#### **Diamond Cut 2.0**

formula

- Great for high solids paint
- Cuts fast with minimal swirls
- Low-dusting, low splatter

# No. M8501





#### 3M<sup>™</sup> Perfect-It<sup>™</sup> II Rubbing Compound


- Medium cutting liquid compound
- Leaves a fine finish
- · Can be used for hand or machine use
- 5973 Quart Removes water spots and is clear coat safe 5974 Gallon

Part No.

Size

#### **DA Microfiber Correction Compound**

- Super-Micro Abrasive Technology (SMAT) quickly removes moderate defects
- Formulated to remove light to moderate flaws while creating a high gloss
- No sling and low dusting formula for minimal prep and clean up
- No swirl formula
- Rich concentrated formula delivers lower cost per car



# 91

#### **Ultra Pro Speed Compound**

- Fast, even cut with extremely high gloss finish
  - Quick removal of 1,200 grit or finer sanding marks
  - Easy wipe-off, virtually zero dusting or sling with long work cycle

Part No.	Size
111032	21 oz.

#### M11001 Gallon



#### **DETAIL PRODUCTS**



# Presta<sup>®</sup> Understands Body Shops Get Paid to Paint...*Not Buff*

#### PACE<sup>™</sup> is the answer, here's why!

- Compatible with Multiple Buffing Tool Options
- Latest in Abrasive Technology
- High Performance Cut & Final Finish Clarity
- Water-Based, Low Dust, Easy Clean Up Formulation

#### Utilize with the Super-Fast, Swirl-Free "Presta Hybrid-System"





Scan here for Demo Videos

#### **DETAIL PRODUCTS**

#### **OTHER DETAIL PRODUCTS**

#### **Super Degreaser**

- Strong & fast acting for the toughest jobs
- Residue-free performance




· Lifte dirt and grime off auf		DETAIL FD					Televisioner Chapter
Lifts dirt and grime off surfa	aces	HYPER-WASH		ue-free perform	nance	leguiars	SUPER DEGREASER
<ul><li>without stripping wax</li><li>Provides a deep gloss and ri</li></ul>	ich shine		<ul> <li>Pleasa</li> </ul>	ant fragrance	· ·		Sandar 190
<ul> <li>400:1 dilution ratio</li> </ul>	ien shine		A	ssories:			A free free free
Biodegradable formula			Acce			Part No.	Size
so run-off won't harm	Part No.	Size	A	Super Degre			-
the environment, and is	D11001	Gallon	-	No. Da	20108	D10801	Gallo
body shop safe	D11005	5 Gallon	ot BIT Hen			D10805	5 Gallo
ext Generation Tech Wax	De De	etailers Drum	n Pump		NETTING	TITE	T
Glides on and wipes off	F	<ul> <li>Compatible v</li> </ul>	vith commer	Z rcial grade	For <u>all</u> your refinit	shing needs!	-
effortlessly		silicones, soa		a under	art No.	UOM	
• Deep, vibrant color and a	TREA WITH	Corrosion res		thylene 7	24 5	5 Gallon	
clear wet-look	20	construction				55 Gallon	
	tars	<ul> <li>2" threaded k</li> </ul>		luueu	0 0-0		724 #7.
No. G12718	Meguar	<ul> <li>Not for use w and solvents</li> </ul>		inners	(#726 i	ncludes siphon tu	ihe extensio
professional automotive use Part No. Size D12001 Gallon	e	SS CLEANER		High glos	without rinsir s, water beac atch, non-stre	ling durability	
D12005 5 Gallon Accessories: Glass Cleaner Both No. D20120	LIC	Standard Spr • 12 each pe No. D1:	er case	Nanoskin Au • Dual-pur	pose wash mi	itt	
D12005 5 Gallon Accessories: Glass Cleaner Both	LIC		er case	Nanoskin Au • Dual-pur • Scratch-	i <b>toscrub Wa</b> pose wash mi free micro-fib	itt er surface	O name
D12005 5 Gallon Accessories: Glass Cleaner Both	LIC	• 12 each pe	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth	<b>itoscrub Wa</b> pose wash mi free micro-fib glide and easy	itt ver surface v to handle	WASH MI
D12005 5 Gallon Accessories: Glass Cleaner Both	LIC	• 12 each pe	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer	i <b>toscrub Wa</b> pose wash mi free micro-fib	itt er surface v to handle verse side	WASH MI
D12005 5 Gallon Accessories: Glass Cleaner Bott No. D20120		• 12 each pe No. D1:	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer	<b>Itoscrub Wa</b> pose wash mi free micro-fib glide and easy coating on rev	itt er surface v to handle verse side	wash mi Presta
D12005 5 Gallon Accessories: Glass Cleaner Bott No. D20120 Speedy Surface Prep Pad		• 12 each pe No. D1:	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer	<b>Itoscrub Wa</b> pose wash mi free micro-fib glide and easy coating on rev	itt ver surface v to handle verse side aminants	wash Mi Resta
D12005 5 Gallon Accessories: Glass Cleaner Bott No. D20120 Speedy Surface Prep Pad • Quick and easy way to dee	ep clean your pair	• 12 each pe No. D1:	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer removes Part No.	ntoscrub Wa pose wash mi free micro-fib glide and easy coating on rev surface conta Size	itt ver surface v to handle verse side aminants <b>Grade</b>	
D12005 5 Gallon Accessories: Glass Cleaner Bott No. D20120 Speedy Surface Prep Pad • Quick and easy way to dee • 30-50 uses from one pad	p clean your pair	• 12 each pe No. D1:	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer removes	toscrub Wa pose wash mi free micro-fib glide and easy coating on rev surface conta	itt er surface v to handle verse side aminants <b>Grade</b> Medium Y	wash mi Dresta Color Gellow Blue
D12005       5 Gallon         Accessories:       Image: Constraint of the second	p clean your pair	• 12 each pe No. D1: at	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer removes Part No. 8130722	toscrub Wa pose wash mi free micro-fib glide and easy coating on rev surface conta <b>Size</b> 6" x 8.7" 6" x 8.7"	itt er surface v to handle verse side aminants <b>Grade (</b> Medium Y Fine	ellow
D12005       5 Gallon         Accessories:       Glass Cleaner Bott No. D20120         Speedy Surface Prep Pad       Ouick and easy way to dee         • Quick and easy way to dee       30-50 uses from one pad         • Replaces the need for a claster or bital buffers       Fine and Medium Pads word or bital buffers	ep clean your pair ay bar rk great with	• 12 each pe No. D1: at r	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer removes Part No. 8130722 8130723	toscrub Wa pose wash mi free micro-fib glide and easy coating on rev surface conta <b>Size</b> 6" x 8.7" 6" x 8.7"	itt er surface v to handle verse side aminants <b>Grade (</b> Medium Y Fine	ellow
D12005       5 Gallon         Accessories:       Glass Cleaner Bott No. D20120         Speedy Surface Prep Pad       Ouick and easy way to dee         • Quick and easy way to dee       30-50 uses from one pad         • Replaces the need for a cla       Fine and Medium Pads word orbital buffers         Part No.       Size         Spe-571       6.25"	p clean your pair ay bar rk great with Grade Colo	• 12 each pe No. D1: at r N	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer removes Part No. 8130722 8130723 Speedy Sur • Quick an	ntoscrub Wa pose wash mi free micro-fib glide and easy coating on rev surface conta Size 6" x 8.7" 6" x 8.7" face Prep T	itt er surface v to handle verse side aminants <b>Grade (</b> Medium Y Fine	ellow
D12005       5 Gallon         Accessories:       Glass Cleaner Bott No. D20120         Speedy Surface Prep Pad       Ouick and easy way to dee         • Quick and easy way to dee       30-50 uses from one pad         • Replaces the need for a cla       Fine and Medium Pads word orbital buffers         Part No.       Size         Spe-571       6.25"	ep clean your pair ay bar rk great with Grade Colo Fine Yellow	• 12 each pe No. D1: at r N	er case	Nanoskin Au • Dual-pur • Scratch- • Smooth • Polymer removes Part No. 8130722 8130723 Speedy Sur • Quick an- thorough	toscrub Wa pose wash mi free micro-fib glide and easy coating on rev surface conta <b>Size</b> 6" x 8.7" 6" x 8.7" face Prep T d easy way to ly clean your p get over 50 us	itt er surface v to handle verse side aminants Grade C Medium Y Fine Gowel	ellow



#### Hand Strap for 6" Prep Pad

- Adjustable, durable, and easy to control
- Features hook and loop system with adjustable strap No. SPP-STRAP



**Hyper Wash** 

• Rich, stable foam provides

excellent performance

#### SURFACE PREP

#### GENERAL

#### **Adhesion Promoter/+Plus**

- No mixing required Ready to spray
- Promotes adhesion on most plastic surfaces, including TPO, polypropylene, and SMC
- Dries clear in 5 minutes
- Tintable

**BODY REPAIR MATERIALS** 

#### **Adhesion Promoter**

Part No.	Description	Size		
ETP0123B	15oz Spray Can	Aerosol		
QTP0123	Conventional	Quart		
GTP0123	Conventional	Gallon		
QTP0125	VOC Compliant	Quart		
GTP0125	VOC Compliant	Gallon		





#### **Adhesion Promoter+Plus**

Part No.	Size	Qty/Cs
GBDP133	Gallon	4
QBDP133	Quart	6
EBDP133	Aerosol	12

#### **1K Solvent Wash**

- Increases adhesion
- Maximum yield
- Uniform distribution
- Strong cleaning and degreasing effect
- Removes silicone, grease, oil, wax, dirt, tar and soot

No. 3680090

12

12

#### XXX Universal Adhesive Remover

- Quick acting formula dissolves adhesive residue, tar, and more
- Safe for thoroughly cured paint
- · Will not soften, discolor, or distort plastic, vinyl, or fabric

#### Part No. Size Qty/Cs 77783 16 oz. Aerosol 77784 Quart



SEN

#### **Spray Gun Paint Remover**

- · Removes hard, cured paint build-up from spray guns
- · Reconditions guns, extending the life of equipment
- Works in 1 to 2 hours

#### Part No. Size

EGSG30 Gallon






#### **Performance Adhesion Promoter**

5 Gallon

- All-purpose adhesion promoter
- Fast drying

GSG30

- Great for flexible and rigid plastic parts
- Premium spray-head provides spray



#### **Raptor Adhesion Promoter**

- Sprays flat
- · Can be topcoated with most water or solvent based paint systems
- Provides a protective barrier No. 5024 against lifting or solvent attack

#### **Vinyl Prep**

- Temporarily softens substrate
- Promotes adhesion of topcoat
- · Removes soil, wax and grease
- Easy to use
- 15.5 oz Aerosol

#### **Plastic Prep**

- · Removes mold release, fingerprints and grease
- Promotes adhesion of topcoat
- Will not soften or distort plastic parts SEM
- · Easy to use
- 11.25 oz Aerosol
- No. 38353

#### **SEM Solve**

- Removes wax, grease and solvent soluble contaminants
- Apply and wipe dry
- Leaves no residue

38373

38374



Quart









SEM

No. 38343







borne

klean. Strip

#### SURFACE PREP

#### **GENERAL**

<ul> <li>Single Shot ™ Adhesion Promoter</li> <li>Friction Fit Coupler</li> <li>Convenient, Single Job Use</li> <li>Accurate Job Costing</li> <li>Excellent Adhesion</li> <li>Dries Clear in 5 Minutes</li> <li>Tintable</li> <li>Flex Agent and Blending Aid</li> </ul>	<ul> <li>Aircraft Remover Methylene Chloride Free</li> <li>Starts Working in 5 Minutes</li> <li>Lifts Multiple Layers</li> <li>Removes acrylics, epoxies, enamels, lacquers, polyurethanes, and most other automotive finishes</li> <li>Clings well to vertical surfaces</li> </ul>
Klean.	Part No. Size Part No. Size
Strip No. ESS123	<b>EAR2000</b> 15 oz Aerosol <b>EAR4000</b> 15 oz Aerosol
	QAR2000 Quart QAR4000 Quart
	GAR2000 Gallon GAR4000 Gallon
PREP-ALL® ULTRA Universal Surface Cleaner	Prep-All
Removes Wax, Grease,	• Fast-acting
Fingerprints, Mold- Release Agents and Other Contaminants	For use on metal, plastic and other substrates
Multi-Surface	Can be used prior to
Can Be Used in a Pump Sprayer	sanding & painting
Anti-Stat, No Residue	Klean.
Stays Active Longer, Dries Fast	Part No. Description Size Strip
• Low Odor, Non-Flammable	ESW362 Prep-All Original 13.5oz Aerosol
No Drips, No Mess	GSW362 Prep-All Original Gallon
VOC Compliant     No. GPAC500	GPW364 Prep-All Waterbased Gallon PREP-ALL
WAX &	GREASE REMOVAL



#### Wipeout


- Pre-treatment prior to Painting and Sanding
- Best Results on Metal, Plastic, and Fiberglass surfaces
- · Easy application and speedy results

Part No.	Size
7800-A	16.5 oz Aerosol
7800-4	Quart
7800-1	Gallon
7800-5	5 Gallon



#### Wax/Grease Remover

- For pre-painting/sanding removal of wax, grease, oil, dust and other contaminants
- Water-based, low VOC formula
- Anti-static •
- 1 Gallon



#### Waterbased Degreaser

- Anti-static panel wipe excellent anti-static properties
- Removes contaminants including wax, grease and silicones
- Water based formula for use on solvent sensitive plastics
- Excellent for organic contaminates
- 5 Liters

#### **1K Wax & Grease Remover**

- Strong cleaning and degreasing properties
- Increases adhesion
- Maximum yield
- High penetration level for plastic parts
- · Perfectly suited for the subsequent coating with waterborne basecoats

No. 3680094









No. 2002

368 00

70

#### **SURFACE PREP**

#### SCUFF PASTE

			SC	UFF PAST	E			
3M™ Scuf	ff & Clean		-	Scuff	f Stuff			
• Perfect	t for bumper c	overs			emoves waxes, Ims and soils fr	, sealers, road om auto finishes		
	-	and road grime				scratch-swelling		
Uniform adhesi	m scratch impr ion	oves topcoat			n blend areas		Scu	
Rinses	clean without	residue		• Ri	inses away con	npletely		
	Part No. S	Size			Part No.	Size		
	38391	Gallon	SEM		131732	32 oz	<b>S</b> ree	rta -
	<b>38398</b> 1	.6 oz Tube			131730	3kg Pail	*	0
				FILLER				
			BC	DDY FILLE	R			
	Rage Gol	d	Pilling and	Rage Ultra	BA BA	34 111	3M™ Quick	BETTER
EVERCEAT	• Easy		EVERCEAT	• Best			Grip Body Filler	
PHEMIUM LIGHTWEIGHT FILL	Sandir • Great	ng		Sanding <ul> <li>EcoResin</li> </ul>		0 5	Fast Adhes	ion
		al hang	Constants Alas Samuel Science Marine Marine and Marine Marine Science	No Putty		Renfits and Case Main 1970	Easy to spre	
Name and a state of the state o	Part N	No. Size	Dentally	0-			and feathe	
VERC		Gallon	Part No.	<b>Size</b> Gallon			Tack free fin	nish
	113	3 Gallon	125 127	3 Gallon	EVERCOAT	No. 33181	- Gallon	<b>3M</b>
	Rage Xtren	ne	-		<b>A</b> .		-Grip Filler	BETTER
EVERCOAT	• Easy	Arts,		Rage		EVERCEAT	• Easy	
THE STATE	spreadir	ng	WORLD'S DEST PREMIUM	Tack fre	ee d	Z-CDIP	Sanding	
	Self leve			<ul> <li>Stain resistan</li> </ul>	nt		<ul> <li>Easy spread</li> </ul>	
1	• Easy to s	sand	Part No.	Size			<ul> <li>Contains ZN Adhesion</li> </ul>	IX-7 for
No. 120 -	- Gallon	EVERCOAT	106		EVERCOAT	No. 282 - (		VERCSAT
Lightweig	ght Body Fille	er	BETTE	R PI	remium Body	Filler		All a
_	eight and tack	and the second se			Pinhole Resis	140	And the second	
<ul> <li>Superior all met</li> </ul>	or adhesion on	HECK			Non-sagging	Eli	CK REPORT	
	hardener inclu	ided			vertical surfa	-	PREMIUM BOOT FRUIT	*
			HIGH	10 million	<ul><li> Quick drying</li><li> Easy to sand</li></ul>			HIGH
		No. 77062-1 -	Gallon			No. 2820	<b>-1</b> - Gallon	
Rage Opt	ex Premium	Filler	Lite Weight® Lightweight			Z-Grip® OPTI		illor
0	Color-contechno		Color-char	-		Premium Col	111 11 11 11	
BIERCOAT	<ul> <li>Easy sp</li> </ul>		<ul> <li>Color-char technology</li> </ul>		CGAT	<ul> <li>Color-char technology</li> </ul>		CBAT
PTEX C			Easy Sand	ing	TEX	Easy Sandi		
2	Part No	. Size	Tack free			Non-clog fe	ormula	ALL CONTRACTOR

#### **EVERCOAT**

No. 100356 - Gallon

**EVERC** 

135

137

Gallon

3 Gallon

- Non-clog formula
- Smooth spreading

No. 100382 - Gallon

**EVERC** 



### FILLER

#### **BODY FILLER**

	BODY FILLER	
3M™ Platinum™ Plus Filler	WG55 Lightweight Filler	Liteweight Gold™         • Pinhole resistant
<ul> <li>Recommended for use with galvanized steel and aluminum</li> <li>Vacuum processed and pinhole free</li> </ul>	<ul> <li>Mixes and spreads extremely quickly</li> <li>Contains Z-TEK™ Adhesion</li> </ul>	<ul> <li>Non-sagging</li> <li>Solvent resistant in 15 minutes</li> <li>Non-porous formula will not shrink or pull back</li> </ul>
No. 01131 - Gallon The Professional's Choice	Booster	U001 No. 0745 - 3 Liter
3M <sup>™</sup> Platinum <sup>™</sup> Filler	No. 19000 - Gallon	No. 0749 - 3 Liter
<ul> <li>Easy to apply and a breeze to sand</li> <li>Achieves maximum adhesion to all metals</li> <li>Offers increased productivity</li> </ul>	<ul> <li>AG47 Grip Filler</li> <li>Save time and eliminate pinholes</li> <li>Reduce cycle time and</li> </ul>	<ul> <li>High Density Plastic Filler</li> <li>Solvent proof in 15-20 minutes</li> <li>Can be used with mesh for hole through and tab repairs</li> </ul>
No. 01171 - Gallon morson The Professional's Choice	sandpaper use No. 17000 - Gallon	• Fast drying and very easy to sand
Dolphin ONE FILL	upot	
<ul> <li>Sands to a super fine powder that won't clog your sandpaper</li> <li>Outstanding vertical hold</li> <li>Off White</li> </ul>		<b>No. 7061</b> - 600 ml Tin
<b>Tiger Hair</b> • Long Strand • SMC, fiberglass and steel	Fiber Tech • Premium resin • Waterproof • Long and short strand	<ul> <li>Everglass</li> <li>Use on bonded seams</li> <li>Waterproof</li> </ul>
Part No. Size	Part No. Size	Part No. Size
1189         Quart         EVERC©AT           1190         Gallon	633         24 oz         EVERC⊘A           635         1/2 Gallon	T EVERCOAT 632 Quart 622 Gallon
Kitty Hair• Long Strand• SMC, fiberglass and steelPart No.Size868QuartEVERCEAT	<b>Dynaglass</b> • Easy to mix and spread         • Creates strong and durable repair         • Waterproof         No. 464 - Gallon	• Waterproof Part No. Size 0766 1 Liter 0700 3 Liter
869 Gallon Glass-Lite	Duraglas • Rustproof	
<ul> <li>Light weight</li> <li>Easy sanding</li> <li>Rust proof and waterproof</li> </ul>	Waterproof     Part No. Size     24035 Quart     Qu	0753         600ml Bag           0754         1L Bag           0716         900ml Tin           0717         1.3 L Dispenser
No. 639 - Gallon EVERCOAT	<b>24030</b> Gallon <b>USC</b>	

# FILLER

No. 4820 - 30 oz

**Easy Sand** 

30 oz Pump

Part No. Size

405

406

Part No.

Part No.

421

408

409



• Can be applied direct to metal



#### **METAL FILLER**


#### All-Metal

- · The world's first aluminum-filled autobody filler
- Ideal for restoration work and classic car repairs
- Excellent adhesion
- Can be drilled or tapped •
- Rustproof
- Waterproof

Part No.	Size
14060	Quart
14010	Gallon

ze g Putty rt, flowable, er finishing or adhesion to eed steel and im o be used to fill ody damage up (3mm) in depth	Glaze Coat • Buff Color • Easy Spreading • Easy sanding • Self leveling No. 417 - 30 oz EVERC≷AT Poly Flex • Flexible • Ideal for bumpers/plastics • Flowable
<b>1820</b> - 30 oz	No. 411 - 30 oz EVERC©AT
EverGold Putty • Passes 500 hr Salt spray testing • High build formula	440 Express Eliminator• Easy Sanding• Contains ZNX-7 for superior adhesion
Size 16 oz Pouch 30 oz Pump EVERC©AT	Part No.         Size         *Kit Includes:           440         16 oz         • 440 Express           444         Kit*         • 10 cm/iscterer
Euro-Soft Poly Putty • Smooth formula • Long working time • Contains ZNX-7	Accessories: 440 Express Applicator • Applicator for 440 Express Sponge No. 439 - 12 pk
Size	
20 oz <b>EVERC©AT</b> 30 oz	<ul> <li>3M<sup>™</sup> Platinum<sup>™</sup></li> <li>Plus Glaze</li> <li>• Self-leveling formula</li> </ul>
<ul> <li>Easy Sanding</li> <li>Easy Sanding</li> <li>Contains ZNX-7 for superior adhesion</li> </ul> EVERCEAT	<ul> <li>Excellent for skim coating and offers good vertical hang</li> <li>Self-leveling formula</li> <li>Stain Free/Tack Free</li> <li>Pinhole Free</li> </ul>
Size	No. 31180 - 30 oz





USC

**PUTTY & GLAZES** 

putty

upot

GOLD

•

0670

Part No.

21002

21000

1/2 Gallon

USC

#### **MIXING BOARDS**



- Use to mix Body Filler, Putty, Resin, 2 Part Epoxy/Adhesive and Touch-up Paint
- Reduces Contamination
- Preventing costly re-work
- Save money on costly clean-up & disposal




Part No.	Description	Size	
4247	Dual Mix Cartridge - Neutral	200 ml	
4248	Dual Mix Cartridge - Black	200 ml	
4747	Single Cartridge - Neutral	47.3 ml	

#### 3M<sup>™</sup> Semi-Rigid Parts Repair

- A high performance two component semi-rigid
- · Used for backside reinforcement repair on a variety of plastic components
- Use with Premium Manual Applicator 200 ml. Part No. 8117 No. 8235
- 200 ml


#### 3M<sup>™</sup> Semi-Rigid Parts Repair

- 3 minute work time
- Two-part urethane adhesive used to repair Xenoy. RRIM, GTX, PPO, ABS, and a variety of other semirigid plastic parts and bumper covers
- 200 ml



#### **Semi-Rigid Repair**

- Designed as an "All Purpose" plastic repair material
- Formulated to work on all plastics
- Easy sanding and feather edging characteristics
- · Bonds, fills and sands with outstanding performance





#### 3M<sup>™</sup> Rigid Parts Repair

#### 3M<sup>™</sup> EZ Sand Multi Purpose Repair Material

- Option to use the mixing nozzle for automatic mixing



-SIVI

#### 3M<sup>™</sup> SMC Fiberglass Repair Adhesive

- A two component flexible urethane adhesive
- Used to adhere backup stripsand patches to SMC & FRP
- 200 ml



#### 3M<sup>™</sup> TPO Plastic Parts Repair

• Two-part urethane used to repair thermoplastic polyolefins (TPO)

No. 8239


Great for nicks, gouges, or small defects on TPO

Flexible over a wide range of temperatures









- Has excellent wide gap filling capabilities
- Can be sanded and overpainted

Part No.

**MB100** 

**MB200** 

Size

8.5" x 11"

11" x 17"



#### **BUMPER & PLASTIC REPAIR**

#### **Plastic Repair**

- DUAL-MIX<sup>™</sup> Forever Warranty
- No adhesion promoter necessary
- Superior adhesion
- · Excellent sanding and feather edge
- · Does not shrink or pinhole
- Zero VOC

#### **Rigid Flex Filler**

- Two component modified rigid epoxy designed for the repair of rigid composite plastics and fiberglass
- Designed as an adhesive and filler on the front and backside of repairs
- · Bonds, fills, and sands with no pinholes
- 16 oz





- · No adhesion promoter necessary
- Superior adhesion
- Excellent sanding and feather edge
- Does not shrink or pinhole
- Zero VOC
- 1 oz



PANEL BOND

No. XRF

#### METAL

#### **Patch Panel Adhesive**

- DUAL-MIX<sup>™</sup> Forever Warranty
- Methacrylate technology
- Superior impact and peel strength
- Non-sag formula
- Ouick cure time
- Excellent corrosion resistance
- 100% reactive
- 7 oz Cartridge



#### **Weld-Bond Adhesive**

- DUAL-MIX<sup>™</sup> Forever Warranty
- Superior impact and peel strength
- · Glass beads for consistent bond line thickness
- Non-sagging gaps filled up to 1/2"
- Excellent environmental resistance
- Long working time
- 100% reactive
- 7 oz Cartridge





- **Structural Impact Resistant Adhesive** 
  - Dual-Mix Forever Warranty
  - Superior impact and peel strength
  - Excellent corrosion resistance
  - 60 minute working time

#### 3M<sup>™</sup> Semi-Rigid Plastic Repair

- A high performance two component semi-rigid urethane adhesive
- Used for repairing damaged bumpers and rebuilding tabs
- · Can also bond dissimilar materials (plastic, fiberglass, metal)
- 47.3 ml cartridge

#### **Urethane Structural Adhesive**

- Easy to sand
- Will not lift or roll up
- · One product for all structural and cosmetic repairs on bumpers

- Minimized down times with multiple heat cure options Spacer beads for consistent bond
- line thickness
- · Rivet and weld bonding compatible

#### **Accessories:**

#### 3M<sup>™</sup> Cartridge Applicator Gun

 A high-performance two-part applicator gun

SEM

No. 39757

- Dispenses 1-1 and 2-1 200 ml duo-pack cartridges
- Accessory to 3M Adheasives and Panel Bond


No. 8571

Part No. Set Time 04615 1 Minute 5 Minute 04616 04617 15 Minute



No. 4240

No. 39897











#### PANEL BOND

#### **SMC, FIBERGLASS & METAL**



102

### **SEAM SEALER**

#### **2K SEAM SEALER**

Color

White

Black

Part No.

9274

9275

#### Seam Sealer

- · Fast acting seam and joint sealer dries in 30 minutes
- Maintains flexibility
- · Withstands oxidation, salt water, gas and other solvents

#### 3M<sup>™</sup> Fast 'N Firm<sup>™</sup> Seam Sealer

- Heavy bodied sealer for sealing exterior joints and seams
- · Quick skinning and fast curing sealer reduces waste time
- · High solids, low shrinkage delivers consistent results
- Seam sealer is paintable in approximately 45 minutes





#### **Bare Metal Seam Sealer**

- Extrudes easily Can be painted after 45 minutes
- 200 ml



No. 06398

#### **Gray Seam Sealer**

- DUAL-MIX<sup>™</sup> Forever Warranty
- · Excellent adhesion to bare metal or primed surfaces
- · Will not shrink, harden or crack
- Non-sag formula duplicates OEM sealers
- Fast cure increases production
- Paintable in 30 minutes
- Sprayable for additional versatility

#### Self Leveling Seam Sealer

- DUAL-MIX<sup>™</sup> Forever Warranty
- Use on bare metal or primed surfaces
- Excellent self leveling properties
- Flows into crevices
- · Will not shrink, harden or crack
- · Permanently flexible
- · Paintable in 30 minutes

#### **High-Build Self Leveling Seam Sealer**

- DUAL-MIX<sup>™</sup> Forever Warranty
- · Direct to metal on non-flexing roof skins
- · Will not shrink, harden or crack
- Permanently flexible
- Paintable in 30 minutes



#### **Epoxy Seam Sealer 22**

- Use on vertical and horizontal seams
- Retains flexibility 200 ml



#### **Beige Seam Sealer**

• Will not shrink, harden or crack

3M<sup>™</sup> Scotch-Weld<sup>™</sup> Acrylic Adhesive

5 minute work life with 20 minutes to

• Durable bond with excellent shear, peel

· Bonds to a variety of surfaces, including

• High strength with minimal surface prep

No. 8405

NDRTON

structural strength

and high impact strength

most metals and plastics

- Fast cure increases production
- Paintable in 30 minutes
- Sprayable for additional versatility
- Isocyanate free

No. 39477

SEM

#### **Heavy Bodied Seam Sealer**

- Direct to steel
- Holds tooling marks throughout working time
- Non-sag formula
- Excellent adhesion to multiple surfaces
- Paintable immediately with most solvent-based coatings

#### **OEM Bead Seam Sealer**

- Epoxy Technology
- Direct to metal
- 250 ml





**Mix-Tips 24 Element** 

Used with 220ml and

400ml cartridges

No. 04628

6 pack

Part No.	Color
40177	Gray
40277	Beige
40377	Black
40477	White





No. 39777

SEM



No. 39387

















SEM

#### **SEAM SEALER**

#### **1K SEAM SEALER**

upol

SEA

Upol

LORD Fusor

#### Tiger Seal™

- · Ready for use 1K formula
- Completely and permanently seals and bonds body panels, trim and seams
- Use to seal around windows, doors and lights
- Use a standard caulking gun with the cartridge
- Immediately paintable! Can be tooled and painted when wet
- · Permanently flexible never gets brittle

Moisture cured and

non-shrinking

Part No.	Color	Package
0727	Black	Cartridge
0728	White	Cartridge
0729	Grey	Cartridge

#### **High Definition Sprayable Sealer**

- Available in gray, beige, white, and black
- Perfectly duplicates **OEM** textured seams
- Extremely flexible won't crack or peel
- 9.5 oz

#### Accessories:

#### **Sprayable Seam Sealer Gun**

Part No. Color

802HD

804HD

805HD

806HD

White

Grey

Black

Beige

 When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications

No. 312

#### **Sprayable 1K Seam Sealers**

- Direct to Metal application
- Excellent adhesion
- · Remains flexible without shrinking or cracking
- Optimal working time 20 mins

Seam Sealer

Low cost

One part

Very economical

Part No.	Color
29462	White
29472	Grey
29482	Beige
29492	Black

Excellent adhesion and flexibility


Available in black, grey, white and clear


#### Accessories:



- application Excellent adhesion
- **Remains flexible** without shrinking or cracking
- **Optimal working** time 20 mins

No. 29342





**SEM Seam Sealer** 

or cracking

· Direct to metal application

· Paintable immediately

Color

White

Grey

Part No.

29362

29372

29382

No substrate primer required

Part No. Color Neutral Black



#### **Sprayable 1K Seam Sealers**

· Dispenses caulking, adhesive and sealant from a standard cartridge or bag

· Weight: 2.15lbs.

No. 4531



#### **Dual Cartridge Caulking Gun**

- Compatible with 200mL (6.75fl oz) and 207mL (7fl oz) 2:1 & 1:1 two part cartridges
- High 26:1 thrust ratio for smooth product dispensing
- Rod driven design provides even product mixing



 Each trigger pull advances cartridge 3.5mm

#### **Caulking Gun with Enclosed Body**

- 13oz capacity
- 360° rotatable body
- Includes 2 nozzles





No. 76008



S E

LORD Fusor



104



Part No.	Color
CSB	Black
CSC	Clear
CSG	Grey
CSW	White













#### Use the POR-15<sup>®</sup> 3-Step System to Stop Rust Permanently!

POR-15<sup>®</sup> products are designed to work as a complete system. When used together, they provide you with a coating that not only stops rust, but prevents it from returning. To aid you in your rusty metal v project, we've included the following steps to explain various stages in rust prevention. All POR-15<sup>®</sup> products are available individually, and many are available in money-saving kits geared to your specific restoration need. Here is how the system works:





STEP 1 - Clean & Degrease Surface



PREP IT!

STEP 2 - Neutralize Rust; Etch Metal





STEP 3 - Apply Rust Preventive Coating to Surface



Then Topcoat the Surface



**Note:** Exact colors may vary, due to the printing process.



#### **Cleaner Degreaser**

- Industrial Strength Cleaner
- Non-Flammable / Water-Based
- Use on Engines, Fuel Tanks, Holding Tanks, Grease Traps, Plastics, Wood, Fiberglass, & Painted Surfaces

Part No.	Model No.	Size
40101	MCG	Gallon
40104	MCQ	Quart



#### Metal Prep

- Rust Remover and Pre-Primer
- Non-Flammable / Water-Based
- Removes Rust from all Metals
- The Best Base for POR-15<sup>®</sup> Rust Preventive Coating
- Reusable

Part No.	Model No.	Size
40201	MRG	Gallon
40204	MRQ	Quart



#### **High Temp**

- Heat Resistant Paint
- Temperatures up to 1200° F
- Resists Cracking, Chipping & Peeling
- Weather, Salt & Moisture Resistant
- For Professional Use •

	Size	Suffix
	Gallon	-01
	Quart	-04
	8oz Can	-16
	15oz Aeros	sol -18
;;)		
Flat B (44)		2
Exact col	ors may vary	dueto

Note: Exact colors may vary, due to the printing process.

• Direct to Metal (DTM) Rust **Preventive Paint** No Need for Primer or Undercoat

Clea (457

Note may v printi

- Use Over POR-15® Rust Preventive Coating for Permanent Protection
  - Professional Use

	Size	Suffix	Qty/C	5	
	Gallon	-01	6		
	Quart	-04	6		
	Pint	-08	6		
	Aerosol	-18	2		
ar Gloss Bla ?-) (458-)		Gloss White (468-)	e Silver (460-)	Primer Gray (466-)	Red Oxide (467-)
Exact colors vary, due to thing process.	<sup>3</sup>				
Cold	or: Safety Yellow	Safety Blue	Safety Green	Safety Red	Safety Orange

(464-)

(465-)

(461-)

(463-)

(Prefix:)



(462-)



Color (Prefix

# Effective spray masking can

save time

# in the paint booth

as seen on EHICLE ERVICE

#### **BY AL THOMAS**

Spray masking a vehicle is a highly individualized task and each vehicle requires a different technique, depending on what is being painted.

Masking — we do it every day for every car that we paint. We often give it little or no thought, commonly assigning the task to the most junior employee in the shop. If you were to give masking tasks to 100 different painters, the cars would be masked in 100 different ways.

It is a highly individual task; each worker has his or her own likes and dislikes, and each vehicle requires a different technique depending on what is being painted. One of the things I tell young technicians is that because each job is different, it keeps our work from feeling repetitive.

Each year as a college class is about to graduate, we invite technicians from local shops to judge our graduates on their ability to paint a project. One of the most difficult areas to judge is the masking. Ask any painter's helpers: it takes a while to learn exactly how any given painter wants a helper to mask a car. And though there are hundreds of techniques that will get the job done correctly, it is a task that continually needs refining. Over the years, the industry has seen changes to materials and techniques for masking vehicles. Masking tape now comes in a staggering array of types and sizes. There's lift tape, aperture tape, fine line, plastic masking film for "bagging" and more. It seems as though every few months something new comes out that's available for painters or painters' helpers to try.

As with many other tasks in the paint shop, the faster one can complete a job increases the opportunity for profit. Masking with bagging (plastic film) has become very popular and is done in most shops. Unfortunately, unless care is taken, overspray can find its way under the masking film and cause a great deal of extra cleanup on the vehicle.

Shops also seem to be looking for the magic bullet that will eliminate dirt in the paint booth. Although there is no such thing as a perfectly clean paint job, we must continually look for ways of reducing dirt to as little as possible.

Also, we would like to find ways to reduce the amount of time it takes to detail a car and prepare it for delivery. If we can leave the masking paper on while we detail, cleanup is much faster; but driving a car out of the booth that still has masking paper or even plastic masking film on reduces the visibility; therefore, many painters remove it before moving

# 

If you were to give masking tasks to 100 different painters, the cars would be masked in 100 different ways.

the vehicle. This results in exposing glass and other areas of the car, which can become dirty from polishing compound.

Masking a vehicle can take as much as 20 percent of the paint time. If the vehicle is masked and bagged for priming, the masking is then removed to wash the vehicle, and finally re-masked for paint – a process often done to reduce the amount of dirt in the final paint. This procedure does reduce the amount of time necessary for cleanup and in the long run will pay for itself because of the decreased amount of dirt. Yet, it is still quite time consuming and costly.

Even with the best masking, overspray often finds its way under the paper and masking to areas where it should not be, causing more cleanup. Also, in vehicle areas that are very difficult to both clean and mask (such as wheel openings), dirt often finds its way from these areas to the paint job.

Liquid spray mask, which can be applied easily with even an old siphon feed spray gun, can help eliminate or at least reduce many of the problems mentioned above. Liquid mask has been around for some time, and despite its advantages, many shops have not used this product. It can protect vehicles while in the shop as an overspray masking, which can be left on during cleanup. It can be sprayed in areas such as wheel wells, which can be easily washed off while the vehicle is being cleaned for delivery. Overspraying, compound contaminants and even just typical shop dirt that can fall onto the vehicle during the repair process can be washed off with a hose and water.

#### **Vehicle protection**

One of the advantages to spray masking, especially for vehicles that may be in the shop for a long period of time like the restoration vehicle shown, is that it can be applied to a vehicle when it first arrives and left on for the duration of its time in the shop, protecting it from overspray, dust and other contaminants.

Some shops will apply spray mask to a vehicle in the areas that will not be worked on to protect it. It can be removed during washing.

#### **Reduced masking time**

The manufacturers of spray masks claim that more than 20 million vehicles have been protected with liquid mask since its inception. They also claim it can be applied within three minutes, with a rapid dry time (15 to 25 minutes); and that like waterborne paint, its dry time can be decreased by using a fan or air amplifiers, thus cutting costs by 60 percent.

Liquid mask is applied with a conventional spray gun with a large needle-nozzle setup (we used a 2.0). The spray mask is applied within 8 inches of the areas to be painted. Then 12 inches of masking paper is applied to the edge, which overlaps the spray mask area. A minimal amount of time and paper is used to complete the masking procedure.

Liquid mask can be sprayed on the inside of the wheel opening prior to masking with paper, thus reducing dirt that may remain and find its way into the paint job. The liquid mask can be left in place during detailing and thus any compound that finds its way onto the vehicle can be easily washed off during detailing. When the vehicle is ready for detailing, the paper is stripped and the vehicle is rinsed with water and left to stand for few minutes. The normal soap and water washing removes the liquid mask, overspray, dirt and other contaminants on the car.

#### Liquid mask and your booth

For years we have looked for ways to keep the walls and floors of our booths and prep decks clean and reduce the amount of dirt that eventually finds its way into the paint job. Even in the best of conditions, however, overspray finds its way onto the walls. Although various floor coverings have been used, a perfect solution has not been found. Liquid mask booth that I used in the past has been a clear covering, similar to the liquid mask applied to vehicles, and thus did not help provide the clean white reflective surface needed in a spray booth without considerable work and repainting prior to application.

So we greeted the introduction of a white liquid mask for booths with great interest. The product will withstand up to 500 bake cycles and can be applied over a surface that may have overspray and various colors adhering to the wall. To try it out, we gave the booth, walls and floor a thorough cleaning, which removed a significant amount of overspray and dirt but did not clean the walls completely.

We then masked off the windows and lights and applied two coats of white booth mask. To avoid getting the white booth wall liquid mask on the floor, a large piece of cardboard was laid down and moved as the application progressed, which reduced the amount of time necessary for masking. All the glass was thoroughly cleaned, and a clear sprayable covering was applied over all the glass to protect it from overspray.


After the walls were completely coated, a water-based particle control was applied directly to the concrete floor. This coating attracts dirt particles and overspray down to the floor and thus does not circulate while the vehicle is being painted. The manufacturer claims that in testing, it reduces airborne dirt by 60 percent.

For years we have been covering the floors with rosin paper, which requires periodic replacement that can be timeconsuming. So far, applying particle controller directly to our concrete floor has proven to be very useful. The floor swept easier and cleaned up quickly, and it appears to be reducing the amount of dirt in the air and thus on the paint job.

We applied two coats of white booth mask, which covered the wall well. While the application of a third coat would have likely covered any overspray that was on the wall, the finished product was a clean, highly reflective and pleasant paint booth to work in.

Dirt was markedly reduced and color match was more easily recognized with the increased lighting from the clean, white walls. According to the instructions, spray booth liquid masks do not have to be completely washed and stripped off. When it becomes necessary to reapply, we can simply have additional spray mask applied over the old masking to freshen up the walls.

Sprayable liquid mask has many advantages: the reduction of application time, reduced cost per vehicle, cleaner and easier-to-maintain spray booths and cleaner paint jobs with less detailing time. It seems as if the benefits of liquid mask for both vehicle masking and booth maintenance have been largely overlooked. Since no new equipment is necessary for its application, (and in fact its application to booth walls and floors take no longer than is normally done for booth maintenance), and it results in a cleaner working environment and cleaner paint jobs, its use in the shop may warrant a trial.



#### **RUST PREVENTATIVE COATING**

#### UNDERCOATING

Aerosols

prices

 These proven formulas were designed for the

PBE industry to

offer quality and

affordability

High Teck<sup>™</sup> offers

an array of popular

aerosol products at

highly competitive

#### 3M<sup>™</sup> Cavity Wax Plus

- · Self-healing, corrosion protection for inner body panels, frame rails and structural enclosures
- Designed to remain soft and pliable; will not crack, chip, or peel

#### **RUCS Rubberized Undercoating**

- Flexible, paintable, black coating
- Moisture barrier for application over auto underbody repairs
- Creates an effective sound barrier that reduces vibration
- 17 oz



- Designed for undercarriages, trunks, and fender wells
- Provides premium corrosion resistance
- Excellent sound and deadening properties
- Dries quickly and is paintable in 30 minutes
- Should not be used as a paintable chip guard
- True black in color
- Stays flexible & will not crack or chip



E

#### **Rust Preventer**

- Non-hardening
- Sprayable in 360° pattern
- Superior adhesion
- Fast drying
- Excellent corrosion protection

No. 39573

#### **Fast Dry Rubberized Undercoat**

- Easily applied
- Fast drying with good build up and texture
- 100% rubber
- · No odor when dry
- OEM appearance and texture
- Paintable

#### **Quick Dry Rubberized**

- Fast drying, easy to apply
- Excellent abrasion resistance
- · Retains black color
- Won't sag or run
- Dries completely, yet remains flexible
- · Seals out dust, fumes. moisture, heat and cold
- Aerosol package requires no clean-up



#### **PERFORMANCE GLOSS ENAMELS**

Part No.	Description	Size	Qty
9900	Gloss White	12oz fill	6
9901	Gloss Black	12oz fill	6
9902	Semi-Gloss Black	12oz fill	6
9903	Flat Black	12oz fill	6

#### **PERFORMANCE PRIMERS**


Part No.	Description	Size	Qty
9970	Self-Etching Green	12oz fill	6
9971	Sandable Gray	12oz fill	12
9972	Guide Coat	12oz fill	12

#### Low VOC Under Coating



Description







Part No.	Description
4363-F	Aerosol
4364-F	Quart
4361-F	Gallon





No. 8852

No. 49308

# Uniform appearance

- Excellent adhesion
- Economical


-	_	-	
5	F		



# 40523





	Part No.
GEM	40463











#### **SPECIALTY COATINGS**

#### **CHIP GUARDS**

**Gravel Guard** 

Easy to use

desired

**Chip Guard** 

Dries Fast

aerosol application

Simple

**BED LINERS** 

 Ideal for application where heavy or coarse

texture patterns are

• Excellent chip and impact protection

Duplicate a variety of factory textures

Part No.

39793

39803

39813

#### **Crystal Clear 2K Chip Guard**

- Extremely durable
- Non yellowing
- Can be used on any finished surface that you want to protect against UV Rays
- No special equipment required
- Quart Kit



- A PARTIE CAN STATUCEN WYSTATUCEN W STATUCEN W STAT
- No. BCG4
  - Quick drying • Paintable

#### 3M<sup>™</sup> Rocker Panel Pouch

- Easy and fast texture matching
- The HGP20 Applicator provides precision delivery and low overspray
- Packaged for one-time application jobs



#### **Gravitex Plus®**

- No measuring or mixing required
- Protects against stone chips, salt, rust and dampness

Part No.

8734

Size

5 oz

- Helps to deaden sound and vibrations
- High build formula covers weld marks and seams
- Can be painted once dry



#### **Raptor Bedliner Kit**

- CUSTOMIZABLE: Tint RAPTOR® to match ANY Color, even white!
- **DURABLE:** Provides tough, scratch and stain resistant surface
- UV RESISTANT: Delivers the highest level of fade protection
- WATERPROOF: Provides a water tight seal, keeping moisture out and eliminating the chance for rust
- **RESISTANT:** Against fuels, hydraulic oils, animal urine, salt water and more
- EASY TO CLEAN: Simply hose off
- QUICK AND EASY TO USE: Dries rapidly, use it the day you spray it!



Part No.	Description	UOM
0820G	Black Bedliner with Gun	4L Kit
0821G	Tintable Bedliner with Gun	4L Kit
0820VG	2.6 VOC Black Bedliner with Gun	4L Kit
0821VG	2.6 VOC Tintable Bedliner with Gun	4L Kit
4801	Black Bedliner	1L Kit
4802	Tintable Bedliner	1L Kit
4803	2.6VOC Black Bedliner	1L Kit
4804	2.6VOC Tintable Bedliner	1L Kit
4807	Raptor Kit - White	4L
4808	Raptor Kit 2.6 VOC - White	4L
4850	Black Bedliner	5 Liter
4851	Tintable Bedliner	5 Liter
4824	2.6VOC Hardener	5 Liter
4800	TRACTION Slip Resistant Additive	Bag

A Man	ALL LTO
Part No.	Color
SVG1	Black

Grey

Beige

SEM

SVG2

SVG3



Part No.	Description
0721	Black
0722	White
0723	Gray



Description

Heavy Texture

Clear

Satin



#### BED LINERS





semproducts.com

### Tough doesn't even begin to describe it

#### MATTE EXTREME COATING

- Tough, durable 2K coating
- Chemical and fade resistant finish
- Perfect for truck beds, trailers, RVs, industrial and farm equipment
- Spray gun included in kits



BLACK AND TINTABLE KITS AVAILABLE **56650** Gladiator XC - Black Kit **56670** Gladiator XC - Tintable Kit

FOR PROFESSIONAL USE ONLY

🔥 WARNING: Cancer and reproductive harm – www.p65warnings.ca.gov

**GLADIAT** 

#### **BED LINERS**



- Textured rich black finish
- Superior UV resistance
- Superior adhesion to most substrates
- Fast firm build
- 1,000's of uses (Automotive, Industrial and Home)

#### **KIT INCLUDES:**

- 4 Part A (711 ml / 24 fl oz bed liner)
- 1 Part B (946 ml / 32 fl oz activator)







DOMINATOR

USC

DOMINATO



#### **Urethane Truck Bed Liner Kit**

- Waterproof
- Tough & Durable
- UV resistant to chalking

Part No.	Description	Size
2000-2	Black	KIT
2100-2	Tintable	KIT

#### **Aerosol Bedliner**

- Ultra chemical resistant bedliner
- Seals out moisture and corrosion
- Remains permanently flexible
- Abrasive resistant
- Great anti-skid coating

#### Rock-It XC™

- Best-in-class durability, gloss and texture
- Superior fade resistance and UV stability
- 50 state compliant
- T3 True Tint TechnologyTM-non-yellowing formula
- Produces a variety of textures
- Spray it, roll it or brush it

Kits Include FREE Applicator Gun



\*Rock-It XC KITS INCLUDE: 4 each 80% filled quarts of liner material, 1 quart Rock-It XC Catalyst, Technical Data Sheet with detailed instructions for 7 texture options, mixing cup, Economy Coating Gun

#### **Gator Guard**

- Adheres to bare or painted metal, concrete and wood
- Contains kevlar
- Chemical resistance
- Textured anti-slip finish
- Protects against corrosion
- Durable bedliner and multipurpose coating

#### Accessories:



6" Nylon Bed Liner Cup Brush (5/8-11) No. TNBC

Part No.	Description	ON SURE SA
BGG2	Standard - Black	
BGG2W	Standard - White	

#### Shake & Shoot

- Easy to use
- Can be sprayed, brushed or rolled
- Available in Black and Tintable
- Provides a tough, durable finish

Part No.	Description	
BSSBL	Low VOC - Black Kit	
BSSBLT	Low VOC - Tintable Kit	

#### EVERY BSSBL & BSSBLT KIT NOW COMES WITH A FREE BUPASS APPLICATOR GUN!

Part No.	Description	Size
BLACK		
46650	Rock-It XC Black Kit*	Kit
46654	Rock-It XC Black	Quart
46655	Rock-It XC Black	5 Gallons
4665-DR	Rock-It XC Black	54 Gallons
TINTABLE		
46670	Rock-It XC Tintable Kit*	Kit
46674	Rock-It XC Tintable	Quart
46675	Rock-It XC Tintable	5 Gallons
4667-DR	Rock-It XC Tintable	54 Gallons
CATALYST		
46644	Rock-It XC Catalyst	Quart
46646	Rock-It XC Catalyst	1/2 Pint





#### **TRIM PAINT**



#### **2k Hot Rod Satin Black**

- High quality two component coating
- For small damage repair jobs
- · Very good flow
- · Highest chemical and weather resistance
- Long lasting and very durable finish






#### MAX) 368 0101

60

#### **Trim Paint**

Easy to use



- Excellent coverage due to high solid matter content
- Dries quickly
- · Very good flow

Part No.	Finish
3680101	Gloss Black
3680102	Satin Black
3680103	Matte Black

#### 3 in 1 Primer

Description

Gloss

Gloss

Standard

Standard

Standard

Low VOC Standard

Low VOC Standard

- Use on plastic, metal and painted surfaces
- Flexible: Fast drying
- Easy Sanding •
- Paint gun style fan pattern

Part No.	Color
SAPB	Black
SAPG	Gray
SAPW	White

Size

13 oz Aerosol

Pint

20 oz Aerosol

Ouart

Gallon

Quart

Gallon

#### **Trim Black**

- Excellent adhesion and durability
- No primer required
- Matches OEM appearance
- **Retains flexibility** •
- Great coverage •
- Professional results
- Applications: plastic, steel. aluminum, stainless steel, chrome

<b>2-in-1</b> 7	<b>Frim</b>	Paint
-----------------	-------------	-------

- · For use on metal or plastic
- · Excellent adhesion on metal or plastic substrates
- New spray tip gives better coverage
- Good corrosion resistance
- Excellent flow & leveling
- Good hiding & coverage
- · Fast drying and flexible



- No adhesion promoter required
- No primer required
- Excellent adhesion and durability
- Matches OEM appearance
- Retains flexibility
- Great coverage
- Professional results
- **Application: Plastic** 112





Size

13 oz

Ouart

Gallon

Quart

Gallon

Size

13 oz

13 oz

13 oz

13 oz

13 07

13 oz

13 oz

Part No.

39063

39068

39143

39144

39141

39144-LV

39141-LV



Part No.	Finish
4643	Matte Black
4653	Satin Black
4663	Gloss Black

#### **Bumper Cladding**

- · Sticks to smooth or textured TPO plastics
- · Simple, ready-tospray, 1K formulation means there's no waste



- Polyvance
- Compatible with most urethane and polyester-based baseclear topcoat systems

Part No.	Description	Size
3601-4	Light Gray	Quart
3601-1	Light Gray	Gallon
3602-4	Dark Gray	Quart
3602-1	Dark Gray	Gallon
3604-4	White	Gallon
3611-1	Light Gray	Gallon
3612-1	Dark Gray	Gallon
3613-1	White	Gallon



**Original Bumper Coater** 

Description

Low VOC Flexible

Low VOC Flexible

Description

**Gloss Silver** 

**Gloss Black** 

Ford Charcoal

**GM** Charcoal

Honda Black

Ford Medium Smoke

Ford Dark Titanium

Flexible

Flexible

Flexible

Part No.

39103

39104

39101

39104-LV

39101-LV

Part No.

39073

39083

39153

39163

39263

39273

39293

**Bumper Coater Aerosols** 

2in1 Trim Black	2in1 Trim Black SATIN FINISH	2in1 Trim Black Ross Finish
TRANSTAR 4643	TRANSTAR 4653	TRANSTA 460
A state of the sta		

NATTE FINISH	SATIN FINISH
TRANS1 4643	10AN50 4653
A Property of the local section	Margin Hills of M

2in1	2in1	2in1
Trim Black	Trim Black	Trim Black
TRANSTAR	TRANSTAR	TRANSTR
4643	4653	466

#### PRIMERS

#### **1K PRIMERS**

#### **Sandable Primer**

- Sandable in 5 minutes
- Protects against rust & corrosion
- Adheres to bare metal
- Color: gray
- 12 oz





Plexible Primer Surfac	er
Ready to spray	
Quick drying	CDec (M32)
<ul> <li>Topcoat with most</li> </ul>	PRIMER

refinish materialsEasy to sand

vible Driv

Flexible formulation



52M 2910
PRIMER FLEXIBLE PRIMER SURFACER
Million 2018

• Flat fan fo	r ultimato film	
build and		۱
Chromate to sand	free and easy	/
Part No.	Color	
0763V	White	
0765V	Dark Gray	
0783V	Beige	unn
0791V	Gray	ohor
	<ul> <li>Chromate to sand</li> <li>Part No.</li> <li>0763V</li> <li>0765V</li> <li>0783V</li> </ul>	Part No.Color0763VWhite0765VDark Gray0783VBeige



- 1K Product Ready to Spray
- Low build and fast drying
- Excellent adhesion to multiple surfaces
- May be topcoated with a basecoat, lacquer, urethane, or enamel
- Available in four colors Black, White, Gray and Red



100

	Part No.	Description	Size	Part No.	Description	UOM
	77850-1	Black 1K Primer/Sealer	Gallon	77950-1	2.1 VOC Black 1K Primer/Sealer	Gallon
UMER PONTORIANCE COLOTS	77850-4	Black 1K Primer/Sealer	Quart	77950-4	2.1 VOC Black 1K Primer/Sealer	Quart
121	77851-1	White 1K Primer/Sealer	Gallon	77951-1	2.1 VOC White 1K Primer/Sealer	Gallon
ligh ECK	77851-4	White 1K Primer/Sealer	Quart	77951-4	2.1 VOC White 1K Primer/Sealer	Quart
77850 IK PRIMER/SEALIN	77852-1	Gray 1K Primer/Sealer	Gallon	77952-1	2.1 VOC Gray 1K Primer/Sealer	Gallon
Using Distance	77852-4	Gray 1K Primer/Sealer	Quart	77952-4	2.1 VOC Gray 1K Primer/Sealer	Quart
	77853-1	Red 1K Primer/Sealer	Gallon	77953-1	2.1 VOC Red 1K Primer/Sealer	Gallon
	77853-4	Red 1K Primer/Sealer	Quart	77953-4	2.1 VOC Red 1K Primer/Sealer	Quart

#### **1K Plastic Adhesion Promoter**

- One light uniform coat is all you need
- Excellent adhesion properties
- Dries quickly
- Can be topcoated after just 10 minutes
- Colorless, with silver pigments





TRANSTAR

368 000

700

#### 2 in 1 Primer

- For use on metal or plastic
- Good corrosion resistance
- Fast drying and flexible

Part No.	Color
4603	Gray
4613	Black
4623	Red
4633	White

EZ	Coat

- Duplicates factory appearance
- Direct to metal and aluminum
- Quick curing and hiding
- Paintable with most automotive basecoats
- Excellent corrosion control

Part No.	Color
62213	Black
62223	Olive Green
62233	Light Green
62243	Gray
62253	Tan
62263	Olive Brown
62273	White

#### **High-Build Primer Surfacer**

- Provides superior adhesion
- Excellent filling properties
- Works on flexible or rigid substrates
- Easy to sand



		1	
	RIMER		-
PHUN	PRIMER PRIMER UNTACES	IMER I-AUILA I-AUILA IVACEN	CONTRACTOR
		1	
E	41923	<u>e</u> 14	
-		-	

Part No.	Color
42003	Black
42013	Gray
42023	Beige
42033	Rose
42043	White

#### PRIMERS

#### **1K PRIMERS**

		IEKS					
System 20 Primers	upol Natio	nal Rul	е		2.1 VOC		
High build primer filler for	CITITIN 28	t No.	Color	Size	Part No.	Color	Size
spot repairs at 4:1 • Primer surfacer for larger areas at	upol 225	3	Gray	GL	2253V	Gray	GL
4:1:1 reducer	UP2275 225	51	Gray	1L	2251V	Gray	1L
• Surface sealer at 4:1:2 reducer	upol 227	'5	Black	GL	2275V	Black	GL
<ul> <li>Tintable with up to 10% with urethane mixing base</li> </ul>	11111 111 227 UP2277	4	Black	1L	2274V	Black	1L
Compatible with System 20	227	7	White	GL	2277V	White	GL
Hardeners	227	6	White	1L	2276V	White	1L
Slick Sand	Finish Sand	N	lo. 738		Feath	er Fill	
Evenceat • Extra High build	Highbuild			RE/	THER ALL + H	igh build	
VOC compliant	• 4:1 mix ratio	EVI	ERC		• V(	OC complian	t
EVERCOAT	Direct to metal				E\		0
	VOC compliant			_			
Part No. Color	Ultra High Build P	olyeste	er Prime	r   -	Part No. Colo 711 Buff		-
<b>708</b> Quart	0		to metal		<b>12</b> Gray		
709 Gallon	• 4:1 mix ratio •	VOC co	ompliant		<b>713</b> Gray		
	No. 730	EVE	RCSAT	0	715 Blac	k Gallon	
2K Rapid Primer Filler	2K Epoxy Primer		-	Su	per Build	0	
Free from isocyanates and	Excellent adhesion	ı	A		Built-in guide	coat	COAT
resistant to solvents	• Very smooth flow		MAX		Adheres to a k	oroad	R BUID
Quick drying     (1 hour at 68°F)	Outstanding insula	iting &	368 003	2	range of subst		
Good sandability	<ul><li>sealing properties</li><li>For cleaned and sa</li></ul>	nded			<ul> <li>Direct to meta application</li> </ul>		ar mail shall be
High filling capacity	surfaces	inueu	A DESCRIPTION OF A DESC		Waterborne p	aint compati	ble
(up to 4 mil)					and VOC com	oliant	
No. 3680031	No. 3680032				No. 740	EVERC	
		-					
	WELD T	HRU					
Zincweld™		Wala		d Thru P	winnew		-
Best-in-class corrosion protection	SCH 4177				rimer		
All-zinc formula	SEM ZINCWELD		ligh adhe	onductivi	tv		upol
Increased adhesion	And a second sec				protection for S	SPOT,	WELD
	40773	N	/IG and T	IG welding	ŝ		
Unaffected by cavity wax	Med. Sold 1. BD		ligh conc he dry filr		of zinc or coppe	r in	UP0768
1K Self Etch Weld-Thru Primer			Clog free r				
					up welding pro	cess	
Repels welding beads     Can also be used as a sealer	MAXT	• (	Corrosion	inhibiting			
on old paint coating	IX CONTRACTION TO A CONTRACT OF A CONTRACT O				Part No.	Color	
	80001		1100		0768	Copper We	ld
<ul><li>unsanded surfaces</li><li>Cannot be retouched with</li></ul>	PLOSE CONTENT		oh		0789	Zinc Weld	
nolvester materials							

114

• Cannot be retouched with polyester materials



Produces a brilliant gloss, superior leveling and outstanding control of metallics. Use with almost any brand of primer, basecoat or clear that requires a quality urethane reducer.

- Fast-for shop conditions 55 to 70 degrees
- Medium-use in 70-80 degree shop conditions
- Slow-use in 80-90 degree shop conditions
- Use with almost any brand of primer, basecoat or clear that requires a quality urethane reducer
- 100% virgin solvents

Part No.	Description	Size
7710-1	National Rule Urethane Reducer (Fast)	Gallon
7720-1	National Rule Urethane Reducer (Medium)	Gallon
7730-1	National Rule Urethane Reducer (Slow)	Gallon



**National Rule** 

- Zero VOC formula will not increase sprayable VOCs
- Fast-use in 55-70 degree shop conditions
- Medium-use in 70-80 degree shop conditions
- Slow-use in 80-90 degree shop conditions
- For use in both urethane and enamel paint products

Part No.	Description	Size
7860-1	Zero VOC Urethane Reducer (Fast)	Gallon
7870-1	Zero VOC Urethane Reducer (Medium)	Gallon
7880-1	Zero VOC Urethane Reducer (Slow)	Gallon



#### PRIMERS

#### **SELF-ETCH PRIMER**



#### **Excellent Color Holdout / Superior Impact Resistance**

Part No.	Description	Size
7550-1	Speed Primer	Gallon
7550-4	Speed Primer	Quart
7551-4	Speed Primer Activator (Medium)	Quart
7551-16	Speed Primer Activator (Medium)	Half Pint



Quick drying time of just one hour before top coating can be applied

116

#### **CLEARS**

2.1 VOC Multipurpose	e Clearcoat
----------------------	-------------

- Multi-Purpose clear ideal for a variety of projects
- Specifically formulated for markets with VOC legislation
- High gloss for a glamour appearance
- · Extremely user-friendly and easy to spray
- 4:1 mix ratio
- 32.00% low solids
- Limited lifetime warranty

#### **Overall Clear**

- Works well in air dry or force dry environments
- Provides excellent gloss, distinctness of image, leveling, blending, and buffing characteristics

Part No.	Description	Size
8100-1	4:1 National Rule Universal Clear Coat	Gallon
8101-4	Fast Hardener (Activator)	Quart
8102-4	Medium Hardener (Activator)	Quart
8103-4	Slow Hardener (Activator)	Quart

#### **1K High Solids Clear**

- · Improved fan pattern is second only to a spray gun
- Increased gloss for a showroom finish
- Lays flat to blend perfectly with spray gun patterns
- Quick drying for increased production

Part No.	Finish
40903	Gloss
40913	Semi-Gloss
40923	Matte Clear

#### **2K High Speed Clear**

- Dries very quickly
- · Very smooth flow
- Lasting high gloss
- Maximum resistance to abrasion and scratching

No. 3680069

- No colour deviation
- Very good polish ability

#### **Instant Clear Coat**

- Ready to use clear coat in an aerosol
- · Finishing coated surfaces in order to achieve a high gloss
- UV Resistant
- No Isocyanates No. SIC



Part No.	Description	Size
77130-1	2.1 VOC MP Clear	Gallon
77130-4	2.1 VOC MP Clear	Quart
77131-4	2.1 VOC MP Activator - Fast	Quart
77131-16	2.1 VOC MP Activator - Fast	Half Pint
77132-4	2.1 VOC MP Activator - Medium	Quart
77132-16	2.1 VOC MP Activator - Medium	Half Pint
77133-4	2.1 VOC MP Activator - Slow	Quart
77133-16	2.1 VOC MP Activator - Slow	Half Pint

#### **1K Spot Blender**

- · Use immediately after clear coat or topcoat is applied
- · Seamless edge transitions in the blending area
- Superior solving ability
- No color deviations
- Ideal for spot repairs

#### No. 3680093



60

(a)(

#### **Acrylic Clear Coat**

- Smooth flow and leveling
- High gloss, durable finish
- Patented valve and nozzle No. 3680058 delivers spray gun like results


#### **2K Clear Coat**

- Maximum resistance to abrasion and scratching
- · Very smooth flow
- Lasting finish in high gloss, semi-gloss, or matte
- No color deviation
- Outstanding painting surface
- Suitable even at higher ambient temperatures
- Part No. Finish 3680061 **High Gloss** 3680065 Matte 3680067 Semi-Gloss

No. 0796

#### **Clear#1 High Gloss Clear Coat**

- Advanced clearcoat that gives a high gloss finish and excellent depth for a seamless and wellblended repair in a convenient aerosol
- · Ideal for spot repairs, like fenders, bumper covers, mirror covers, and moldings
- Fast drying for increased productivity and UV resistant for exceptional durability
- · Compatible with most water or solvent based paint systems





Upol









#### **CLEARS**

### 4:1 NATIONAL RULE MULTI-PURPOSE CLEAR



Ideal for a variety of projects

Extremely user-friendly and easy to spray

Excellent coverage 393 sq/ft per gallon at 1 dry mil

Part No.	Description	Size
7000-1	Multi-Purpose Clearcoat 4:1 National Rule	Gallon
7005-4	Multi-Purpose Clearcoat Activator (Fast)	Quart
7006-4	Multi-Purpose Clearcoat Activator (Medium)	Quart
7007-4	Multi-Purpose Clearcoat Activator (Slow)	Quart





### 2.1 VOC EURO-GLASS CLEAR

Excellent gloss retention, flow and leveling

Can be applied over most basecoat systems

Easy buffing within 6 to 36 hours



### Excellent flexibility and durability

Part No.	Description	Size
77190-5	2.1 VOC Euro-Glass Clear	5L
77191-25	2.1 VOC Euro-Glass Clear Activator (Fast)	2.5L
77192-25	2.1 VOC Euro-Glass Clear Activator (Medium)	2.5L
77193-25	2.1 VOC Euro-Glass Clear Activator (Slow)	2.5L

#### **FACTORY PACK**

#### **BASE COATS**

BENEFITS

Available in gallons and quarts

#### **Factory Pack-Series Polyester Basecoat**

- May be mixed with any high grade urethane reducer (recommended at 1:1 mix ratio)
- May be top coated with any high quality Clear on the market
- Blendable color match to many OEM paint codes



#### **FEATURES**

- Base Coats matching OEM paint codes at a fraction of the cost
- Polyester Composition
- High Quality

Sparkle Silver

**HFP360** 

(H.O.K.)

 May be tinted with any high quality basecoat





(FORD FL)

Easy to Use

· Matches many popular

**OEM** paint codes

• 18+ colors available



Corvette Yellow HFP650 (GM 52)

Black

**HFP250** 

(GM WA-8555)

Arizona Beige HFP655 (FORD AQ)

Dark Shadow Gray

HFP254

(FORD CX)

Green with Envy HFP755 (CHRY PGE)

**Pewter Metallic** 

**HFP256** 

(GM WA-382E)

Dark Blue Pearl **HFP856** (FORD DX)

Galaxy Silver

**HFP350** 

(GM WA-519F)

SINGLE STAGE

#### 2.8 VOC Single Stage Factory Pack

Victory Red

**HFP450** 

(GM WA-9260)

• Factory Pack includes the top 18 most popular colors in the industry


Corvette Red

HFP451

(GM WA-9075)

- Glossy finish, no top coat necessary
- High gloss, high solids, direct to metal, user friendly single stage topcoat
- Dries faster, lasts longer
- 2.8 VOC Acrylic Urethane Paint

#### **USE IT ON**





HFP75

HFP350

Galaxy Silver

Abrasives - DA Paper	10, 11, 12, 21, 81, 82, 83
Abrasives - Sheets and Rolls	10, 11, 84
Air and Fluid Hose	46
Air Dryers	44
Air Filtration	11, 44
Air Management	17, 43, 44
Air Regulators and Couplers	43
Air Tools	53, 54, 55, 56
Air Tools - Other	56
Backing Pads	54, 55
Bed Liners	25, 109, 110, 111
Body Filler	6, 96, 97
Body Shop Equipment	47, 48
Body Shop Supplies - Miscellaneous	67, 68, 69
Body Shop Tools	49, 52
Body Shop Tools - Other	52
Body Side Molding	69
Booth Coatings	42
Booth Filters	38, 39
Booth Mats	38
Brushes	68
Buffing Pads	87, 88, 89
Bumper and Plastic Repair	100, 101
Chip Guards	109
Clears	9, 13, 117, 118
Coatings & Paint Systems	7, 20, 24, 119
Color Correct and Shop Lights	23, 45
Compounds and Glazes	90, 91
Cut Off and Eraser Tools	55, 56
Detail Products	92, 93
Exhaust	38, 39
Factory Pack - Base Coats	16, 119
Factory Pack - Single Stage	16, 119
Fiberglass Filler	96
Fillers	14, 96, 97, 98
Fresh Air Breathing Systems	37
Gloves	17, 62, 63, 64
Gun Washers	47

#### **PRODUCT INDEX**

Hand Cleaner	64
Heat Guns	52
Heat Lamps	46
Lighting - Color Match	45
Liquid Masking	72
Markers (Autowriter)	69
Masking Equipment	4, 49
Masking Paper	5, 72
Masking Products	2, 74, 75, 76, 77, 78, 79, 80
Masking Products - Floor Mats	79, 80
Masking Products - Seat Covers	79, 80
Masking Products - Wheel Maskers	79, 80
Masking Tape	2, 74, 75, 76, 77, 78, 79, 80
Masking Tape - Double-Sided	75
Masking Tape - Foam	75
Masking Tape - Trim	75, 79
Metal Filler	98
Mixing Boards	100
Mixing Cups	34
Paint Cups	18, 34, 35, 36
Paint Cups - Miscellaneous	36
Paint Remover	8
Paint Suits	61
Panel Bond - Metal	101
Panel Bond - SMC, Fiberglass and Metal	102
Panel Bond - Structural	101
Paper and Synthetic	65
Plastic Film	73
Plastic Sheeting	73
Plastic Welders	58
Polishers	57
Polishing Pads	87, 88, 89
Primers	113, 114, 116
Protective Apparel	61
Putty and Glazes	6, 98, 99
Razor Blades	69
Respirators	61

Rivet Guns	49, 52
Rust Preventative Coating	105, 108
Sanders	53, 54
Scuff Pads	85
Scuff Rolls	85
Seam Sealer - 1K	103
Seam Sealer - 2K	104
Shop Wipes	65, 66
Shop Wipes - Other	65, 66
Solvent Recyclers	47
Solvents, Reducers & Thinners	7, 115
Sound Deadening Pads	69
Specialty Coatings	109
Spray Equipment - Miscellaneous	36, 38
Spray Guns - Accessories	8, 32, 33
Spray Guns - Cleaning Products	32, 33
Spray Guns - HVLP	19, 22, 26, 27, 28, 30
Spray Guns - LVLP	29
Spray Guns - Other	31, 32
Spreaders	67, 68
Sticks	67, 68
Strainers	67, 68
Stud Welders and Pins	59
Surface Prep - General	94, 95
Surface Prep - Scuff Paste	96
Surface Prep - Wax and Grease Removal	95
Tack Cloths	67
Trim Paint	112
Undercoating	108
Vacuums	48
Waxes and Polish	86
Welding	58, 59, 60
Welding Accessories	60
Welding Wires	58
Work Stands	4, 48

AES Industries	32, 36, 38, 43, 44, 49, 52, 61, 68, 80, 93, 104
American Tape	76, 79
Andrew Mack	68
Astro Pnematic	43, 45, 48, 49, 53, 55, 56, 58, 60, 79, 104
Binks	39
Blair	60
Buff 'N Shine	88
Crystal	67
Datco International Inc	67
DeVilbiss	18, 19
DeWalt	57
Diskit	54
Dominion Sure Seal	32, 33, 64, 72, 100, 101, 104, 108, 109, 111, 112, 117
Dura-Block	53
Duramix	96
Dynabrade	54, 55, 56
Dynatron	97
Eagle	12, 82
Eezer	55
Evercoat	69, 96, 97, 98, 99, 100, 102, 103, 114
Excel Products	38, 65
E-Z Mix	34, 36, 68, 69
FBS Distribution	76
Ferro	53, 88
Finex by Sharpe	28
Flexzilla	46
Fusor	100, 102, 102, 104
Gerson	61, 67, 68
H & S Autoshot	59
Herkules	47
High Teck	1, 4, 5, 6, 13, 16, 26, 32, 34, 46, 48, 49, 52, 53, 54, 55, 56, 57, 61, 64, 65, 67, 69, 72, 73, 79, 81, 83, 84, 85, 88, 89, 94, 95, 96, 98, 100, 103, 108, 111, 113, 115, 116, 117, 118, 119, 124
	110, 110, 117, 110, 110, 124

8, 30, 31, 32, 34, 35, 37, 42, 45, 54, 56, 60, 66, 78,

79, 80, 81, 84, 85, 91, 96, 100, 101, 102, 103, 108, 109, 122, 123

ЗМ

#### **MANUFACTURER INDEX**

Infratech	46
lwata	27, 31, 32, 38, 43, 44
Keysco	49
Kimberly-Clark	64, 65
Klean Strip	7, 33, 42, 94, 95, 102
Kresto	64
Mack	68
Makita	57
Marson (Alcoa)	52, 80, 97, 98
Master Appliances	52
Meguiar's	15, 45, 57, 86, 88, 91, 93
Mercantile Development (MDI)	66
Microflex	62, 63
Mirka	81, 83, 85
MotorGuard	43, 44, 46, 59
New Pig	38
Norton	55, 72, 73, 101, 102, 103
Polyvance (Urethane Supply)	58, 60, 112
POR-15	106, 108
Presta	86, 87, 90, 92, 93, 96
Preval	38
Prevost	43
Protekto Trim	69
Q1 Masking Solutions	1, 2, 73, 74, 75
RBL	42, 57, 66, 69, 73, 80
Reading Technologies Inc.	17, 43
Re-Grip (Preval)	36
S.A.S Safety	17, 61, 63, 64
S.M. Arnold	87, 93
SATA	22, 23, 27, 28, 29, 36, 38, 43, 45
SEM	33, 73, 77, 94, 96, 99, 101, 102, 103, 104, 108, 109, 110, 111, 112, 113, 114, 116, 117
Sharpe	40, 41, 43, 44
ShootSuit	61
SprayMax	1, 9, 20, 33, 94, 95, 113, 114, 116, 117
Steck	48, 52
Stoko (Kresto)	62
Sunmight	21, 48, 81, 82, 85

**DISCLAIMER:** Some products are available for drop ship only, such as large equipment. Please check with your representative for all product availability and shipping options. Not responsible for pictorial or typographical errors. This issue expires 12/31/2024.

Titan	26, 46, 52, 57
Tork (SCA)	65
Transtar	25, 108, 112, 113
Uni-Ram	47
U-POL	14, 24, 94, 95, 97, 99, 104, 109, 113, 114, 116, 117
US Chemical	69, 72, 80, 97, 98, 99, 100, 111
US Forge	58
Viledon Engineering	39
Viskon-Aire	38, 39
Wizards	86, 87, 90



## AUTOWORKS



#### Scan the QR code to visit WWW.AUTOWORKS.PUB

A definition of the second sec

WARNING: This publication may feature products that contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

For product specific information, please visit our website at nodonline.nationaloak.com. You can read more about Proposition 65 by visiting www.p65warnings.ca.gov.



### **3M Seam Sealer Solutions**



3M<sup>™</sup> OEM Match Tips 2K Tips 1K Tips 2K Tips 1K Tips 2K Tips 1K Tips 2K Tips 1K Tips Adjustable Ripple Wide Wing Sprayable Nozzle 33995 33994 33998 33993 33996 33991 33997 33992

3M recommends that all seam sealers, including direct-to-metal seam sealers, should be applied over a 2K primer. 3M OEM Match 2K, MSP 1K, & Urethane 1K seam sealers adhere to properly prepared bare metal and primed surfaces.

\*3M Factory Match Seam Sealer adheres to primed surfaces

# OEM Match Made Easy

Science. Applied to Life.™

### Help save time and effort with the 3M OEM Match Family of seam sealer solutions.

Part No.	Description	Size
33995	OEM Match Adjustable Ripple Tip	Pack
33991	OEM Match Sprayable 1K Tip	Pack
33998	OEM Match Wide Stream 2K Tip	Pack
33996	OEM Match Sprayable 2K Tip	Pack
33997	OEM Match Wing Nozzle 2K Tip	Pack
33993	OEM Match Wide Stream 1K Tip	Pack
33992	OEM Match Wing Nozzle 1K Tip	Pack
33994	OEM Match Ripple Tip 1K Tip	Pack
33999	OEM Match Air Supply Kit	Kit
8399	Flexible Package Applicator - Pneumatic	Each
9930	Pneumatic Applicator	200 ml
39000	Single Cartridge Applicator Gun with Regulator	Each
8206	OEM Seam Sealer Tip Adapter	Bag







### 3M<sup>™</sup> OEM Match Epoxy Seam Sealer

3M<sup>™</sup> OEM Match Epoxy Seam Sealers are a tough yet flexible material for sealing seams and joints on properly prepared bare metal, as well as primed or painted substrates.

- Used in combination with 3M<sup>™</sup> OEM Match Tips to help replicate some robotically applied OEM seam sealers
- Caulkable, toolable, brushable, and sprayable
- Non-sagging formula designed for easy to manipulate tooling and texture on vertical and horizontal surfaces
- Adheres to properly prepared bare metal and primed surfaces
- Set and ready to paint after 15 minutes

Part No.	Description	Size	
8522	OEM Match Epoxy Seam Sealer	Beige	200 ml
8522 8528	OEM Match Epoxy Seam Sealer	Black	201 ml
8524	OEM Match Epoxy Seam Sealer	White	202 ml
8526	OEM Match Epoxy Seam Sealer	Gray	203 ml





# NEM ABRASIVES

LEARN MORE ABOUT OUR NEW PRODUCT OFFERINGS AND PART NUMBERS ON PAGES 10 AND 11.

